

*Rapport Technique*

**Robust optimization criteria: state-of-the-art and new issues**

**Amadeu Almeida Coco**

ICD-LOSI, Université de Technologie de Troyes  
DCC-UFMG, Universidade Federal de Minas Gerais

**Elyn L. Solano-Charris**

ICD-LOSI, Université de Technologie de Troyes  
AMLI-EICEA, Universidad de La Sabana

**Andréa Cynthia Santos**

ICD-LOSI, Université de Technologie de Troyes

**Christian Prins**

ICD-LOSI, Université de Technologie de Troyes

**Thiago Noronha**

DCC-UFMG, Universidade Federal de Minas Gerais

# Robust optimization criteria: state-of-the-art and new issues

Amadeu Almeida Coco<sup>1,2</sup>, Elyn L. Solano-Charris<sup>1,3</sup>  
Andréa Cynthia Santos<sup>1</sup>, Christian Prins<sup>1</sup>, Thiago Noronha<sup>2</sup>

<sup>1</sup> ICD-LOSI, UMR CNRS 6281, Université de Technologie de Troyes  
12, rue Marie Curie, CS 42060, 10004, Troyes CEDEX, France.  
{andrea.duhamel},{elyn.solano-charris},{christian.prins}@utt.fr

<sup>2</sup> DCC-UFMG, Universidade Federal de Minas Gerais  
Avenida Antônio Carlos 6627, Belo Horizonte, MG, Brazil.  
{amadeuac},{tfn}@dcc.ufmg.br

<sup>3</sup> AMLI-EICEA, Universidad de La Sabana  
Autopista norte de Bogotá D.C., Chía (Cundinamarca), Colombia.  
erlyn.solano@unisabana.edu.co

2014, 19 of June

## Abstract

Uncertain parameters appear in many optimization problems raised by real-world applications. To handle such problems, several approaches to model uncertainty are available, such as stochastic programming and robust optimization. This study is focused on robust optimization, in particular, the criteria to select and determine a robust solution. We provide an overview on robust optimization criteria and introduce two new classifications criteria for measuring the robustness of both scenarios and solutions. They can be used independently or coupled with classical robust optimization criteria and could work as a complementary tool for intensification in local searches.

## 1 Introduction

Uncertain parameters appear in many optimization problems raised by real-world applications. In general, uncertain data arise due to incomplete information and undifferentiated information [37]. Several approaches are available to

model them in the context of optimization problems, in particular stochastic programming where uncertain data are modeled as random variables [56, 61]. However, such approach is limited to the cases where uncertainties have a stochastic nature (which is not always the case) and when it is possible to identify the probability distribution, which can be difficult to obtain, especially for large-scale problems [9]. Many studies deal with stochastic programming approaches and the pioneer models were proposed by Beale [8] and Dantzig [19].

Robust optimization has been applied in general as a way to self-protection against undesirable impacts due to vague approximations, incomplete, imprecise, or ambiguous data. Readers are referred to [53] for an interesting survey on different uses of robustness in the field of Operations Research. This study is dedicated to robust optimization problems for which uncertain data are defined as a set of possible values, usually called as scenarios. In this context, the literature covers a large number of applications [43, 54, 57, 66], such as scheduling [25, 28], facility location [3, 7, 26, 41], inventory [11, 17], finance [15, 22, 27, 18, 55], queuing networks, stochastic systems and game theory [13, 32, 35, 51], machine learning and statistics [10, 63, 62], and energy systems [14, 52].

The robust optimization approach considered here is then, an alternative to stochastic programming where the optimization is done over a set of scenarios. A scenario denotes the way to structure the uncertain data, where two common ways of modeling are *interval* or *discrete data*. Interesting definitions for a *robust model* and a *robust solution* are introduced by [36, 46]. Roughly, a *robust solution* is related to the robust optimization criteria. For instance, whenever a *minmax* objective function is addressed, a robust solution is the one which minimizes the worst case. For the sake of clarity, let us consider the classical Robust Shortest Path (RSP) problem as an example to show the use of interval and discrete data. The RSP problem is defined on a digraph  $G = (V, A)$ , where  $V$  denotes the vertex-set while  $A$  is the set of arcs. An origin vertex  $t \in V$  and a destination vertex  $d \in V$  are given, but the costs associated with each arc  $(i, j) \in A$  are uncertain. Thus, such uncertain data can be modeled as an interval (RSP-I)  $[l_{ij}, u_{ij}]$ , with  $l_{ij}, u_{ij} \in \mathbb{R}$ , where  $u_{ij} \geq l_{ij} \geq 0$ , or else by a set of discrete scenarios (RSP-D)  $S = \{1, 2, \dots, q\}$ , where every scenario  $k \in S$  specifies a cost value  $c_{ij}^k$  for each arc. Without loss of generality, using the interval data, a scenario  $k$  is an assignment of arc costs  $c_{ij}^k \in [l_{ij}, u_{ij}]$ , for all  $(i, j) \in A$ .

Three main components are related in the application of robust optimization methods. These components are: (i) the way uncertain data are modeled (e.g. with the use of scenarios), (ii) the selection of an appropriate robust optimization criterion such as *minmax*, *minmax regret*, *minmax relative regret*,  $\alpha$ -*robustness*, *bw-robustness*, *pw-robustness*, referred here as Robust Optimization Criteria (ROC), and (iii) the choice of a mathematical model and methods to generate robust solutions [36].

In this study, different ROC and their main applications are reviewed. Then, we introduce two Robust Classifications Criteria (RCC) that can be applied for measuring the robustness of both scenarios and solutions. The alternative RCC

proposed here can be used independently of other criteria, as an additional support to classical ROC, or still as a tool for intensification in local search strategies. It is important to highlight that the proposed RCC are not optimization criteria, instead they are a measure of quality based on ranking (classification) of solutions over all the scenarios considered. The remain of this work is organized as follows: a state-of-the-art on ROC is presented in Section 2, followed by a detailed description of the proposed RCC in Section 3. Finally, concluding remarks are given in Section 4.

## 2 State of the art on ROC

The robust optimization approach has been typically modeled with a set of scenarios defined with discrete or interval values [5], as previously mentioned. In either case, decisions can be made according to one of the following ROC: *minmax*, *minmax regret*, *minmax relative regret*, *lexicographical criteria*,  $\alpha$ -*robustness*, *bw-robustness* and *pw-robustness*, etc. These are the most common ROC to deal with robust optimization problems, and their use mainly depend on the application and the optimization goals. Below we review such criteria and provide some practice cases for them.

The *minmax* family criteria, *i.e.*, the absolute *minmax*, the *minmax regret* and the *minmax relative regret* [53], are usually refereed as conservative criteria since they aim at minimizing the possible losses whenever the worst case scenario occurs [36].

The *minmax* criterion has been initially developed for game theory by Von Neumann [48] for a two-player zero-sum game. The *minmax* dual problem relies on maximizing the minimum gain, named *maxmin*. Both the *minmax* and the *maxmin* are used whenever the worst case scenario can imply a major damage. Extending the work of Von Neumann [48], Wald proposed a non-probabilistic decision-making model based on the worst-case of a decision [59]. According to the author's definition, the decisions are ranked based on their worst-case outcomes. This strategy discards the worst case scenario among the possible decisions in an optimization process. Actually, the *minmax* criterion is one of the most studied ROC and has been successfully applied to different problems [12, 33, 36], such as: competitive situations, punctual risky decisions, robust shortest path [31, 45, 65], robust minimum spanning tree [34, 44, 64], among others.

Another possible ROC is the *lexicographic minmax* introduced by Dresher [20], which extends the work of Von Neumann known as the nucleolus of a matrix game in game theory. The idea consists in selecting a subset of optimal strategies, based on the optimal solution of *minmax*, which take advantage of the opponent player's mistakes. In the *lexicographic minmax* not only the worst case is minimized, as in the classical *minmax*. It also considers the second worst case, the third worst, etc. Therefore, the *lexicographic minmax* refines the concept of solution in the *minmax* approach, since it selects a unique set of outcomes, but not necessarily a unique solution (if there is more than one

solution, all solutions selected have the same distribution).

Extending the work [20], the *lexicographic minmax* has been studied by [49] to improve the *minmax* when the uncertain data are modeled with discrete scenarios. The author in [49] also showed that the *lexicographic minmax* complies with both “Pareto-Optimality Principle” and the “Principle of the Transfers”, whereas the standard *minmax* may violate both principles. In accordance with the “Pareto-Optimality Principle” all the objective functions are treated on the same way without preferences and/or specific assumptions, and the Principle of the Transfers is commonly recognized as the essential axiom for equity measure [39]. Finally, the author showed that the solutions obtained by the *lexicographic minmax* are better than those obtained by the *minmax* applying this criterion to location problems [49]. The *lexicographic minmax* has been successfully applied to allocation problems [38, 60], location problems [47, 50], and sensor node placement [2], as well as it has been modeled and integrated to mathematical programming [1, 29]

The  $\alpha$ -robustness has been proposed by Kalaï [30] to be less conservative than the *minmax*. It extends the *lexicographic minmax* and is applied whenever the uncertain data are modeled using discrete scenarios [49]. Both criteria, the *lexicographic minmax* and the  $\alpha$ -robustness, rank solutions considering the worst scenarios. Concerning the  $\alpha$ -robustness, a vector of solutions, called “ideal solutions” are defined. An ideal solution is the best solution obtained for each scenario, and it is used to compute deviations. Given a solution  $\theta$ , an ideal solution  $\theta^*$  and a set of scenarios  $S$ , the cost of  $\theta$ , also called distance, is the scenario  $k \in S$  where the difference between the cost of  $\theta$  and the cost of  $\theta^*$  in scenario  $k$  is maximum. For example, considering a problem with two scenarios, if the ideal solution values for each scenario  $k \in S$  are given by  $cost(\theta^*, k) = \{10, 8\}$  and the cost of a solution  $\theta$  for each scenario  $k \in S$  is  $cost(\theta, k) = \{15, 10\}$ , then the maximum deviation between  $cost(\theta, k)$  and  $cost(\theta^*, k)$  is equal to 5. Recently, this criterion is used to treat uncertain attribute evaluations in the outranking methods [21] which build a list of preferences following a set of predetermined alternatives.

An alternative ROC to the *minmax* using discrete scenarios is presented by Bertsimas and Sim [16]. The authors propose a robust integer programming model that allows to control the conservatism degree of a solution by using probabilistic bounds and violation constraints. Let  $n$  be the number of binary variables for a discrete optimization problem with uncertain data associated with the cost coefficients. Then, we solve the robust counterpart by solving  $n + 1$  instances of the original problem. Besides, the authors have proposed an algorithm for robust network flows using their model. This criterion has been mostly used for solving facility location problems [6], robust prize-collecting Steiner tree problems [4], robust knapsack problem [42] and the robust network loading problem with dynamic routing [40].

Roy (2010) [53] argues the *minmax* approach fails to translate the robustness since it focuses only on minimizing the worst case. Thus, the robust optimization is defined in his work as the ability to prevent undesirable impacts when uncertain data are handled. The author proposed a new ROC as an alternative

for the *minmax*, named *bw-robustness*. A non-negative value  $b$  establishes a threshold that cannot be exceeded on most of the scenarios, while the constant  $w$  defines the value that cannot be exceeded by any scenario represented as follows,  $w \leq \max_{\theta} \min_k (v_k(\theta))$ , where  $k$  is a scenario,  $\theta$  is a feasible solution and  $v_k(\theta)$  is the cost of the feasible solution in a scenario. The *bw-robustness* is used only when the scenarios correspond to discrete values and the number of scenarios is very large. Like for the *minmax* family criteria, the *bw-robustness* can be addressed as *bw-absolute robustness*, *bw-absolute deviation* and relative regret *bw-relative deviation*. The *bw-robustness* has been successfully applied to the robust shortest path problem [24] and to the robust military mission planning problem [58] which consists of allocating resources and scheduling tasks during a military mission in order to protect the city borders.

The *pw-robustness* criterion is an extension of the *bw-robustness* criterion [23]. Thus, a solution is said to be robust whenever it ensures a  $w$  value for all scenarios, and if it reaches a value  $b$  in a  $p$  percentage of scenarios.

### 3 Robust Classification Criteria

We suggest here two RCC for measuring the solutions quality, as well as the impact of the scenarios over the solutions, named *robust absolute rank* and *robust mean rank*. In terms of solutions quality, the general idea of the RCC is to provide an evaluation of solutions based on their evaluation over all the scenarios. They do not look only for avoiding the worst case, neither for computing the worst case, the second one, etc., like in the  *$\alpha$ -robustness*, the *bw-robustness* and the *pw-robustness*. The RCC focus on the number of times a solution obtain the best results in its evaluation over a given set of scenarios. Thus, in terms of evaluating a solution, it means that a solution is a good one if it is good in a higher number of scenarios.

In terms of scenarios, the proposed criteria provide an evaluation considering the impact of the solutions found for a given scenario, by identifying the scenarios which produce a higher number of better solutions.

The proposed RCC are less conservative than the *minmax* family and the *lexicographic* family of criteria, and they can be applied to evaluate independently the impact of applying an individual solution, as well as deciding about the scenarios which has produced the best solutions. The RCC can be used as main evaluation criteria, as well as a decision support tool for existing ROC. An example for the latter is whenever one looks for avoiding the worst case, and after that to classify the remaining solutions, *i.e.* a two stage evaluation. These criteria provide complementary and useful information for intensification in local search for a given scenario. An example where the intensification can be done is whenever one deals with a robust version of a NP-hard problem which implies to handle a NP-hard problem per scenario.

Let us consider a number of feasible solutions. Then, a way to evaluate the solutions over all scenarios can be done by a classification, as well as to know which scenarios have a higher impact on the solutions. For each known feasible

solution, the *robust absolute rank* denotes the number of times for which the considered solution is the best over all known solutions for a specific scenario. Whenever a solution is the best for a specific scenario, it is assigned one point. At the end, the number of times a solution has a minimal value, is kept. If for a given scenario, two or more solutions draw for best solution, they all count as best and one point is added to its *robust absolute rank*. Considering a solution, the higher is its *robust absolute rank*, the better the solution is. Considering a set of scenarios  $S$ , the *robust absolute rank* can also be applied for evaluating  $S$  by taking the sum of all *robust absolute rank* for each known solution of  $S$ .

The *robust mean rank* is computed for every solution considering each scenario. Let  $r$  be the position of a solution in a classification over a set of solutions. Then, for a given solution and considering a set of  $S$  scenarios, the solution that returns the best result for a specific scenario  $k$  receives one point, the one that returns two points, and the one that returns the worst result receives  $r^{th}$  points. Whenever several solutions obtain the best result, they are all assigned one point. Whenever two solutions have the second best value, they are both assigned two points. For every solution and every scenario, the corresponding *robust mean rank* is equal to the mean number of points assigned to each solution. The smaller the *robust mean rank*, the better the corresponding solution is. Considering a scenario  $k$ , the *robust mean rank* can also be applied for evaluating  $S$  by taking the sum of the *robust mean rank* for each feasible solution of  $S$ .

An example for the RSP-D is provided in Figure 1. Tables 1 and 2 summarize the corresponding values for some ROC and the proposed RCC. In Table 1, each line corresponds to a possible solution for the graph depicted in Figure 1. The next columns stand for their cost considering respectively, the first, the second and the third scenario. Then, the remaining columns contain respectively the values for the following criteria: *minmax*, *minmax regret*, and *robust absolute rank*. Table 2 presents the classification for each solution in each scenario according to the *robust mean rank*. The three columns of classification indicate the points assigned for each solution in each scenario. The last column indicates the *robust mean rank* per solution.

For the solution  $t-0-2-3-d$ , the *robust absolute rank* is set to a value of 2 because this solution is the best for two scenarios out of three scenarios. It can be noticed that the solution  $t-0-3-d$  stands for the best one using the mean, the *minmax* and the *minmax regret* criteria. On the contrary, the best solutions using the *robust absolute rank* and the *robust mean rank* are  $t-0-2-3-d$  and  $t-1-2-4-d$  because their cost evaluation is the best for a higher number of scenarios. In fact, for some applications, the robustness may enclose this idea: “robust solutions are those which are good and could be applied in most of the scenarios considered”. Obviously, whenever a decision maker may avoid the worst case, these criteria cannot be applied alone. But, they can be coupled with a criteria from the *minmax* family considering the complementary information that can be obtained obtain with the proposed RCC (quality of solutions and the impact they have in the scenarios), opening opportunities for sensitivity analysis.

Figure 1: An example of graph with uncertain data represented by a discrete set of values.




Table 1: Evaluating solutions for the robust shortest path problem.

Solutions	Scenarios			Evaluation			
	$C^1$	costs $C^2$	$C^3$	Mean	<i>minmax</i>	<i>minmax regret</i>	<i>robust absolute rank</i>
$t-0-3-d$	10	10	7	<b>9.00</b>	<b>10</b>	<b>4</b>	1
$t-0-2-3-d$	13	7	7	<b>9.00</b>	13	7	<b>2</b>
$t-0-2-4-d$	11	8	9	9.67	11	5	1
$t-1-4-d$	6	12	10	9.33	12	5	1
$t-1-2-3-d$	10	12	6	9.33	12	5	1
$t-1-2-4-d$	8	13	8	9.67	13	6	<b>2</b>
<i>robust absolute rank per scenario</i>	<b>2</b>	<b>2</b>	<b>4</b>				

Table 2: Applying the *robust mean rank*.

Solutions	Classification			<i>robust mean rank per solution</i>
	$k=1$	$k=2$	$k=3$	
$t-0-3-d$	2	2	1	1.67
$t-0-2-3-d$	2	1	1	<b>1.33</b>
$t-0-2-4-d$	3	1	2	2.00
$t-1-4-d$	1	3	2	2.00
$t-1-2-3-d$	1	3	2	2.00
$t-1-2-4-d$	1	2	1	<b>1.33</b>
<i>robust mean rank per scenario</i>	1.83	2.00	<b>1.33</b>	

## 4 Concluding remarks

In spite of its simplicity, the proposed RCC enclose the idea of better solutions in a higher number of scenarios, as well as, they provide an easy way to identify the scenarios which has produced a higher number of better solutions. Contrary to the *minmax* family criteria and the *lexicographic* ROC, the proposed criteria provide a way to quantify a robust solution in a global perspective as the impact of the scenarios over the solutions. The RCC can be used as independent or be coupled with a ROC as a complementary information for the decision-making. A possible direction is to apply these RCC for intensification in local searches.

## References

- [1] M. M. Kostreva, W. Ogryczak, and A. Wierzbicki. Equitable aggregations and multiple criteria analysis. *European Journal of Operational Research*, 158:362–377, 2004.
- [2] H. Z. Abidin and N. M. Din. Sensor node placement based on lexicographic minimax. In *2012 International Symposium on Telecommunication Technologies, ISTT 2012*, pages 82–87, 2012.
- [3] S. Alumur, S. Nickel, and F. Saldanha da Gama. Hub location under uncertainty. *Transportation Research Part B: Methodological*, 46:529–543, 2012.
- [4] E. Álvarez-Miranda, E. I. Ljubić, and P. Toth. Exact approaches for solving robust prize-collecting Steiner tree problems. *European Journal of Operational Research*, 229:599–612, 2013.
- [5] T. Assavapokee, M. Realf, and J. Ammons. A new min-max regret robust optimization approach for interval data uncertainty. *Journal of Optimization Theory and Applications*, 137:297–316, 2008.
- [6] I. Averbakh and S. Bereng. Facility location problems with uncertainty on the plane. *Discrete Optimization*, 2:3–34, 2005.
- [7] O. Baron, J. Milner, and H. Naseraldin. Facility location: A robust optimization approach. *Production and Operations Management*, 20:772–785, 2011.
- [8] E. M. L. Beale. On minimizing a convex function subject to linear inequalities. *Journal of the Royal Statistical Society*, 17:173–184, 1955.
- [9] A. Ben-Tal, D. Bertsimas, and D. B. Brown. Robust convex optimization. *Mathematics of Operations Research*, 23:769–805, 1998.
- [10] A. Ben-Tal, S. Bhadra, C. Bhattacharyya, and J. S. Nath. Chance constrained uncertain classification via robust optimization. *Mathematical Programming*, 127:145–173, 2011.
- [11] A. Ben-Tal, G. Boaz, and Shimrit. Robust multi-echelon multi-period inventory control. *European Journal of Operational Research*, 199:922–935, 2009.
- [12] A. Ben-Tal and A. Nemirovski. Robust optimization – methodology and applications. *Mathematical Programming*, 92:453–480.
- [13] D. Bertsimas and X. Doan. Robust and data-driven optimization approaches to call centers. *European Journal of Operational Research*, 207:1072–1085, 2010.

- [14] D. Bertsimas, D. Gamarnik, and A. A. Rikun. Performance analysis of queueing networks via robust optimization. *Operations Research*, 59:455–466, 2011.
- [15] D. Bertsimas and D. Pachamanova. Robust multiperiod portfolio management in the presence of transaction costs. *Computers and Operations Research*, 35:3–17, 2008.
- [16] D. Bertsimas and M. Sim. Robust discrete optimization and network flows. *Mathematical Programming*, 98:49–71, 2003.
- [17] D. Bienstock and N. Ozbay. Computing robust basestock levels. *Discrete Optimization*, 5:389–414, 2008.
- [18] M. Ç. Pinar. Robust scenario optimization based on downside-risk measure for multi-period portfolio selection. *OR Spectrum*, 29:295–309, 2007.
- [19] G. B. Dantzig. Linear programming under uncertainty. *Management Science*, 1:197–206, 1955.
- [20] M. Dresher. *Games of Strategy*. Prentice-Hall, 1961.
- [21] I. N. Durbach. Outranking under uncertainty using scenarios. *European Journal of Operational Research*, 232:98–108, 2014.
- [22] F. Fabozzi, P. Kolm, D. Pachamanova, and S. Focardi. Wiley, 5 edition, 2007.
- [23] V. Gabrel, C. Murat, and A. Thièle. La pw-robustesse: pourquoi un nouveau critère de robustesse et comment l’appliquer? In *14ème congrès de la Société Française de Recherche Opérationnelle et d’Aide à la Décision (ROADEF)*, 2013.
- [24] V. Gabrel, C. Murat, and L. Wu. New models for the robust shortest path problem: complexity, resolution and generalization. *Annals of Operations Research*, pages 1–24, 2011.
- [25] S. Goren and I. Sabuncuoglu. Robustness and stability measures for scheduling: single-machine environment. *IIE Transactions*, 40:66–83, 2008.
- [26] N. Gulpinar, D. Pachamanova, and E. Canakoglu. Robust strategies for facility location under uncertainty. *European Journal of Operational Research*, 225:21–35, 2013.
- [27] N. Gulpinar and B. Rustem. Worst-case robust decisions for multi-period mean-variance portfolio optimization. *European Journal of Operational Research*, 183:981–1000, 2007.
- [28] O. Hazir, M. Haouari, and E. Erel. Robust scheduling and robustness measures for the discrete time/cost trade-off problem. *European Journal of Operational Research*, 207:633–643, 2010.

- [29] J. N. Hooker and H. P. Williams. Combining equity and utilitarianism in a mathematical programming model. *Management Science*, 58:1682–1693, 2012.
- [30] R. Kalai, C. Lamboley, and D. Vanderpooten. Lexicographic  $\alpha$ -robustness: An alternative to min-max criteria. *European Journal of Operational Research*, 220:722–728, 2012.
- [31] O. E. Karasan, H. Yaman, and M. Ç. Pinar. The robust shortest path problem with interval data. Technical report, Bilkent University, Department of Industrial Engineering, 2001.
- [32] E. Kardes, F. Ordóñez, and R. Hall. Discounted robust stochastic games and an application to queueing control. *Operations Research*, 59:365–382, 2011.
- [33] A. Kasperski. *Discrete Optimization with Interval Data - Minmax Regret and Fuzzy Approach*, volume 228 of *Studies in Fuzziness and Soft Computing*. Springer, 2008.
- [34] A. Kasperski and P. Zielinski. On the approximability of robust spanning tree problems. *Theoretical Computer Science*, 412:365–374, 2011.
- [35] E. Kirkizlar and S. H. A. Andradottir. Robustness of efficient server assignment policies to service time distributions in finite-buffered lines. *Naval Research Logistic*, 57:563–582, 2010.
- [36] P. Kouvelis and G. Yu. *Robust discrete optimization and its applications*. Kluwer Academic Publishers, 2002.
- [37] R. Lipshitz and O. Strauss. Coping with uncertainty: A naturalistic decision-making analysis. *Organizational Behavior and Human Decision Processes*, 69:149–163, 1997.
- [38] H. Luss. On equitable resource allocation problems: A lexicographic min-max approach. *Operations Research*, 47:361–378.
- [39] M. B. Mandell. Modelling effectiveness-equity trade-offs in public service delivery systems. *Management Science*, 37:467–482, 1991.
- [40] S. Mattia. The robust network loading problem with dynamic routing. *Computational Optimization and Applications*, 54:619–643, 2013.
- [41] M. Minoux. Robust network optimization under polyhedral demand uncertainty is np-hard. *Discrete Applied Mathematics*, 158:597–603, 2010.
- [42] M. Monaci, U. Pferschy, and P. Serafini. Exact solution of the robust knapsack problem. *Computers and Operations Research*, 40:2625–2631, 2013.

- [43] R. Montemanni, J. Barta, M. Mastrolilli, and L. M. Gambardella. The robust traveling salesman problem with interval data. *Transportation Science*, 41:366–381, 2007.
- [44] R. Montemanni and L. M. Gambardella. A branch and bound algorithm for the robust spanning tree problem with interval data. *European Journal of Operational Research*, 161:771–779, 2005.
- [45] R. Montemanni, L. M. Gambardella, and A. V. Donati. A branch and bound algorithm for the robust shortest path problem with interval data. *Operations Research Letters*, 32:225–232, 2004.
- [46] J. M. Mulvey, R. J. Vanderbei, and S. A. Zenios. Robust optimization of large-scale systems. *Operations Research*, 43:264–281, 1995.
- [47] R. Narasimhan, S. Talluri, J. Sarkis, and A. Ross. Efficient service location design in government services: A decision support system framework. *Journal of Operations Management*, 23:163–178, 2005.
- [48] J. V. Neumann. Zur theorie der gesellschaftsspiele. *Mathematische Annalen*, 100:295–320, 1928.
- [49] W. Ogryczak. On the lexicographic minimax approach to location problems. *European Journal of Operational Research*, 100:566–585, 1997.
- [50] W. Ogryczak. On the distribution approach to location problems. *Computers and Industrial Engineering*, 37:595–612, 1999.
- [51] F. Ordóñez and N. Stier-Moses. Wardrop equilibria with risk-averse users. *Transportation Science*, 44:63–86, 2010.
- [52] G. P. Ribas, S. Hamacher, and A. Street. Optimization under uncertainty of the integrated oil supply chain using stochastic and robust programming. *International Transactions in Operational Research*, 17:777–796, 2010.
- [53] B. Roy. Robustness in operational research and decision aiding: A multifaceted issue. *European Journal of Operational Research*, 200:629–638, 2010.
- [54] S. Schneider, P. Shabalin, and M. Bichler. On the robustness of non-linear personalized price combinatorial auctions. *European Journal of Operations Research*, 206:248–259, 2010.
- [55] K. Schoettle and R. Werner. Robustness properties of mean-variance portfolios. *Optimization*, 58:641–663, 2009.
- [56] A. Shapiro, D. Dentcheva, and A. Ruszczyński. *Lectures on stochastic programming: modeling and theory*. The society for industrial and applied mathematics and the mathematical programming society, Philadelphia, USA, 2009.

- [57] I. Sungur, F. Ordóñez, and M. Dessouky. A robust optimization approach for the capacitated vehicle routing problem with demand uncertainty. *IIE Transactions*, 40:509–523, 2008.
- [58] L. Tang, C. Zhu, W. Zhang, and Z. Liu. Robust mission planning based on nested genetic algorithm. In *Proceedings of 4th International Workshop on Advanced Computational Intelligence, IWACI 2011*, pages 45–49, 2011.
- [59] A. Wald. Contributions to the theory of statistical estimation and testing hypotheses. *Annals of Mathematical Statistics*, 10:299–326, 1939.
- [60] L. Wang, L. Fang, and K. W. Hipel. Lexicographic minimax approach to fair water allocation problem. In *2004 IEEE International Conference on Systems, Man and Cybernetics, SMC 2004*, volume 1, pages 1038–1043, The Hague, Netherlands, 2004.
- [61] R. J. B. Wets. Stochastic programming models: Wait-and-see versus here-and-now. In Claude Greengard and Andrzej Ruszczyński, editors, *Decision Making Under Uncertainty*, volume 128 of *The IMA Volumes in Mathematics and its Applications*, pages 1–15. Springer New York, 2002.
- [62] H. Xu, C. Caramanis, and S. Mannor. Robust regression and lasso. *IEEE Transactions on Information Theory*, 56:3561–3574, 2010.
- [63] H. Xu, C. Caramanis, and S. Sanghavi. Robust PCA via outlier pursuit. *IEEE Transactions on Information Theory*, 58:3047–3064, 2012.
- [64] H. Yaman, O. E. Karasan, and M. Ç. Pinar. The robust spanning tree problem with interval data. *Operations Research Letters*, 29:31–40, 2001.
- [65] G. Yu and J. Yang. On the robust shortest path problem. *Computers & Operations Research*, 25:457–468, 1997.
- [66] M. Zhang. Two-stage minimax regret robust uncapacitated lot-sizing problems with demand uncertainty. *Operations Research Letters*, 39:342–345, 2011.