

A Branch & Bound Algorithm for Robust Binary Optimization with Budget Uncertainty

Christina Büsing  Timo Gersing* 
Arie M.C.A. Koster 

Abstract Since its introduction in the early 2000s, robust optimization with budget uncertainty has received a lot of attention. This is due to the intuitive construction of the uncertainty sets and the existence of a compact robust reformulation for (mixed-integer) linear programs. However, despite its compactness, the reformulation performs poorly when solving robust integer problems due to its weak linear relaxation.

To overcome the problems arising from the weak formulation, we propose a bilinear formulation for robust binary programming, which is as strong as theoretically possible. From this bilinear formulation, we derive strong linear formulations as well as structural properties for robust binary optimization problems, which we use within a tailored branch & bound algorithm.

We test our algorithm’s performance together with other approaches from the literature on a diverse set of “robustified” real-world instances from the MIPLIB 2017. Our computational study, which is the first to compare many sophisticated approaches on a broad set of instances, shows that our algorithm outperforms existing approaches by far. Furthermore, we show that the fundamental structural properties proven in this paper can be used to substantially improve the approaches from the literature. This highlights the relevance of our findings, not only for the tested algorithms, but also for future research on robust optimization.

Keywords Robust Optimization, Combinatorial Optimization, Mathematical Programming, Branch and Bound, Computation

Mathematics Subject Classification (2020) 90C11 · 90C17 · 90C27 · 90C57

*Corresponding Author

Christina Büsing · Timo Gersing · Arie M.C.A. Koster
Lehrstuhl II für Mathematik, RWTH Aachen University, Pontdriesch 10-12, 52062 Aachen,
Germany
E-mail: gersing@math2.rwth-aachen.de

1 Introduction

Dealing with uncertainties is inevitable when considering real-world optimization problems. A classical approach to include uncertainties into the optimization process is robust optimization, where different realizations of the uncertain parameters are modeled via an uncertainty set. A robust optimal solution remains feasible for all considered scenarios in the uncertainty set and minimizes the worst-case cost occurring under these scenarios. The concept was first introduced by Soyster [37] in the early 1970s, was later considered for combinatorial optimization problems and discrete uncertainty sets by Kouvelis and Yu [28] in the 1990s, and was analyzed in detail by Ben-Tal and Nemirovski [10, 11, 12] and Bertsimas and Sim [15, 16] at the beginning of this century. An overview on robust optimization is given in [9, 13, 21]. The approach by Bertsimas and Sim has proven to be the most popular, with the introductory paper [16] being the most cited document on robust optimization in the literature databases Scopus and Web of Science (search for *robust optimization* in title, keywords, and abstract). The approach’s popularity is primarily based on the intuitive definition of the uncertainty set and the existence of a compact reformulation for the robust counterpart. However, instances from practice can still pose a considerable challenge for modern MILP solvers, even if the non-robust problem is relatively easy to solve, as observed, e.g. by Kuhnke et al. [29]. In this paper, we address this challenge by studying the structure of robust binary problems and proposing a new branch & bound algorithm. Thereby, we restrict ourselves to problems with uncertain objective functions. However, most of our results carry over to general robust optimization.

We start by formally defining a standard, so called *nominal*, binary program

$$\begin{array}{ll} \text{NOM} & \min \sum_{i=1}^n c_i x_i \\ & \text{s.t. } Ax \geq b, x \in \{0, 1\}^n \end{array}$$

with an objective vector $c \in \mathbb{R}^n$, a constraint matrix $A \in \mathbb{R}^{m \times n}$, and a right-hand side $b \in \mathbb{R}^m$. Instead of assuming the objective coefficients c_i to be certain, we consider uncertain coefficients c'_i that lie in an interval $c'_i \in [c_i, c_i + \hat{c}_i]$ and can *deviate* from their *nominal value* c_i by up to the *deviation* \hat{c}_i . In the worst-case, all coefficients c'_i are equal to their maximum value $c_i + \hat{c}_i$, as this maximizes the optimal solution value. However, for practical problems it is in general very unlikely that all coefficients deviate to their maximum value. Bertsimas and Sim [16] propose a robust counterpart to NOM, in which the level of conservatism is adjustable, by defining a *budget* $\Gamma \in [0, n]$ on the set of considered uncertain scenarios. For this robust counterpart, we do not consider all scenarios, but only those in which at most $\lfloor \Gamma \rfloor$ coefficients c'_i deviate to their maximum $c_i + \hat{c}_i$ and one coefficient deviates by a fraction of $(\Gamma - \lfloor \Gamma \rfloor)$. The

robust counterpart can be written as

$$\begin{aligned} \min \quad & \sum_{i=1}^n c_i x_i + \max_{\substack{S \cup \{t\} \subseteq [n]: \\ |S| \leq \lfloor \Gamma \rfloor, t \notin S}} (\Gamma - \lfloor \Gamma \rfloor) \hat{c}_t x_t + \sum_{i \in S} \hat{c}_i x_i \\ \text{s.t.} \quad & Ax \geq b, x \in \{0, 1\}^n \end{aligned}$$

with $[n] := \{1, \dots, n\}$. The above problem is non-linear and thus impractical, but can be reformulated by dualizing the inner maximization problem, as shown by Bertsimas and Sim [16]. This results in the compact robust problem

$$\begin{aligned} \text{ROB} \quad & \min \Gamma z + \sum_{i=1}^n c_i x_i + p_i \\ \text{s.t.} \quad & (x, p, z) \in \mathcal{P}^{\text{ROB}}, x \in \{0, 1\}^n \end{aligned}$$

with

$$\mathcal{P}^{\text{ROB}} = \left\{ (x, p, z) \left| \begin{array}{l} Ax \geq b \\ p_i + z \geq \hat{c}_i x_i \\ x \in [0, 1]^n, p \in \mathbb{R}_{\geq 0}^n, z \in \mathbb{R}_{\geq 0} \end{array} \right. \quad \forall i \in [n] \right\}.$$

Unfortunately, solving ROB as an MILP may require much more time than solving the nominal problem NOM. For example, we observed in our computational study for many robust instances that Gurobi [24] reports an optimality gap way above 10% after one hour, although the corresponding nominal instances were solved in less than a second. This is because the integrality gap of the formulation \mathcal{P}^{ROB} may be arbitrarily large, even if the integrality gap of the corresponding nominal problem is zero, (see Section 2). This is problematic, since a large integrality gap implies that optimal solutions to the linear relaxation are most likely far from being integer feasible, i.e., many variables that should be integer take fractional values. However, primal heuristics in MILP solvers, like the feasibility pump [19], perform better for solutions that are nearly integer feasible. Furthermore, even if we find an optimal solution, we probably have to spend much more time proving that it is indeed optimal.

There exist several approaches and studies in the literature on how to solve ROB in practice. Bertsimas et al. [14] as well as Fischetti and Monaci [20] evaluate whether it is more efficient to solve ROB over the compact reformulation \mathcal{P}^{ROB} or using a separation approach over an alternative formulation with exponentially many inequalities, all of which correspond to a scenario from the uncertainty set. Although the alternative formulation is exponentially large, it is theoretically as strong, or weak respectively, as the compact reformulation. Atamtürk [6] addresses the issue of the weak formulation \mathcal{P}^{ROB} and proposes four different strong, although considerably larger, formulations for solving ROB. Atamtürk even proves that the strongest of the four formulations describes the convex hull of the set of robust solutions if the linear relaxation

$$\mathcal{P}^{\text{NOM}} = \{x \in [0, 1]^n \mid Ax \geq b\}$$

is the convex hull of the set of nominal solutions. Another approach for solving ROB is to resort to its nominal counterpart. Bertsimas and Sim [15] show that there always exists an optimal solution (x, p, z) to ROB such that $z \in \{\hat{c}_0, \hat{c}_1, \dots, \hat{c}_n\}$, with $\hat{c}_0 = 0$. This is useful, since for a fixed value z , the problem ROB is equivalent to an instance of its nominal counterpart

$$\begin{aligned} \text{NOS}(z) \quad & \min \Gamma z + \sum_{i=1}^n \left(c_i + (\hat{c}_i - z)^+ \right) x_i \\ & \text{s.t. } Ax \geq b, x \in \{0, 1\}^n. \end{aligned}$$

Hence, solving ROB reduces to solving up to $|\{\hat{c}_0, \hat{c}_1, \dots, \hat{c}_n\}| \leq n + 1$ *nominal subproblems* $\text{NOS}(z)$, implying that the robust counterpart of polynomially solvable nominal problems is again polynomially solvable. However, if the number of distinct deviations $|\{\hat{c}_0, \dots, \hat{c}_n\}|$ is large then solving all nominal subproblems may require too much time. Hence, it is beneficial to discard as many non-optimal choices for z as possible. For $\Gamma \in \mathbb{Z}$, Álvarez-Miranda et al. [5] as well as Park and Lee [36] showed independently that there exists a subset $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$ containing an optimal choice for z with $|\mathcal{Z}| \leq n + 2 - \Gamma$, or $|\mathcal{Z}| \leq n + 1 - \Gamma$ respectively. This result was later improved by Lee and Kwon [31], who prove that \mathcal{Z} can be chosen such that $|\mathcal{Z}| \leq \lceil \frac{n-\Gamma}{2} \rceil + 1$ holds. Hansknecht et al. [25] propose a divide & conquer approach for the robust shortest path problem that also aims to reduce the number of nominal subproblems to be solved. Their algorithm, which can also be used to solve general problems ROB, identifies non-optimal choices of z on the fly, by using a relation between the optimal objective values of $\text{NOS}(z)$ for different z .

Roughly summarized, there are two general directions for solving ROB in the literature: strong formulations on the one hand and fixing z on the other hand. In this paper, we take a middle course between these directions by proposing a branch & bound algorithm that combines restrictions on z with strong formulations. The general idea of the branch & bound paradigm, which was first proposed by Land and Doig [30], for solving general optimization problems $\min \{v(x) | x \in \mathcal{X}\}$ is to partition (*branch*) the set of feasible solutions $\mathcal{X} = \bigcup_{i=1}^k X_i$ and then solve the corresponding subproblems $\min \{v(x) | x \in X_i\}$ recursively. In order to avoid a complete enumeration, an easy to obtain *dual bound* $\underline{v}(X) \leq \min \{v(x) | x \in X\}$ is computed for every considered $X \subseteq \mathcal{X}$ and compared with a *primal bound*, which is the value of the so far best known solution. In our case, we partition the set of solutions $\mathcal{X} = \mathcal{P}^{\text{ROB}} \cap (\mathbb{Z}^n \times \mathbb{R}^n \times \mathcal{Z})$, where \mathcal{Z} contains an optimal choice for z , into subsets $\mathcal{P}^{\text{ROB}} \cap (\mathbb{Z}^n \times \mathbb{R}^n \times Z)$ with $Z \subseteq \mathcal{Z}$. For the corresponding *robust subproblems* $\text{ROB}(Z)$, we introduce improved formulations $\mathcal{P}(Z)$ and prove structural properties, from which we derive strong dual bounds on the optimal objective value $v(\text{ROB}(Z))$. This enables us to *prune* subsets $Z \subseteq \mathcal{Z}$ containing non-optimal values for z . Furthermore, once the not yet pruned sets Z are sufficiently small, our findings enable us to solve $\text{ROB}(Z)$ efficiently as an MILP, sparing us from considering many nominal subproblems $\text{NOS}(z)$ separately.

The contribution of this paper, culminating in the branch & bound algorithm and an extensive computational study, is summarized in the following.

- We introduce a bilinear formulation for ROB that is compact and theoretically as strong as possible.
- Based on the bilinear formulation, we derive a strong linear formulation $\mathcal{P}(Z)$ for the robust subproblem $\text{ROB}(Z)$, in which z is restricted to a subset $Z \subseteq \mathcal{Z}$.
- We study the structure of ROB and present characterizations of optimal solutions.
- We propose a branch & bound algorithm based on the formulation $\mathcal{P}(Z)$ and the structural properties of ROB.
- We investigate how to choose deviations \hat{c}_i and the robustness budget Γ in order to generate difficult problems ROB from arbitrary nominal problems NOM. Based on our observations, we construct a diverse set of hard robust instances from real-world nominal problems from MIPLIB 2017 [23].
- We implement our framework as well as the approaches from the literature. We evaluate all algorithms on the constructed robust instances. To the best of our knowledge, we hereby present the only study that compares a variety of advanced solution approaches for ROB on a large set of instances.
- Our algorithm outperforms all existing approaches by far. Furthermore, we show that the structural results can be used to improve all existing approaches substantially, highlighting the relevance of our findings also for future research.

In Section 2, we discuss the weakness of \mathcal{P}^{ROB} and propose the bilinear formulation for ROB. In Section 3, we introduce the strong linear formulations $\mathcal{P}(Z)$ for restricted $z \in Z$. In Section 4, we show how to improve the formulations by using cliques in the so-called conflict graph of the nominal problem. In Section 5, we characterize optimal choices of p and z , which enables us to generalize the result of Lee and Kwon [31] and reduce the set \mathcal{Z} of possible values for z even more. The characterization of optimal solutions also establishes the theoretical background for many components of the branch & bound algorithm, which we describe in detail in Section 6. Finally, in Section 7 we conduct our computational study.

2 A Strong Bilinear Formulation

To better understand why formulation \mathcal{P}^{ROB} is problematic, we start by considering an example showing that the integrality gap of ROB can be arbitrarily large, even if the integrality gap of the corresponding nominal problem is zero.

Example 1. Consider the trivial task of choosing the smallest out of n elements

$$\begin{aligned} \min \quad & \sum_{i=1}^n c_i x_i \\ \text{s.t.} \quad & \sum_{i=1}^n x_i = 1, x \in \{0, 1\}^n, \end{aligned}$$

whose integrality gap is zero for all $c \in \mathbb{R}^n$. Now, consider an instance of the uncertain counterpart ROB with $c = 0$, $\hat{c} = 1$, and $\Gamma = 1$

$$\begin{aligned} \min \quad & z + \sum_{i=1}^n p_i \\ \text{s.t.} \quad & \sum_{i=1}^n x_i = 1 \\ & p_i + z \geq x_i \quad \forall i \in [n] \\ & x \in \{0, 1\}^n, p \in \mathbb{R}_{\geq 0}^n, z \in \mathbb{R}_{\geq 0}. \end{aligned}$$

Let $v(\text{ROB})$ be the optimal objective value of ROB and $v^{\text{R}}(\text{ROB})$ be the optimal value of the linear relaxation. For the above problem, it holds $v(\text{ROB}) = 1$. However, $(x, p, z) = (\frac{1}{n}, \dots, \frac{1}{n}, 0, \dots, 0, \frac{1}{n})$ is an optimal fractional solution of value $v^{\text{R}}(\text{ROB}) = \frac{1}{n}$. Thus, the integrality gap is $\frac{v(\text{ROB}) - v^{\text{R}}(\text{ROB})}{|v^{\text{R}}(\text{ROB})|} = n - 1$.

The example shows that choosing fractional values of x in the linear relaxation enables us to meet the constraints $p_i + z \geq \hat{c}_i x_i$ with a relatively low value of z , which marginalizes the influence of the deviations on the objective value. To overcome these problems, we will discuss alternative formulations for modeling ROB.

Formally, a set $\mathcal{P} \subseteq \mathbb{R}^{n_1+n_2}$ is called a *formulation* for a problem with a set of solutions $\mathcal{X} \subseteq \mathbb{Z}^{n_1} \times \mathbb{R}^{n_2}$ if $\mathcal{P} \cap (\mathbb{Z}^{n_1} \times \mathbb{R}^{n_2}) = \mathcal{X}$ holds. Additionally, $\mathcal{P}' \subseteq \mathbb{R}^{n+n'}$ is called an *extended formulation* for a problem if its projection $\text{proj}(\mathcal{P}') \subseteq \mathbb{R}^n$ into the original solution space is a formulation for that problem. For two formulations \mathcal{P}_1 and \mathcal{P}_2 with $\mathcal{P}_1 \subseteq \mathcal{P}_2$, we say that \mathcal{P}_1 is *at least as strong* as \mathcal{P}_2 . When considering extended formulations, we compare their projections instead.

To the best of our knowledge, the only results directly targeting the weakness of formulation \mathcal{P}^{ROB} are presented by Atamtürk [6], who proposes four problems RP1 - RP4 that are equivalent to ROB, using different (extended) formulations $\mathcal{P}^{\text{RP1}}, \dots, \mathcal{P}^{\text{RP4}}$. The theoretical strength of the four formulations exceeds the one of \mathcal{P}^{ROB} by far. More precisely, it holds $\text{proj}(\mathcal{P}^{\text{RP4}}) \subsetneq \text{proj}(\mathcal{P}^{\text{RP1}}) = \mathcal{P}^{\text{RP2}} = \text{proj}(\mathcal{P}^{\text{RP3}}) \subsetneq \mathcal{P}^{\text{ROB}}$ for non-trivial cases. The problem

$$\begin{aligned} \text{RP4} \quad & \min \Gamma z + \sum_{i=1}^n c_i x_i + p_i \\ \text{s.t.} \quad & (x, p, z, \omega, \lambda) \in \mathcal{P}^{\text{RP4}}, \omega \in \{0, 1\}^{n \times n+1} \end{aligned}$$

over the strongest formulation

$$\mathcal{P}^{\text{RP4}} = \left\{ (x, p, z, \omega, \lambda) \left| \begin{array}{l} \sum_{k=0}^n \lambda_k = 1 \\ A\omega^k \geq \lambda_k b \quad \forall k \in [n]_0 \\ \omega_i^k \leq \lambda_k \quad \forall i \in [n], k \in [n]_0 \\ \sum_{k=0}^n \omega_i^k = x_i \quad \forall i \in [n] \\ z \geq \sum_{k=0}^n \hat{c}_k \lambda_k \\ p_i \geq \sum_{k=0}^n (\hat{c}_i - \hat{c}_k)^+ \omega_i^k \quad \forall i \in [n] \\ x \in [0, 1]^n, p \in \mathbb{R}_{\geq 0}^n, z \in \mathbb{R}_{\geq 0}, \\ \omega \in [0, 1]^{n \times n+1}, \lambda \in [0, 1]^{n+1} \end{array} \right. \right\},$$

with $(a)^+ := \max\{a, 0\}$ and $[n]_0 := \{0, \dots, n\}$, is especially interesting. For every vertex $(x, p, z, \omega, \lambda)$ of the polyhedron \mathcal{P}^{RP4} , it holds $\lambda_{k^*} = 1$ for a $k^* \in [n]_0$ and $\lambda_k = 0$ for $k \neq k^*$. Choosing λ in such a way reduces RP4 to solving the nominal subproblem NOS (\hat{c}_{k^*}) . Thus, RP4 essentially combines the nominal subproblems NOS (z) that are solved in the Bertsimas and Sim approach for all possible values $z \in \{\hat{c}_0, \dots, \hat{c}_n\}$ into one problem.

Formulation \mathcal{P}^{RP4} is not only the strongest formulation proposed by Atamtürk, but can be seen as the strongest possible polyhedral formulation overall. This is because it preserves the integrality gap of the nominal problem [6]. However, the disadvantage of all formulations $\mathcal{P}^{\text{RP1}}, \dots, \mathcal{P}^{\text{RP4}}$ is that they may become too large for practical purposes, as we will see in the computational study in Section 7.

To deal with this issue, we introduce a smaller, although bilinear, formulation for ROB. For this, we multiply z in the constraints $p_i + z \geq \hat{c}_i x_i$ of the original formulation \mathcal{P}^{ROB} with x_i for all $i \in [n]$. The resulting constraint $p_i + z x_i \geq \hat{c}_i x_i$ is valid for all solutions of ROB, since the inequality becomes $p_i \geq 0$ for $x_i = 0$ and is equivalent to the original inequality for $x_i = 1$. The new bilinear formulation

$$\mathcal{P}^{\text{BIL}} = \left\{ (x, p, z) \left| \begin{array}{l} Ax \geq b \\ p_i + z x_i \geq \hat{c}_i x_i \quad \forall i \in [n] \\ x \in [0, 1]^n, p \in \mathbb{R}_{\geq 0}^n, z \in \mathbb{R}_{\geq 0} \end{array} \right. \right\}$$

is at least as strong as \mathcal{P}^{RP4} , as stated in the following theorem.

Theorem 2. *It holds $\mathcal{P}^{\text{BIL}} \subseteq \text{proj}(\mathcal{P}^{\text{RP4}})$.*

Proof. Let $(x, p, z) \in \mathcal{P}_{\text{BIL}}$ and assume without loss of generality that it holds $0 = \hat{c}_0 \leq \hat{c}_1 \leq \dots \leq \hat{c}_n$. First, consider the case in which we have $z \leq \hat{c}_n$. Then there exists an index $j \in [n-1]_0$ and a value $\varepsilon \in [0, 1]$ with $z = \varepsilon \hat{c}_j + (1 - \varepsilon) \hat{c}_{j+1}$. We define $\lambda_k = 0$ for $k \notin \{j, j+1\}$ and $\lambda_j = \varepsilon$ as well as $\lambda_{j+1} = 1 - \varepsilon$. Furthermore, we set $\omega_i^k = \lambda^k x_i$ for all $i \in [n], k \in [n]_0$ and show that $(x, p, z, \omega, \lambda) \in \mathcal{P}_{\text{RP4}}$. The first five constraints of formulation \mathcal{P}_{RP4} are trivially satisfied by the definition of ε, λ and ω . For the last constraint, we have

$$\begin{aligned} \sum_{k=0}^n (\hat{c}_i - \hat{c}_k)^+ \omega_i^k &= (\hat{c}_i - \hat{c}_j)^+ \varepsilon x_i + (\hat{c}_i - \hat{c}_{j+1})^+ (1 - \varepsilon) x_i \\ &\stackrel{(*)}{=} ((\hat{c}_i - \hat{c}_j) \varepsilon + (\hat{c}_i - \hat{c}_{j+1}) (1 - \varepsilon))^+ x_i \\ &= (\hat{c}_i - z)^+ x_i \\ &\leq p_i \end{aligned}$$

for all $i \in [n]$, where equality $(*)$ holds since $(\hat{c}_i - \hat{c}_j)$ and $(\hat{c}_i - \hat{c}_{j+1})$ are either both non-positive if we have $i \leq j$ or both non-negative if we have $i \geq j+1$.

For the case $z > \hat{c}_n$, we define $\lambda_k = 0$ for $k \in [n-1]_0$ and $\lambda_n = 1$ as well as $\omega_i^k = \lambda^k x_i$ for all $i \in [n]$ and $k \in [n]_0$. Again, $(x, p, z, \omega, \lambda)$ satisfies the first five constraints trivially. Furthermore, we have

$$\sum_{k=0}^n (\hat{c}_i - \hat{c}_k)^+ \omega_i^k = (\hat{c}_i - \hat{c}_n)^+ \omega_i^n = 0 \leq p_i$$

and thus $(x, p, z, \omega, \lambda) \in \mathcal{P}_{\text{RP4}}$, which completes the proof. \square

Although formulation \mathcal{P}^{BIL} is strong and compact, its bilinearity is rather hindering when solving instances in practice. To understand how we can still make practical use of it, we first consider \mathcal{P}^{BIL} with z restricted to a fixed value. The formulation becomes not only linear, but it also holds $p_i = (\hat{c}_i - z)^+ x_i$ for all $i \in [n]$ in an optimal (fractional) solution (x, p, z) . Hence, the problem of optimizing over $\mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times \{z\})$ is equivalent to

$$\begin{aligned} \min \Gamma z + \sum_{i=1}^n \left(c_i + (\hat{c}_i - z)^+ \right) x_i \\ \text{s.t. } Ax \geq b, x \in [0, 1]^n, \end{aligned}$$

which is the linear relaxation of the nominal subproblem $\text{NOS}(z)$. This is noteworthy, since this equivalence does not hold for $\mathcal{P}^{\text{ROB}} \cap (\mathbb{R}^{2n} \times \{z\})$. The strength of the linearization for fixed z suggests that we may also derive strong linearizations of \mathcal{P}^{BIL} for general restrictions on z , that is $z \in Z \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$. In the next section, we introduce such a linearization, which will be a key component of our branch & bound algorithm.

3 Strong Linear Formulations for Bounded z

Consider a subset $Z \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$ and let $\underline{z} = \min(Z)$ as well as $\bar{z} = \max(Z)$ for the remainder of this paper. Assuming that there exists an optimal solution (x, p, z) to ROB with $z \in Z$, we can restrict ourselves to the domain $\mathbb{R}^{2n} \times [\underline{z}, \bar{z}]$. We use this restriction to obtain a linear relaxation of the restricted bilinear formulation $\mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times [\underline{z}, \bar{z}])$.

Lemma 3. *The linear constraints*

$$p_i + z \geq (\hat{c}_i - \underline{z})^+ x_i + \underline{z} \quad (1)$$

and

$$p_i \geq (\hat{c}_i - \bar{z})^+ x_i \quad (2)$$

are valid for all $(x, p, z) \in \mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times [\underline{z}, \bar{z}])$.

Proof. Since $p_i + zx_i \geq \hat{c}_i x_i$ and $p_i \geq 0$ hold for all $(x, p, z) \in \mathcal{P}^{\text{BIL}}$, the restriction $\underline{z} \leq z$ implies

$$\begin{aligned} p_i + zx_i &\geq \hat{c}_i x_i \\ \Leftrightarrow p_i + (z - \underline{z} + \underline{z}) x_i &\geq \hat{c}_i x_i \\ \Rightarrow p_i + z - \underline{z} + \underline{z} x_i &\geq \hat{c}_i x_i \\ \Leftrightarrow p_i + z &\geq (\hat{c}_i - \underline{z})^+ x_i + \underline{z}. \end{aligned}$$

Furthermore, due to $z \leq \bar{z}$, we obtain

$$\begin{aligned} p_i + zx_i &\geq \hat{c}_i x_i \\ \Leftrightarrow p_i &\geq (\hat{c}_i - z)^+ x_i \\ \Rightarrow p_i &\geq (\hat{c}_i - \bar{z})^+ x_i. \end{aligned}$$

□

Note that the Constraints (1) and (2) strictly dominate the original inequalities $p_i + z \geq \hat{c}_i x_i$ and $p_i \geq 0$ of \mathcal{P}^{ROB} in the case of $\underline{z} > 0$ and $\hat{c}_i > \bar{z}$ respectively. Using these strengthened constraints, we obtain the *robust subproblem*

$$\begin{aligned} \text{ROB}(Z) \quad \min \Gamma z + \sum_{i=1}^n c_i x_i + p_i \\ \text{s.t. } (x, p, z) \in \mathcal{P}(Z), x \in \{0, 1\}^n \end{aligned}$$

over the linear formulation

$$\mathcal{P}(Z) = \left\{ (x, p, z) \left| \begin{array}{ll} Ax \geq b & \\ p_i + z \geq (\hat{c}_i - \underline{z})^+ x_i + \underline{z} & \forall i \in [n] \\ p_i \geq (\hat{c}_i - \bar{z})^+ x_i & \forall i \in [n] \\ x \in [0, 1]^n, p \in \mathbb{R}^n, z \in [\underline{z}, \bar{z}] & \end{array} \right. \right\}.$$

As shown in Lemma 3, $\mathcal{P}(Z)$ is a relaxation of the restricted bilinear formulation $\mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times [\underline{z}, \bar{z}])$. Note that $\mathcal{P}(Z)$ becomes stronger, the narrower the bounds of Z are, i.e., for Z, Z' with $[\underline{z}, \bar{z}] \subsetneq [\underline{z}', \bar{z}']$ it holds $\mathcal{P}(Z) \subsetneq \mathcal{P}(Z') \cap [\underline{z}, \bar{z}]$ for non-trivial cases. The following statement shows that $\mathcal{P}(Z)$ is even as strong as \mathcal{P}^{BIL} in the case where z equals one of the bounds \underline{z}, \bar{z} .

Proposition 4. *It holds $\mathcal{P}(Z) \cap (\mathbb{R}^{2n} \times \{\underline{z}, \bar{z}\}) = \mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times \{\underline{z}, \bar{z}\})$.*

Proof. Consider a solution $(x, p, z) \in \mathcal{P}(Z) \cap (\mathbb{R}^{2n} \times \{\underline{z}, \bar{z}\})$. For $z = \underline{z}$, it holds

$$p_i + zx_i \geq (\hat{c}_i - \underline{z})^+ x_i + \underline{z} - z(1 - x_i) \geq (\hat{c}_i - z) x_i + z - z(1 - x_i) = \hat{c}_i x_i$$

and for $z = \bar{z}$ we have

$$p_i + zx_i \geq (\hat{c}_i - \bar{z})^+ x_i + zx_i \geq (\hat{c}_i - z) x_i + zx_i = \hat{c}_i x_i.$$

Hence, $(x, p, z) \in \mathcal{P}^{\text{BIL}}$ and thus $\mathcal{P}(Z) \cap (\mathbb{R}^{2n} \times \{\underline{z}, \bar{z}\}) \subseteq \mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times \{\underline{z}, \bar{z}\})$. \square

In our branch & bound algorithm, we compute $v^{\text{R}}(\text{ROB}(Z))$ as a dual bound on the optimal objective value $v(\text{ROB}(Z))$ for subsets $Z \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$ that are successively split into smaller subsets until we can either prune Z or decide that $\mathcal{P}(Z)$ is sufficiently strong for solving $\text{ROB}(Z)$ as an MILP. It follows from the above proposition that for decreasing Z , the optimal relaxation value $v^{\text{R}}(\text{ROB}(Z))$ converges towards the optimal value over $\mathcal{P}^{\text{BIL}} \cap (\mathbb{R}^{2n} \times [\underline{z}, \bar{z}])$, achieving equality at latest for $|Z| = 1$. Since \mathcal{P}^{BIL} is the strongest possible formulation for ROB , we will compare the strength of $\mathcal{P}(Z)$ with the one of \mathcal{P}^{BIL} to decide whether $\mathcal{P}(Z)$ is strong enough for solving $\text{ROB}(Z)$ efficiently (see Section 6.5).

Note that the improved formulation $\mathcal{P}(Z)$ comes with the cost of a larger constraint matrix compared to \mathcal{P}^{ROB} , as we have $p_i \geq (\hat{c}_i - \bar{z})^+ x_i$ instead of $p_i \geq 0$. This can be hindering in practice, as smaller constraint matrices tend to be computationally beneficial. We overcome this issue by substituting $p_i = p'_i + (\hat{c}_i - \bar{z})^+ x_i$ and $z = z' + \underline{z}$. We then obtain the equivalent *substituted problem*

$$\begin{aligned} \text{ROB}^{\text{S}}(Z) \quad & \min \Gamma \underline{z} + \Gamma z' + \sum_{i=1}^n \left(c_i + (\hat{c}_i - \bar{z})^+ \right) x_i + p'_i \\ & \text{s.t. } (x, p', z') \in \mathcal{P}^{\text{S}}(Z), x \in \{0, 1\}^n \end{aligned}$$

over the *substituted formulation*

$$\mathcal{P}^{\text{S}}(Z) = \left\{ (x, p', z') \left| \begin{array}{l} Ax \geq b \\ p'_i + z' \geq (\min\{\hat{c}_i, \bar{z}\} - \underline{z})^+ x_i \quad \forall i \in [n] \\ x \in [0, 1]^n, p' \in \mathbb{R}_{\geq 0}^n, z' \in [0, \bar{z} - \underline{z}] \end{array} \right. \right\}.$$

The substituted problem $\text{ROB}^{\text{S}}(Z)$ is also interesting from a theoretical point of view. Since $z' \leq \bar{z} - \underline{z}$ is non-restrictive for optimal solutions, $\text{ROB}^{\text{S}}(Z)$ is equivalent to ROB for an instance with objective coefficients $c_i + (\hat{c}_i - \bar{z})^+$, deviations $\hat{c}'_i = (\min\{\hat{c}_i, \bar{z}\} - \underline{z})^+$ and an added constant $\Gamma \underline{z}$. This comes in handy, since properties that we prove for ROB carry over directly to $\text{ROB}^{\text{S}}(Z)$ and $\text{ROB}(Z)$. We use this observation in the next section, in which we improve our formulations within a preprocessing step.

4 A Reformulation using Cliques in Conflict Graphs

We already considered the concept of extended formulations in Section 2. In this section, we propose a reformulation that is also not in the original variable space, but not an extended formulation. To generalize the concept, we call a problem $v' = \min\{c'^T x' \mid x' \in \mathcal{X}'\}$ over a polyhedron $\mathcal{P}' \subseteq \mathbb{R}^{n'_1+n'_2}$ with $\mathcal{P}' \cap (\mathbb{Z}^{n'_1} \times \mathbb{R}^{n'_2}) = \mathcal{X}'$ a *reformulation in a different variable space* of $v = \min\{c^T x \mid x \in \mathcal{X}\}$, if it holds $v = v'$ and there exists a polynomially time computable, cost preserving mapping $\phi : \mathcal{P}' \rightarrow \mathbb{R}^{n_1+n_2}$ with $\phi(\mathcal{X}') \subseteq \mathcal{X}$. Then, instead of solving the original problem, we can solve the problem over \mathcal{X}' and map an optimal solution $x' \in \mathcal{X}'$ to an optimal solution $\phi(x') \in \mathcal{X}$. To generalize the concept of strong formulations, we say that \mathcal{P}'_1 is at least as strong as \mathcal{P}'_2 if it holds $\phi_1(\mathcal{P}'_1) \subseteq \phi_2(\mathcal{P}'_2)$.

Here, we reformulate ROB in a different variable space by aggregating variables p in a tailored preprocessing step. Preprocessing routines, which aim to reduce the size and improve the strength of a given problem formulation, are key components of modern MILP solvers and critical to their performance [2, 4, 17]. One of these preprocessing routines involves the search for logical implications between binary variables, e.g., $x_i = 1 \Rightarrow x_j = 0$ for every solution x . These implications can be modeled within a so-called *conflict graph*, consisting of a node for every binary variable x_i and its complement $\bar{x}_i = (1 - x_i)$ [7]. There exists an edge between two nodes in the conflict graph if there exists no solution where the corresponding literals are both equal to one. Since every solution to the original problem corresponds to an independent set within the conflict graph, all valid inequalities for the independent set problem on the conflict graph are also valid for the original problem. An interesting type of valid inequalities are set-packing constraints, which are defined by *cliques* in the conflict graph, i.e., subsets of nodes forming a complete subgraph. For a clique $\{x_{i_1}, \dots, x_{i_q}\} \cup \{\bar{x}_{j_1}, \dots, \bar{x}_{j_{\bar{q}}}\}$, at most one of the literals can be equal to one, which yields the corresponding set-packing constraint $\sum_{k=1}^q x_{i_k} + \sum_{k=1}^{\bar{q}} (1 - x_{j_k}) \leq 1$.

Here, we are less interested in adding set-packing constraints to our formulations, as they are already used in modern MILP solvers. Instead, we focus on the structural implications of set-packing constraints consisting of positive literals x_i on the variables p and robustness constraints $p_i + z \geq x_i$. To ease notation, we call a subset $Q \subseteq [n]$ a clique if the variables $\{x_i \mid i \in Q\}$ form a clique in the conflict graph. The following proposition shows that we can use a

partitioning \mathcal{Q} of $[n]$ into cliques to obtain a stronger reformulation of ROB in a smaller variable space.

Proposition 5. *Let \mathcal{Q} be a partitioning of $[n]$ into cliques. Then the problem*

$$\begin{aligned} \text{ROB}(\mathcal{Q}) \quad & \min \Gamma z + \sum_{i=1}^n c_i x_i + \sum_{Q \in \mathcal{Q}} p_Q \\ & \text{s.t. } (x, p', z) \in \mathcal{P}^{\text{ROB}}(\mathcal{Q}), x \in \{0, 1\}^n \end{aligned}$$

over the formulation

$$\mathcal{P}^{\text{ROB}}(\mathcal{Q}) = \left\{ (x, p', z) \left| \begin{array}{l} Ax \geq b \\ p_Q + z \geq \sum_{i \in Q} \hat{c}_i x_i \\ x \in [0, 1]^n, p' \in \mathbb{R}_{\geq 0}^{\mathcal{Q}}, z \in \mathbb{R}_{\geq 0} \end{array} \right. \forall Q \in \mathcal{Q} \right\}$$

is a reformulation in a different variable space of ROB that is at least as strong as ROB.

Proof. First, note that if $p'_Q = \sum_{i \in Q} p_i$ for all $Q \in \mathcal{Q}$ holds then (x, p, z) and (x, p', z) have the same objective value for their respective problems. Hence, in order to show $v(\text{ROB}) = v(\text{ROB}(\mathcal{Q}))$, we construct corresponding solutions fulfilling this property.

Let (x, p, z) be a solution to ROB and consider (x, p', z) with $p' \in \mathbb{R}_{\geq 0}^{\mathcal{Q}}$ such that $p'_Q = \sum_{i \in Q} p_i$. For all cliques $Q \in \mathcal{Q}$, we have $\sum_{i \in Q} x_i \leq 1$ and thus there exists an index $j \in Q$ such that $x_i = 0$ for all $i \in Q \setminus \{j\}$. It follows

$$p'_Q + z \geq p_j + z \geq \hat{c}_j x_j = \sum_{i \in Q} \hat{c}_i x_i$$

for all $Q \in \mathcal{Q}$, which proves $(x, p', z) \in \mathcal{P}^{\text{ROB}}(\mathcal{Q})$, and thus $v(\text{ROB}(\mathcal{Q})) \leq v(\text{ROB})$.

It remains to show that every solution $(x, p', z) \in \mathcal{P}^{\text{ROB}}(\mathcal{Q}) \cap (\mathbb{Z}^n \times \mathbb{R}^{|\mathcal{Q}|+1})$ has a corresponding solution $\phi(x, p', z) \in \mathcal{P}^{\text{ROB}} \cap (\mathbb{Z}^n \times \mathbb{R}^{n+1})$ of the same cost. Note that the existence of such a mapping $\phi: \mathcal{P}^{\text{ROB}}(\mathcal{Q}) \rightarrow \mathbb{R}^{2n+1}$ already implies $v(\text{ROB}(\mathcal{Q})) \geq v(\text{ROB})$, and thus $v(\text{ROB}) = v(\text{ROB}(\mathcal{Q}))$. We define the image of $(x, p', z) \in \mathcal{P}^{\text{ROB}}(\mathcal{Q})$ as $\phi(x, p', z) = (x, p, z)$ and consider two different cases for the definition of $p \in \mathbb{R}^n$. For cliques $Q \in \mathcal{Q}$ with $\sum_{j \in Q} \hat{c}_j x_j > 0$, we define $p_i = \frac{\hat{c}_i x_i p'_Q}{\sum_{j \in Q} \hat{c}_j x_j}$ for all $i \in Q$. Then $p_i + z \geq \hat{c}_i x_i$ holds, since we have

$$p_i + z = \frac{\hat{c}_i x_i p'_Q}{\sum_{j \in Q} \hat{c}_j x_j} + z \geq \frac{\hat{c}_i x_i (p'_Q + z)}{\sum_{j \in Q} \hat{c}_j x_j} \geq \frac{\hat{c}_i x_i \sum_{j \in Q} \hat{c}_j x_j}{\sum_{j \in Q} \hat{c}_j x_j} = \hat{c}_i x_i.$$

For cliques $Q \in \mathcal{Q}$ with $\sum_{j \in Q} \hat{c}_j x_j = 0$, we can choose p_i arbitrarily such that $p'_Q = \sum_{j \in Q} p_j$, as $p_i + z \geq 0 = \hat{c}_i x_i$ holds for any $p_i \geq 0$. This shows not only that it holds $\phi(\mathcal{P}^{\text{ROB}}(\mathcal{Q}) \cap (\mathbb{Z}^n \times \mathbb{R}^{|\mathcal{Q}|+1})) \subseteq \mathcal{P}^{\text{ROB}} \cap (\mathbb{Z}^n \times \mathbb{R}^{n+1})$, but also proves the strength of $\text{ROB}(\mathcal{Q})$, as we did not use the integrality of x and thus have $\phi(\mathcal{P}^{\text{ROB}}(\mathcal{Q})) \subseteq \mathcal{P}^{\text{ROB}}$. \square

We consider again Example 1 from Section 2 to see that reformulation $\text{ROB}(\mathcal{Q})$ is not only equal, but actually stronger. In the example, $[n]$ is a clique and we thus have

$$v^{\text{R}}(\text{ROB}(\mathcal{Q})) = p_{[n]} + z \geq \sum_{i=1}^n x_i = 1,$$

compared to $v^{\text{R}}(\text{ROB}) = \frac{1}{n}$.

As mentioned in the last section, the improvement of ROB can also be applied to $\text{ROB}^{\text{S}}(Z)$. Given a clique partitioning \mathcal{Q} of $[n]$, we obtain the stronger reformulation

$$\begin{aligned} \text{ROB}^{\text{S}}(Z, \mathcal{Q}) \quad & \min \Gamma \underline{z} + \Gamma z' + \sum_{i=1}^n \left(c_i + (\hat{c}_i - \bar{z})^+ \right) x_i + \sum_{Q \in \mathcal{Q}} p'_Q \\ & \text{s.t. } (x, p', z') \in \mathcal{P}^{\text{S}}(Z, \mathcal{Q}), x \in \{0, 1\}^n \end{aligned}$$

over

$$\mathcal{P}^{\text{S}}(Z, \mathcal{Q}) = \left\{ (x, p', z') \left| \begin{array}{l} Ax \geq b \\ p'_Q + z' \geq \sum_{i \in Q} (\min\{\hat{c}_i, \bar{z}\} - \underline{z})^+ x_i \quad \forall Q \in \mathcal{Q} \\ x \in [0, 1]^n, p' \in \mathbb{R}_{\geq 0}^n, z' \in [0, \bar{z} - \underline{z}] \end{array} \right. \right\}.$$

Obviously, in order to obtain these strong reformulations, we first have to compute a conflict graph $G = ([n], E)$, with $E \subseteq \binom{[n]}{2}$, and a clique partitioning \mathcal{Q} of $[n]$. Ideally, this partitioning contains few cliques that are as large as possible. However, finding a partitioning of minimum cardinality is equivalent to computing a minimum clique cover, which was shown to be \mathcal{NP} -hard by Karp [26]. Moreover, building the whole conflict graph itself is also \mathcal{NP} -hard. This can be seen when considering an \mathcal{NP} -hard satisfiability problem. There exists a solution to the problem if and only if the conflict graph is not complete [18]. Hence, constructing the whole graph is equivalent to deciding whether there exists a solution. Consequently, we have to restrict ourselves to a subgraph of the whole conflict graph. If our algorithm was natively implemented in a MILP solver, we could use the conflict graph that is computed during the solver's preprocessing without spending additional time searching for conflicts. Unfortunately, we cannot access the conflict graph in Gurobi [24], the solver we use for our implementation. Thus, we implement our own heuristics for identifying conflicts and partitioning $[n]$ into cliques. As the construction of conflict graphs and clique

partitionings are not the focus of this paper, we refer to Appendix B for a detailed description of our implementation. For related work on the construction and handling of conflict graphs, we refer to Achterberg et al. [2], Atamtürk et al. [7], as well as Brito and Santos [18].

We will see in our computational study in Section 7 that using clique partitionings yields a substantially stronger reformulation for many instances and improves the performance of our branch & bound algorithm. Before introducing the branch & bound algorithm in detail in Section 6, we further establish some theoretical background in the next section by characterizing optimal solutions to ROB. Note that although we solve $\text{ROB}^S(Z, \mathcal{Q})$ in practice, for the sake of simplicity, we mostly refer to the equivalent problem $\text{ROB}(Z)$ in the remainder of this paper and only refer to $\text{ROB}^S(Z, \mathcal{Q})$ when necessary, e.g., when considering its linear relaxation or the strength of the formulation $\mathcal{P}^S(Z, \mathcal{Q})$.

5 Characterization of Optimal Values for p and z

The central idea of our branch & bound algorithm for solving ROB is to restrict the value of z and trying to find an optimal corresponding nominal solution $x \in \mathcal{P}^{\text{NOM}}$. In this section, however, we want to consider the opposite direction. Given a nominal solution $x \in \mathcal{P}^{\text{NOM}}$, what are the optimal values for p and z ? The answer to this question will deepen our understanding of the structural properties of ROB and is of practical use in many ways. First, we will generalize the result of Lee and Kwon [31], who showed for $\Gamma \in \mathbb{Z}$ that there exists a subset $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$, with $|\mathcal{Z}| \leq \lceil \frac{n-\Gamma}{2} \rceil + 1$, containing an optimal choice for z . This reduction is relevant for our branch & bound algorithm, as we only have to consider subsets $Z \subseteq \mathcal{Z}$. Second, given a choice of z , we will be able to restrict our search for a corresponding nominal solution $x \in \mathcal{P}^{\text{NOM}}$ to those for which the chosen z is optimal. We will extensively use this idea within our branch & bound algorithm, especially in Section 6.1. Third, as we prove the characterization for (potentially fractional) solutions within \mathcal{P}^{BIL} , we can compute for any $x \in \mathcal{P}^{\text{NOM}}$ the corresponding objective value for the optimization problem over \mathcal{P}^{BIL} . This provides an upper bound on the optimal objective value over \mathcal{P}^{BIL} , which we compare to $v^{\text{R}}(\text{ROB}^S(Z, \mathcal{Q}))$ in order to obtain an indicator of the strength of $\mathcal{P}^S(Z, \mathcal{Q})$. We use this indicator in our branch & bound algorithm to decide whether $\text{ROB}^S(Z, \mathcal{Q})$ should be solved directly as an MILP or whether Z needs to be shrunk further, as explained in Section 6.5. The following theorem states the characterization of optimal values for p and z .

Theorem 6. *Let $x \in \mathcal{P}_{\text{NOM}}$ be a (fractional) solution to NOM. We define*

$$\underline{z}(x) = \min \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \mid \sum_{i \in [n]: \hat{c}_i > z} x_i \leq \Gamma \right\}$$

and

$$\bar{z}(x) = \min \left(\{\infty\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i > z} x_i < \Gamma \right. \right\} \right).$$

The values $z \in [\underline{z}(x), \bar{z}(x)]$ are together with $p_i = (\hat{c}_i - z)^+ x_i$ for $i \in [n]$ exactly the optimal values satisfying $(x, p, z) \in \mathcal{P}_{BIL}$ and minimizing $\Gamma z + \sum_{i=1}^n p_i$.

Before proving Theorem 6, we characterize the bounds $\underline{z}(x)$ and $\bar{z}(x)$ in an additional way. We use this characterization not only for showing the theorem, but also for further proofs in Section 6. The proof of the following lemma can be found in Appendix A,

Lemma 7. For $x \in \mathbb{R}^n$, we have

$$\underline{z}(x) = \max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i > \Gamma \right. \right\} \right) \quad (3)$$

and

$$\bar{z}(x) = \max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n, \infty\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma \right. \right\} \right). \quad (4)$$

Using the above lemma, we are able to prove Theorem 6.

Proof of Theorem 6. First, note that the interval $[\underline{z}(x), \bar{z}(x)]$ is well-defined, as $\sum_{i \in [n]: \hat{c}_i > z} x_i \leq \Gamma$ is a weaker requirement than $\sum_{i \in [n]: \hat{c}_i > z} x_i < \Gamma$ and we thus have $\underline{z}(x) \leq \bar{z}(x)$ by definition. Furthermore, choosing $p_i = (\hat{c}_i - z)^+ x_i$ is optimal for a given x and z , as we minimize and have $p_i \geq (\hat{c}_i - z) x_i$ and $p_i \geq 0$ for all $(x, p, z) \in \mathcal{P}_{BIL}$.

Now, let $z \geq \underline{z}(x)$ and consider another value $z' > z$ together with an appropriate p' such that $(x, p', z') \in \mathcal{P}_{BIL}$. By definition of $\underline{z}(x)$, it holds

$$\sum_{i \in [n]: \hat{c}_i > z} x_i \leq \sum_{i \in [n]: \hat{c}_i > \underline{z}(x)} x_i \leq \Gamma$$

and thus

$$\begin{aligned}
\Gamma z + \sum_{i=1}^n (\hat{c}_i - z)^+ x_i &= \Gamma z + \sum_{i \in [n]: \hat{c}_i > z} (z' - z) x_i + \sum_{i \in [n]: \hat{c}_i > z} (\hat{c}_i - z') x_i \\
&\stackrel{(*)}{\leq} \Gamma z + (z' - z) \Gamma + \sum_{i \in [n]: \hat{c}_i > z} (\hat{c}_i - z') x_i \\
&= \Gamma z' + \sum_{i \in [n]: \hat{c}_i > z'} (\hat{c}_i - z') x_i + \sum_{i \in [n]: z' \geq \hat{c}_i > z} (\hat{c}_i - z') x_i \\
&\leq \Gamma z' + \sum_{i \in [n]: \hat{c}_i > z'} (\hat{c}_i - z') x_i \\
&\leq \Gamma z' + \sum_{i=1}^n p'_i.
\end{aligned}$$

Hence, the objective value is non-decreasing for $z \geq \underline{z}(x)$. Moreover, for $\bar{z}(x) < \infty$, we even have $\sum_{i \in [n]: \hat{c}_i > z} x_i < \Gamma$ in the case of $z = \bar{z}(x)$ by the definition of $\bar{z}(x)$. Then (*) is a proper inequality and it follows that all choices $z' > \bar{z}(x)$ are non-optimal.

Now, let $z \leq \bar{z}(x)$ and consider $z' < z$. This implies $\bar{z}(x) > 0$ and together with Equation (4), we obtain

$$\sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x)} x_i \geq \Gamma.$$

It follows

$$\begin{aligned}
\Gamma z + \sum_{i=1}^n (\hat{c}_i - z)^+ x_i &= \Gamma z' + (z - z') \Gamma + \sum_{i \in [n]: \hat{c}_i \geq z} (\hat{c}_i - z) x_i \\
&\stackrel{(**)}{\leq} \Gamma z' + \sum_{i \in [n]: \hat{c}_i \geq z} (z - z') x_i + \sum_{i \in [n]: \hat{c}_i \geq z} (\hat{c}_i - z) x_i \\
&= \Gamma z' + \sum_{i \in [n]: \hat{c}_i \geq z} (\hat{c}_i - z') x_i \\
&\leq \Gamma z' + \sum_{i \in [n]: \hat{c}_i \geq z'} (\hat{c}_i - z') x_i \\
&\leq \Gamma z' + \sum_{i=1}^n p'_i.
\end{aligned}$$

Hence, the objective value is non-increasing for $z \leq \bar{z}(x)$, which shows that all $z \in [\underline{z}(x), \bar{z}(x)]$ are optimal. Furthermore, if it holds $z' < \underline{z}(x)$ then we have $0 < \underline{z}(x)$ and thus $\sum_{i \in [n]: \hat{c}_i \geq \underline{z}(x)} x_i > \Gamma$ by Equation (3). Then, for $z = \underline{z}(x)$ it follows that (**) is again a proper inequality and all choices $z' < \underline{z}(x)$ are non-optimal. \square

As already mentioned, Lee and Kwon [31] showed for $\Gamma \in \mathbb{Z}$ that the number of different values for z to be considered can be decreased from $n+1$ to $\lceil \frac{n-\Gamma}{2} \rceil + 1$. To see this, it is helpful to sort the deviations \hat{c}_i . Therefore, for the remainder of this paper, we assume without loss of generality that $\hat{c}_0 \leq \dots \leq \hat{c}_n$ holds. The first result leading to the reduction of Lee and Kwon is that the values $z \in \{\hat{c}_{n+1-\Gamma}, \dots, \hat{c}_n\}$ are no better than the value $z = \hat{c}_{n-\Gamma}$. We generalize this to $\Gamma \in \mathbb{R}_{\geq 0}$ and strengthen the result by using the clique partitioning \mathcal{Q} , which we already compute to obtain the strengthened formulations from Section 4.

Corollary 8. *Let \mathcal{Q} be a partitioning of $[n]$ into cliques and $q : [n] \mapsto \mathcal{Q}$ be the mapping that assigns an index $j \in [n]$ its corresponding clique $Q \in \mathcal{Q}$ with $j \in Q$. We define*

$$i^{\max} = \min(\{n\} \cup \{i \in [n-1]_0 \mid |\{q(i+1), \dots, q(n)\}| \leq \Gamma\}).$$

It holds $\hat{c}_{i^{\max}} \geq \underline{z}(x)$ for all solutions $x \in \mathcal{P}^{\text{NOM}} \cap \{0, 1\}^n$ and there exists an optimal solution (x, p, z) to ROB with $z \in \{\hat{c}_0, \dots, \hat{c}_{i^{\max}}\}$.

The statement is easy to see when considering Theorem 6, as for all $x \in \mathcal{P}^{\text{NOM}} \cap \{0, 1\}^n$, it holds

$$\sum_{i \in [n]: \hat{c}_i > \hat{c}_{i^{\max}}} x_i \leq \Gamma$$

and thus $\hat{c}_{i^{\max}} \geq \underline{z}(x)$. Since the objective value is non-decreasing for $z \geq \underline{z}(x)$, we do not have to consider $z \in \{\hat{c}_{i^{\max}+1}, \dots, \hat{c}_n\}$.

The second result of Lee and Kwon for $\Gamma \in \mathbb{Z}$ is that if the value $z = \hat{c}_i$ is optimal then $z \in \{\hat{c}_{i-1}, \hat{c}_{i+1}\}$ also contains an optimal choice. To put it in terms of Theorem 6: if it holds $\hat{c}_i \in [\underline{z}(x), \bar{z}(x)]$ then it also holds $\{\hat{c}_{i-1}, \hat{c}_{i+1}\} \cap [\underline{z}(x), \bar{z}(x)] \neq \emptyset$. This implies that $\mathcal{Z} = \{\hat{c}_0, \hat{c}_2, \hat{c}_4, \dots, \hat{c}_k, \hat{c}_{n-\Gamma}\}$, with $k = \min\{i \in 2\mathbb{N}_0 \mid i < n - \Gamma\}$, contains an optimal choice for z . The following statement improves this result by using the conflict graph, which we use to compute the clique partitioning \mathcal{Q} .

Proposition 9. *Let $G = ([n], E)$ be a conflict graph for ROB and $\Gamma \in \mathbb{Z}$. Furthermore, let $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_{i^{\max}}\}$ such that $\hat{c}_{i^{\max}} \in \mathcal{Z}$ and for every $i \in [i^{\max} - 1]_0$ it holds*

- $\hat{c}_i \in \mathcal{Z}$ or
- there exists an index $k < i$ with $\hat{c}_k \in \mathcal{Z}$ and for all $j \in \{k+1, \dots, i-1\}$ there exists an edge $\{j, i\} \in E$ in the conflict graph G .

Then there exists an optimal solution (x, p, z) to ROB with $z \in \mathcal{Z}$.

Proof. Let $x \in \mathcal{P}^{\text{NOM}} \cap \{0, 1\}^n$ be an arbitrary solution to NOM and \mathcal{Z} be a set fulfilling the above properties. It suffices to show $\mathcal{Z} \cap [\underline{z}(x), \bar{z}(x)] \neq \emptyset$. Note that it holds $0 = \hat{c}_0 \in \mathcal{Z}$, as there exists no index $k < 0$. Hence, we can assume that it holds $\bar{z}(x) > 0$, as otherwise there is nothing left to show.

Now, assume that it holds $\bar{z}(x) \geq \hat{c}_{i^{\max}}$. Since we have $\hat{c}_{i^{\max}} \geq \underline{z}(x)$ from Corollary 8, it holds $\hat{c}_{i^{\max}} \in [\underline{z}(x), \bar{z}(x)]$ and thus $\mathcal{Z} \cap [\underline{z}(x), \bar{z}(x)] \neq \emptyset$.

We are left with $0 < \bar{z}(x) < \hat{c}_{i^{\max}}$. Since

$$\begin{aligned}\bar{z}(x) &= \min \left\{ z \in \{\hat{c}_1, \dots, \hat{c}_{i^{\max}-1}\} \left| \sum_{i \in [n]: \hat{c}_i > z} x_i < \Gamma \right. \right\} \\ &= \max \left\{ z \in \{\hat{c}_1, \dots, \hat{c}_{i^{\max}-1}\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma \right. \right\}\end{aligned}$$

is well-defined, there exists an index $i^* \in [n]$ with $\sum_{i=i^*}^n x_i = \Gamma$ and $\sum_{i=i^*+1}^n x_i = \Gamma - 1$. It holds $\hat{c}_{i^*} = \bar{z}(x)$, as we have

$$\sum_{i \in [n]: \hat{c}_i > \hat{c}_{i^*}} x_i \leq \sum_{i=i^*+1}^n x_i = \Gamma - 1 < \Gamma,$$

which implies $\hat{c}_{i^*} \geq \bar{z}(x)$, and

$$\sum_{i \in [n]: \hat{c}_i \geq \hat{c}_{i^*}} x_i \geq \sum_{i=i^*}^n x_i = \Gamma,$$

implying $\hat{c}_{i^*} \leq \bar{z}(x)$. If we have $\hat{c}_{i^*} \in \mathcal{Z}$ then there is nothing left to show. Otherwise, there exists an index $k < i^*$ with $\hat{c}_k \in \mathcal{Z}$ and an edge $\{j, i^*\} \in E$ in the conflict graph for all $j \in \{k+1, \dots, i^*-1\}$. Since it holds $x_{i^*} = 1$, we have $\sum_{i=k+1}^{i^*-1} x_i = 0$ and thus

$$\sum_{i \in [n]: \hat{c}_i > \hat{c}_k} x_i \leq \sum_{i=k+1}^n x_i = \sum_{i=k+1}^{i^*-1} x_i + \sum_{i=i^*}^n x_i = \sum_{i=i^*}^n x_i = \Gamma,$$

which implies $\hat{c}_k \geq \bar{z}(x)$. \square

The above statement already determines the structure of Algorithm 1, which we use to compute a minimal set \mathcal{Z} satisfying the requested properties. We start by computing the index i^{\max} as specified in Corollary 8 (lines 1 to 5). Afterwards, we add the mandatory deviation \hat{c}_0 (line 6) and check whether $\Gamma \in \mathbb{Z}$ holds (line 7). If so, we evaluate for all $i \in \{1, \dots, i^{\max}-1\}$ if deviation \hat{c}_i has to be added according to Proposition 9 (lines 8 to 13). Lastly, we add deviation $\hat{c}_{i^{\max}}$, which always needs to be considered (line 14). Note that the statement in Proposition 9 only holds for $\Gamma \in \mathbb{Z}$, as otherwise we have $\underline{z}(x) = \bar{z}(x)$, which makes it impossible to skip deviations. Hence, in the case of $\Gamma \notin \mathbb{Z}$, we use the result from Corollary 8 (line 16).

In the next section, we explain the components of our branch & bound algorithm, for which we have paved the way with the theoretical results of the previous sections.

Algorithm 1: Procedure for filtering possible optimal values of z .

Input: A robustness budget $\Gamma \in [0, n]$, sorted deviations $\{\hat{c}_0, \dots, \hat{c}_n\}$,
a conflict graph $G = ([n], E)$, a clique partitioning $\mathcal{Q} \subseteq 2^{[n]}$,
and a corresponding mapping $q : [n] \mapsto \mathcal{Q}$

Output: A subset $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$ containing an optimal value of z

```

1 Initialize  $i^{\max} = n + 1$  and  $\mathcal{Q}' = \emptyset$ 
2 while  $i^{\max} > 0$  and  $|\mathcal{Q}'| \leq \Gamma$  do
3   reduce  $i^{\max} \leftarrow i^{\max} - 1$ 
4   if  $i^{\max} > 0$  then
5     Add  $\mathcal{Q}' \leftarrow \mathcal{Q}' \cup \{q(i^{\max})\}$ 
6 Initialize  $\mathcal{Z} = \{\hat{c}_0\}$ 
7 if  $\Gamma \in \mathbb{Z}$  then
8   for  $i = 1, \dots, i^{\max} - 1$  do
9     if  $\hat{c}_i \notin \mathcal{Z}$  then
10      Let  $k = \max \{j \in \{0, \dots, i - 1\} | \hat{c}_j \in \mathcal{Z}\}$ 
11      Let  $N(i)$  be the neighborhood of  $i$  in  $G$ 
12      if  $\{k + 1, \dots, i - 1\} \subsetneq N(i)$  then
13        Add  $\mathcal{Z} \leftarrow \mathcal{Z} \cup \{\hat{c}_i\}$ 
14    Add  $\mathcal{Z} \leftarrow \mathcal{Z} \cup \{\hat{c}_{i^{\max}}\}$ 
15 else
16   Add  $\mathcal{Z} \leftarrow \mathcal{Z} \cup \{\hat{c}_1, \dots, \hat{c}_{i^{\max}}\}$ 
17 return  $\mathcal{Z}$ 

```

6 The Branch & Bound Algorithm

The general idea of our branch & bound algorithm is to solve ROB by branching the set $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$ of possible values for z , as constructed in Algorithm 1, into subsets $Z \subseteq \mathcal{Z}$, for which we then consider the robust subproblem $\text{ROB}(Z)$. For each considered subset $Z \subseteq \mathcal{Z}$, we compute a dual bound $\underline{v}(Z)$, which is based primarily on the linear relaxation value $v^{\text{R}}(\text{ROB}^{\text{S}}(Z, \mathcal{Q}))$, but also complemented by results using the characterization of optimal solutions from the previous section. If the dual bound $\underline{v}(Z)$ is greater than or equal to the current primal bound \bar{v} then we can prune Z . Otherwise, we decide whether $\mathcal{P}^{\text{S}}(Z, \mathcal{Q})$ is strong enough for solving $\text{ROB}^{\text{S}}(Z, \mathcal{Q})$ directly as an MILP or whether we have to branch Z further to obtain an even stronger formulation. To ease notation, we will refer to the considered subsets $Z \subseteq \mathcal{Z}$ as *nodes* in a rooted *branching tree*, where \mathcal{Z} is the *root node* and Z' is a *child node* of Z if it emerges directly via branching. Furthermore, we denote with $\mathcal{N} \subseteq 2^{\mathcal{Z}}$ the set of *active nodes*, that are the not yet pruned leaves of our branching tree, which are still to be considered.

In the following sections, we describe in detail the components of our branch & bound algorithm. That is our approach for computing dual and primal bounds, our pruning rules as well as our node selection and branching strategies. A summary of the components, merged into one algorithm, is given in Section 6.6. An overview on different strategies regarding the components of branch & bound algorithms is provided by Morrison et.al [35].

6.1 Dual Bounding

The focus of this paper is primarily on the computation of strong dual bounds $\underline{v}(Z)$. We already paved the way for these in the previous sections by introducing the strong reformulation $\text{ROB}^{\text{S}}(Z, \mathcal{Q})$, yielding dual bounds $\underline{v}(Z) = v^{\text{R}}(\text{ROB}^{\text{S}}(Z, \mathcal{Q}))$. In the following, we show that we can obtain even better bounds by restricting to solutions fulfilling the optimality criterion in Theorem 6.

6.1.1 Deriving Dual Bounds from $\text{ROB}(Z)$

Imagine that we just solved a robust subproblem $\text{ROB}(Z)$, using the equivalent problem $\text{ROB}^{\text{S}}(Z, \mathcal{Q})$, and observed that the optimal objective value $v(\text{ROB}(Z))$ is significantly higher than the current primal bound \bar{v} . Furthermore, imagine that there exists a yet to be considered value z' in an active node $Z' \in \mathcal{N}$ that is very close to one of the just considered values $z \in Z$. Note that the objective function of the nominal subproblem $\text{NOS}(z)$, arising from fixing z , differs only slightly in its objective function $\Gamma z + \sum_{i=1}^n (c_i + (\hat{c}_i - z)^+) x_i$ from the nominal subproblem $\text{NOS}(z')$. This suggests that the objective value $v(\text{NOS}(z'))$ is probably not too far from $v(\text{NOS}(z))$. Since $v(\text{ROB}(Z))$ is higher than \bar{v} and also a dual bound on $v(\text{NOS}(z))$, we might be able to prune

z' without considering $\text{ROB}(Z')$ if we are able to carry over some information from $\text{NOS}(z)$ to $\text{NOS}(z')$. In fact, Hansknecht et al. [25] showed that there exists a relation between the optimal solution values $v(\text{NOS}(z))$ for different values z .

Lemma 10 ([25]). *For $z' \leq z$, it holds $v(\text{NOS}(z')) \geq v(\text{NOS}(z)) - \Gamma(z - z')$.*

Proof. The objective function $\Gamma z + \sum_{i=1}^n (c_i + (\hat{c}_i - z)^+) x_i$ of $\text{NOS}(z)$ is non-increasing in z when omitting the constant term Γz . It follows $v(\text{NOS}(z')) - \Gamma z' \geq v(\text{NOS}(z)) - \Gamma z$, which proves the statement. \square

Accordingly, in addition to the dual bound $\underline{v}(Z')$ for a node $Z' \in \mathcal{N}$, we can also maintain individual dual bounds $\underline{v}(z') = v(\text{ROB}(Z)) - \Gamma(\underline{z} - z')$ for $z' < \underline{z}$ after solving $\text{ROB}(Z)$. The dual bound for a node Z' is then the combination of the linear relaxation value $v^{\text{R}}(\text{ROB}^{\text{S}}(Z', \mathcal{Q}))$ and the minimum of all individual bounds $\min\{\underline{v}(z') | z' \in Z'\}$, i.e., we have

$$\underline{v}(Z') = \max\left\{v^{\text{R}}(\text{ROB}^{\text{S}}(Z', \mathcal{Q})), \min\{\underline{v}(z') | z' \in Z'\}\right\}.$$

While this already strengthens the dual bounds in our branch & bound algorithm, we can improve the results of Hansknecht et al. even more by using the optimality criterion from Theorem 6 and the clique partitioning \mathcal{Q} from Section 4. Since we are solely interested in optimal solutions to ROB , it is sufficient to only consider solutions to $\text{NOS}(z')$ that fulfill the optimality criterion, i.e., solutions x' with $z' \in [\underline{z}(x'), \bar{z}(x')]$. If an optimal solution to $\text{NOS}(z')$ does not fulfill this property then z' is no optimal choice in the first place and can therefore be pruned. Accordingly, the following theorem establishes an improved bound that is not a dual bound on $v(\text{NOS}(z'))$, but a dual bound on the objective value of all “relevant” solutions to $\text{NOS}(z')$.

Theorem 11. *Let \mathcal{Q} be a partitioning of $[n]$ into cliques, $z, z' \in \mathbb{R}_{\geq 0}$, and x' be an arbitrary solution to $\text{NOS}(z')$ of value v' satisfying $z' \in [\underline{z}(x'), \bar{z}(x')]$. It holds $v' \geq v(\text{NOS}(z)) - \delta_z(z')$, where the estimator $\delta_z(z')$ is defined as*

$$\delta_z(z') = \begin{cases} \sum_{\substack{Q \in \mathcal{Q}: \\ \exists i \in Q: z < \hat{c}_i \leq z'}} \max\{\hat{c}_i - z | i \in Q, z < \hat{c}_i \leq z'\} & \text{for } z' > z, \\ \max_{\mathcal{Q}' \subseteq \mathcal{Q}, |\mathcal{Q}'| \leq \Gamma} \left\{ \sum_{Q \in \mathcal{Q}'} \max\{z - \hat{c}_i | i \in Q, \hat{c}_i \geq z'\} \right\} & \text{for } 0 < z' < z, \\ \Gamma z & \text{for } z' = 0. \end{cases}$$

Proof. For $z' = 0$, the statement follows from Lemma 10. Otherwise, we obtain an estimation of v' against $v(\text{NOS}(z))$ by considering the difference in the objective functions of $\text{NOS}(z')$ and $\text{NOS}(z)$. Since x' is a feasible solution to $\text{NOS}(z)$, it holds that the solution value of x' for $\text{NOS}(z)$ is at least $v(\text{NOS}(z))$.

Hence, we obtain

$$\begin{aligned}
v(\text{NOS}(z)) &\leq \Gamma z + \sum_{i=1}^n \left(c_i + (\hat{c}_i - z)^+ \right) x'_i \\
&= \Gamma(z' + z - z') + \sum_{i=1}^n \left(c_i + (\hat{c}_i - z')^+ + (\hat{c}_i - z)^+ - (\hat{c}_i - z')^+ \right) x'_i \\
&= v' + \Gamma(z - z') + \sum_{i=1}^n \left((\hat{c}_i - z)^+ - (\hat{c}_i - z')^+ \right) x'_i.
\end{aligned}$$

Consider the case $z' > z$. Since it holds $z' \geq \underline{z}(x')$, it follows from the definition of $\underline{z}(x')$ in Theorem 6 that we have

$$\sum_{i \in [n]: \hat{c}_i > z'} x'_i \leq \sum_{i \in [n]: \hat{c}_i > \underline{z}(x')} x'_i \leq \Gamma.$$

We obtain

$$\begin{aligned}
&\Gamma(z - z') + \sum_{i=1}^n \left((\hat{c}_i - z)^+ - (\hat{c}_i - z')^+ \right) x'_i \\
&= \Gamma(z - z') + \sum_{i \in [n]: z < \hat{c}_i \leq z'} (\hat{c}_i - z) x'_i + \sum_{i \in [n]: \hat{c}_i > z'} (z' - z) x'_i \\
&\leq \Gamma(z - z') + \sum_{i \in [n]: z < \hat{c}_i \leq z'} (\hat{c}_i - z) x'_i + (z' - z) \Gamma \\
&= \sum_{i \in [n]: z < \hat{c}_i \leq z'} (\hat{c}_i - z) x'_i \\
&\leq \max \left\{ \sum_{i \in [n]: z < \hat{c}_i \leq z'} (\hat{c}_i - z) x''_i \mid x'' \in \mathcal{P}^{\text{NOM}} \cap \{0, 1\}^n \right\} \\
&\leq \max \left\{ \sum_{i \in [n]: z < \hat{c}_i \leq z'} (\hat{c}_i - z) x''_i \mid \sum_{i \in Q} x''_i \leq 1 \quad \forall Q \in \mathcal{Q} \right. \\
&\quad \left. x'' \geq 0 \right\} \\
&= \sum_{\substack{Q \in \mathcal{Q}: \\ \exists i \in Q: z < \hat{c}_i \leq z'}} \max \{ \hat{c}_i - z \mid i \in Q, z < \hat{c}_i \leq z' \},
\end{aligned}$$

where the last equality holds since \mathcal{Q} is a partitioning of $[n]$.

Now, let $0 < z' < z$. Since it holds $z' \leq \bar{z}(x')$, it follows from Lemma 7 that we have

$$\sum_{i \in [n]: \hat{c}_i \geq z'} x'_i \geq \sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x')} x'_i \geq \Gamma.$$

It holds

$$\begin{aligned}
& \Gamma(z - z') + \sum_{i=1}^n \left((\hat{c}_i - z)^+ - (\hat{c}_i - z')^+ \right) x'_i \\
&= \Gamma(z - z') - \sum_{i \in [n]: z' \leq \hat{c}_i < z} (\hat{c}_i - z') x'_i - \sum_{i \in [n]: \hat{c}_i \geq z} (z - z') x'_i \\
&= \Gamma(z - z') - \sum_{i \in [n]: \hat{c}_i \geq z'} (\min \{z, \hat{c}_i\} - z') x'_i \\
&\leq \Gamma(z - z') - \min \left\{ \sum_{i \in [n]: \hat{c}_i \geq z'} (\min \{z, \hat{c}_i\} - z') x''_i \left| \begin{array}{l} \sum_{i \in [n]: \hat{c}_i \geq z'} x''_i \geq \Gamma \\ x'' \in \mathcal{P}^{\text{NOM}} \cap \{0, 1\}^n \end{array} \right. \right\} \\
&\leq \Gamma(z - z') - \min \left\{ \sum_{i \in [n]: \hat{c}_i \geq z'} (\min \{z, \hat{c}_i\} - z') x''_i \left| \begin{array}{l} \sum_{i \in [n]: \hat{c}_i \geq z'} x''_i = \Gamma \\ \sum_{i \in Q} x''_i \leq 1 \forall Q \in \mathcal{Q} \\ x'' \geq 0 \end{array} \right. \right\} \\
&= \max \left\{ \sum_{i \in [n]: \hat{c}_i \geq z'} (z - \min \{z, \hat{c}_i\}) x''_i \left| \begin{array}{l} \sum_{i \in [n]: \hat{c}_i \geq z'} x''_i = \Gamma \\ \sum_{i \in Q} x''_i \leq 1 \forall Q \in \mathcal{Q} \\ x'' \geq 0 \end{array} \right. \right\} \\
&= \max_{\mathcal{Q}' \subseteq \mathcal{Q}, |\mathcal{Q}'| = \Gamma} \left\{ \sum_{Q \in \mathcal{Q}'} \max \{z - \min \{z, \hat{c}_i\} | i \in Q, \hat{c}_i \geq z'\} \right\} \\
&= \max_{\mathcal{Q}' \subseteq \mathcal{Q}, |\mathcal{Q}'| \leq \Gamma} \left\{ \sum_{Q \in \mathcal{Q}'} \max \{z - \hat{c}_i | i \in Q, \hat{c}_i \geq z'\} \right\},
\end{aligned}$$

which concludes the proof. \square

The above statement now enables us not only to compute bounds for $z' > z$, it is also easy to see that the new bound $v(\text{NOS}(z)) - \delta_z(z')$ for $0 < z' < z$ is at least as strong as the previous bound $v(\text{NOS}(z)) - \Gamma(z - z')$ from Lemma 10. This is because each of the up to Γ terms $\max \{z - \hat{c}_i | i \in Q, \hat{c}_i \geq z'\}$ is at most $z - z'$. More specifically, it only holds $\delta_z(z') = \Gamma(z - z')$ if there exist at least Γ many cliques $Q \in \mathcal{Q}$ with $\min \{\hat{c}_i | i \in Q, \hat{c}_i \geq z'\} = z'$. Moreover, if the number of cliques Q with $\{\hat{c}_i | i \in Q, z > \hat{c}_i \geq z'\} \neq \emptyset$ is less than Γ , then some terms are even equal to zero. For close values z, z' , this will often be the case, even if we don't find any cliques, i.e., $\mathcal{Q} = \{\{1\}, \dots, \{n\}\}$. Note that for $z' = 0$, we have to use the dual bound from Lemma 10, since Theorem 6 and Lemma 7 provide no statement on the required structure of x' in this case.

In our branch & bound algorithm, we use the estimators $\delta_{\underline{z}}(z')$ for all $z' < \underline{z}$ and $\delta_{\bar{z}}(z')$ for $z' > \bar{z}$ after solving $\text{ROB}(Z)$. Accordingly, we define for $Z \subseteq \mathcal{Z}$ the estimators

$$\delta_Z(z') = \begin{cases} \delta_{\underline{z}}(z') & \text{for } z' < \underline{z}, \\ \delta_{\bar{z}}(z') & \text{for } z' > \bar{z}. \end{cases}$$

The improved bounds $v(\text{ROB}(Z)) - \delta_Z(z')$ come with the cost of a higher computational effort compared to the bounds from Lemma 10. However, the additional overhead is marginal, as we can solve the involved maximization problems in linear time and compute all estimators $\delta_{\underline{z}}(z')$, or $\delta_{\bar{z}}(z')$ respectively, simultaneously. Algorithm 2 describes our approach for computing the estimators for a set $\mathcal{Z}' \subseteq \mathcal{Z}$ of remaining values z' .

We first compute $\delta_{\bar{z}}(z')$ for $z' \in \{z' \in \mathcal{Z}' \mid z' > \bar{z}\}$ (lines 1 to 9). For computing $\delta_{\bar{z}}(z'_j)$, we consider all deviations \hat{c}_k with $\bar{z} < \hat{c}_k \leq z'_j$ (line 4) and add the corresponding value $\hat{c}_k - \bar{z}$ (line 8). Furthermore, we mark the clique $q(k)$ containing k as considered by adding it to the set \mathcal{Q}' and we associate the clique $q(k)$ with the index k by maintaining a mapping $q^{-1} : \mathcal{Q}' \rightarrow [n]$ (line 7). However, if $q(k)$ is already contained within \mathcal{Q}' then we considered an index $k' = q^{-1}(q(k))$ with $q(k) = q(k')$ before k and counted the value $\hat{c}_{k'} - \bar{z}$ towards $\delta_{\bar{z}}(z')$. Hence, either $\hat{c}_k - \bar{z}$ or $\hat{c}_{k'} - \bar{z}$ has to be subtracted, as we only count the highest value per clique. Since we iterate over the deviations in a non-decreasing order, it holds $\hat{c}_k - \bar{z} \geq \hat{c}_{k'} - \bar{z}$, which is why we subtract $\hat{c}_{k'} - \bar{z}$ (line 6). Note that we do not have to consider all values $\{\hat{c}_k \mid \bar{z} < \hat{c}_k \leq z'_j\}$ for computing $\delta_{\bar{z}}(z'_j)$ if we already considered the values $\{\hat{c}_k \mid \bar{z} < \hat{c}_k \leq z'_{j-1}\}$ for $\delta_{\bar{z}}(z'_{j-1})$. Instead, we construct $\delta_{\bar{z}}(z'_j)$ on the basis of $\delta_{\bar{z}}(z'_{j-1})$ and only iterate over $\{\hat{c}_k \mid z'_{j-1} < \hat{c}_k \leq z'_j\}$.

The computation of $\delta_{\underline{z}}(z')$ for $z' \in \{z' \in \mathcal{Z}' \mid z' < \underline{z}\}$ is almost analogous (lines 10 to 24). The difference here is that we only consider up to Γ values $\underline{z} - \hat{c}_k$. Hence, we not only maintain the set \mathcal{Q}' and the mapping q^{-1} , but also a list containing the indices of currently added values $\underline{z} - \hat{c}_k$. The list is updated every time we subtract (line 18) or add (line 20) a value $\underline{z} - \hat{c}_k$. Furthermore, since we iterate reversely over $\{\hat{c}_k \mid z'_j \leq \hat{c}_k < \underline{z}\}$, the list is ordered non-decreasing with respect to $\underline{z} - \hat{c}_k$. Hence, before assigning $\delta_{\underline{z}}(\hat{c}_{i_j})$, we check whether L contains more than Γ elements and, if necessary, remove the first $\Gamma - |L|$ indices together with their value $\underline{z} - \hat{c}_k$ and their clique $q(k)$ (lines 21 to 23).

6.1.2 Optimality-Cuts

Consider a node $Z \subseteq \mathcal{Z}$ of our branching tree and assume that (x, p, z) is a solution to $\text{ROB}(Z)$ with $[\underline{z}(x), \bar{z}(x)] \cap Z = \emptyset$. We know from Theorem 6 that it is needless to consider x for the subset Z , as there exists a different set $Z' \subseteq \mathcal{Z}$ with $[\underline{z}(x), \bar{z}(x)] \cap Z' \neq \emptyset$ if x is part of a globally optimal solution. Nevertheless, it is possible that (x, p, z) is an optimal solution to $\text{ROB}(Z)$, resulting in an unnecessarily weak dual bound $\underline{v}(Z)$. Using the following theorem, we are able to strengthen our formulations such that we only consider solutions (x, p, z) with $[\underline{z}(x), \bar{z}(x)] \cap Z \neq \emptyset$ and thus raise the dual bound $\underline{v}(Z)$.

Algorithm 2: Procedure for computing estimators $\delta_z(z')$.

Input: A set $\mathcal{Z}' = \{z'_1, \dots, z'_p\} \subseteq \mathcal{Z}$ with $z'_1 < \dots < z'_p$, values $\underline{z}, \bar{z} \in \mathbb{R}_{\geq 0}$, a robustness budget $\Gamma \in [0, n]$, sorted deviations $\{\hat{c}_0, \dots, \hat{c}_n\}$, a clique partitioning $\mathcal{Q} \subseteq 2^{[n]}$, and a corresponding mapping $q : [n] \mapsto \mathcal{Q}$

Output: Estimators $\delta_{\underline{z}}(z')$ for $z' < \underline{z}$ and $\delta_{\bar{z}}(z')$ for $z' > \bar{z}$

- 1 Let $l = \min \{i \in [p] \mid z'_i > \bar{z}\}$ and $k = \min \{i \in [n]_0 \mid \hat{c}_i > \bar{z}\}$
- 2 Initialize estimator $\delta = 0$, set of considered cliques $\mathcal{Q}' = \emptyset$, and mapping to the corresponding index $q^{-1} : \mathcal{Q}' \rightarrow [n]$
- 3 **for** $j = l, \dots, p$ **do**
- 4 **while** $\hat{c}_k \leq z'_j$ **do**
- 5 **if** $q(k) \in \mathcal{Q}'$ **then**
- 6 Update $\delta \leftarrow \delta - (\hat{c}_{q^{-1}(q(k))} - \bar{z})$
- 7 Add $\mathcal{Q}' \leftarrow \mathcal{Q}' \cup \{q(k)\}$ and set $q^{-1}(q(k)) = k$
- 8 Update $\delta \leftarrow \delta + (\hat{c}_k - \bar{z})$ and increase $k \leftarrow k + 1$
- 9 Set $\delta_{\bar{z}}(z'_j) = \delta$
- 10 Let $l = \max \{i \in [p] \mid z'_i < \underline{z}\}$ and $k = \max \{i \in [n]_0 \mid \hat{c}_i < \underline{z}\}$
- 11 Set $\delta = 0$, $\mathcal{Q}' = \emptyset$, and initialize empty list L
- 12 **for** $j = l, \dots, 1$ **do**
- 13 **if** $z'_j = 0$ **then**
- 14 Set $\delta_{\underline{z}}(z'_j) = \Gamma z$
- 15 **else**
- 16 **while** $\hat{c}_k \geq z'_j$ **do**
- 17 **if** $q(k) \in \mathcal{Q}'$ **then**
- 18 Update $\delta \leftarrow \delta - (z - \hat{c}_{q^{-1}(q(k))})$ and remove $q^{-1}(q(k))$ from L
- 19 Add $\mathcal{Q}' \leftarrow \mathcal{Q}' \cup \{q(k)\}$, set $q^{-1}(q(k)) = k$, and append k to L
- 20 Update $\delta \leftarrow \delta + (z - \hat{c}_k)$ and decrease $k \leftarrow k - 1$
- 21 **while** $|L| > \Gamma$ **do**
- 22 Update $\delta \leftarrow \delta - (z - \hat{c}_{L[0]})$
- 23 Remove $\mathcal{Q}' \leftarrow \mathcal{Q}' \setminus \{q(L[0])\}$ and delete $L[0]$ from L
- 24 Set $\delta_{\underline{z}}(z'_j) = \delta$
- 25 **return** $\delta_{\underline{z}}$ and $\delta_{\bar{z}}$

Theorem 12. Let $x \in \mathcal{P}^{NOM} \cap \{0, 1\}^n$ be a solution to NOM and $\underline{c} \leq \bar{c}$. Then it holds $[\underline{z}(x), \bar{z}(x)] \cap [\underline{c}, \bar{c}]$ if and only if x satisfies

$$\sum_{i \in [n]: \hat{c}_i > \bar{c}} x_i \leq \lfloor \Gamma \rfloor \quad (5)$$

and in the case of $\underline{c} > 0$ also

$$\sum_{i \in [n]: \hat{c}_i \geq \underline{c}} x_i \geq \lceil \Gamma \rceil. \quad (6)$$

Proof. We have $[\underline{z}(x), \bar{z}(x)] \cap [\underline{c}, \bar{c}]$ if and only if $\underline{z}(x) \leq \bar{c}$ and $\underline{c} \leq \bar{z}(x)$ holds. We first show that $\underline{z}(x) \leq \bar{c}$ holds if and only if x fulfills Inequality (5). We know from Theorem 6 that $\sum_{i \in [n]: \hat{c}_i > \underline{z}(x)} x_i \leq \Gamma$. Then $\underline{z}(x) \leq \bar{c}$ implies

$$\sum_{i \in [n]: \hat{c}_i > \bar{c}} x_i \leq \sum_{i \in [n]: \hat{c}_i > \underline{z}(x)} x_i \leq \Gamma$$

and thus Inequality (5) due to x being binary. Additionally, x cannot fulfill Inequality (5) if we have $\bar{c} < \underline{z}(x)$, as this contradicts the minimality in the definition of $\underline{z}(x)$.

It is clear to see that $\underline{c} \leq \bar{z}(x)$ applies if we have $\underline{c} = 0$. Hence, it remains to show that for $0 < \underline{c}$, it holds $\underline{c} \leq \bar{z}(x)$ if and only if x fulfills Inequality (6). We know from Lemma 7 that it holds $\sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x)} x_i \geq \Gamma$. Then $\underline{c} \leq \bar{z}(x)$ implies

$$\sum_{i \in [n]: \hat{c}_i \geq \underline{c}} x_i \geq \sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x)} x_i \geq \Gamma$$

and thus Inequality (6). Additionally, x cannot fulfill Inequality (6) if we have $\bar{z}(x) < \underline{c}$, as this contradicts the maximality of $\bar{z}(x)$ in Lemma 7. \square

In our branch & bound algorithm, we add the above Inequalities (5) and (6), with $\underline{c} = \underline{z}$ and $\bar{c} = \bar{z}$, as optimality-cuts to the formulation $\mathcal{P}^S(Z, \mathcal{Q})$ when solving the corresponding linear problem. However, the optimality-cuts can cause several problems when added to a robust subproblem ROB(Z), especially with respect to the dual bounds of the last section. Let ROB($Z, \underline{c}, \bar{c}$) be the corresponding problem with added optimality-cuts for bounds $\underline{c} \leq \underline{z}$ and $\bar{z} \leq \bar{c}$. Note that in the proof of Theorem 11, we require x' , the solution to NOS(z'), to be feasible for NOS(z) in order to show that $v(\text{NOS}(z)) - \delta_z(z')$ is a dual bound. Analogously, we require x' to be a feasible solution to ROB($Z, \underline{c}, \bar{c}$) in order to derive a dual bound from $v(\text{ROB}(Z, \underline{c}, \bar{c}))$. That is, if x' does not meet the optimality-cuts then we can not derive any dual bounds from $v(\text{ROB}(Z, \underline{c}, \bar{c}))$. However, if it holds $[\underline{z}(x'), \bar{z}(x')] \cap [\underline{c}, \bar{c}] \neq \emptyset$ then x' is according to Theorem 12 a feasible solution to ROB($Z, \underline{c}, \bar{c}$), leading to the following generalization of Theorem 11.

Corollary 13. Let $Z \subseteq \mathbb{R}_{\geq 0}$ and $\underline{c} \leq \bar{c}$ with $Z \subseteq [\underline{c}, \bar{c}]$. Furthermore, let $z' \in [\underline{c}, \bar{c}]$ and x' be an arbitrary solution to NOS(z') of value v' satisfying $z' \in [\underline{z}(x'), \bar{z}(x')]$. Then it holds $v' \geq v(\text{ROB}(Z, \underline{c}, \bar{c})) - \delta_Z(z')$.

Accordingly, there is a trade-off in the choice of \underline{c}, \bar{c} . On the one hand, the optimal objective value $v(\text{ROB}(Z, \underline{c}, \bar{c}))$, and thus the derived dual bounds for other $z' \in [\underline{c}, \bar{c}]$, increases if the bounds \underline{c}, \bar{c} are close together. On the other hand, we want to derive dual bounds for as many z' as possible. Furthermore, the optimality-cuts can be hindering for finding good primal bounds. We resolve this trade-off by adding loose optimality-cuts, corresponding to wide bounds \underline{c}, \bar{c} , in the beginning and gradually strengthening them as we consider more robust subproblems.

Let $\mathcal{Z}^* \subseteq \mathcal{Z}$ be the union of all nodes $Z^* \subseteq \mathcal{Z}$ for which we already solved a robust subproblem $\text{ROB}(Z^*, \underline{c}^*, \bar{c}^*)$ and let $\mathcal{Z}' = \bigcup_{Z \in \mathcal{N}} Z$ be the union of all active nodes. In our branch & bound algorithm, for a node $Z \in \mathcal{N}$, we choose $\underline{c}, \bar{c} \in \mathcal{Z}'$ as wide as possible around Z such that there exists no $z^* \in \mathcal{Z}^*$ in between, i.e.,

$$\underline{c} = \min \{z' \in \mathcal{Z}' \mid \nexists z^* \in \mathcal{Z}^* : z' \leq z^* < \underline{z}\}$$

and

$$\bar{c} = \max \{z' \in \mathcal{Z}' \mid \nexists z^* \in \mathcal{Z}^* : \bar{z} < z^* \leq z'\}.$$

In order to see that it is not reasonable to expand the interval $[\underline{c}, \bar{c}]$, consider a value $z' \in \mathcal{Z}' \setminus [\underline{c}, \bar{c}]$. By definition, we already considered a robust subproblem $\text{ROB}(Z^*, \underline{c}^*, \bar{c}^*)$ with $z' \in [\underline{c}^*, \bar{c}^*]$ for a node Z^* containing a value z^* with $z' < z^* < \underline{z}$ or $\bar{z} < z^* < z'$. Since it holds $\delta_{Z^*}(z') \leq \delta_{z^*}(z') < \delta_Z(z')$, we already derived a dual bound $\underline{v}(z') = v(\text{ROB}(Z^*, \underline{c}^*, \bar{c}^*)) - \delta_{Z^*}(z')$ that is probably better than a potential dual bound derived from $\text{ROB}(Z, \underline{c}, \bar{c})$. Thus, expanding $[\underline{c}, \bar{c}]$ tends to be useless for obtaining new dual bounds. Now, assume that there exists a nominal solution x with $[\underline{z}(x), \bar{z}(x)] \cap [\underline{c}, \bar{c}] = \emptyset$ such that (x, p, z) is feasible for $\text{ROB}(Z)$ and also defines an improving primal bound \bar{v} . In this case, it would be beneficial to expand $[\underline{c}, \bar{c}]$ such that x fulfills the optimality-cuts and we obtain a new incumbent. However, we have seen in the proof of Theorem 6 that the objective value of (x, p, z) is non-increasing for $z \leq \bar{z}(x)$ and non-decreasing for $z \geq \underline{z}(x)$ with the appropriate $p = (\hat{c}_i - z)^+ x_i$. Using the arguments from above, we should have already found a solution (x, p^*, z^*) that is at least as good as (x, p, z) for a previous subproblem $\text{ROB}(Z^*, \underline{c}^*, \bar{c}^*)$. Accordingly, expanding $[\underline{c}, \bar{c}]$ is also uninteresting for obtaining new primal bounds.

In the next Section we show what else we can do except for choosing appropriate bounds \underline{c}, \bar{c} in order to guide the branch & bound algorithm in the search for primal bounds.

6.2 Primal Bounding

We already stated in the introduction that the potentially large optimality gap of ROB can cause problems for MILP solvers when trying to compute feasible solutions. Hence, we have to provide guidance for the solver in order to consistently obtain strong primal bounds. As the focus of this paper is on the robustness structures of ROB, and not the corresponding nominal problem NOM, we implement no heuristics that explicitly compute feasible solutions x to NOM. Nevertheless, our branch & bound algorithm naturally aids in the search

for optimal solutions by quickly identify non-promising values of z . This allows us early on to focus on nodes $Z \subseteq \mathcal{Z}$ containing (nearly) optimal choices for z , for which solving $\text{ROB}(Z, \underline{c}, \bar{c})$ is much easier, using the equivalent problem $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$, and yields (nearly) optimal solutions to ROB .

Furthermore, even when considering $\text{ROB}(Z, \underline{c}, \bar{c})$ for a node $Z \subseteq \mathcal{Z}$ that contains no optimal choice for z , we can potentially derive good primal bounds or even optimal solutions to ROB . In many cases, an optimal solution (x, p, z) to $\text{ROB}(Z, \underline{c}, \bar{c})$ does not meet the optimality criterion $z \in [\underline{z}(x), \bar{z}(x)]$, which leaves potential for improving the primal bound provided by $v(\text{ROB}(Z, \underline{c}, \bar{c}))$. Since $\bar{z}(x)$ is easily computable, we can obtain a better primal bound $\bar{v}(x)$ provided by the solution value of $(x, p', \bar{z}(x))$, with $p'_i = (\hat{c}_i - \bar{z}(x))^+ x_i$. Moreover, we can not only compute $\bar{v}(x)$ for an optimal solution x to $\text{ROB}(Z, \underline{c}, \bar{c})$, but any feasible solution the solver reports while solving $\text{ROB}(Z, \underline{c}, \bar{c})$. This increases the chance of finding good primal bounds, as an improved sub-optimal solution may provide an even better bound than an optimal solution to $\text{ROB}(Z, \underline{c}, \bar{c})$. We will see in our computational study that our branch & bound algorithm quickly finds optimal solutions to ROB , often while considering the very first robust subproblem. Additionally, the possibility to derive strong primal bounds from sub-optimal solutions, which may be found early on while solving $\text{ROB}(Z, \underline{c}, \bar{c})$, will be relevant for our pruning strategy in the next section.

6.3 Pruning

In theory, a problem is solved to optimality if the primal bound \bar{v} is equal to a proven dual bound \underline{v} . In practice, however, it is neither always necessary to prove $\bar{v} = \underline{v}$, nor is it always possible due to numerical issues. Instead, one considers a problem to be solved if \bar{v} is sufficiently close to \underline{v} , that is, it either holds $\bar{v} - \underline{v} \leq t^{\text{abs}}$ or $\frac{\bar{v} - \underline{v}}{|\bar{v}|} \leq t^{\text{rel}}$, where $t^{\text{abs}} > 0$ is the *absolute tolerance* and $t^{\text{rel}} > 0$ is the *relative tolerance*. The concept of “sufficiently solved” problems is also applied to the pruning of nodes $Z \subseteq \mathcal{Z}$ within our branching tree. More specifically, we prune Z not only if it holds $\underline{v}(Z) \geq \bar{v}$, but as soon as we have $\bar{v} - \underline{v}(Z) \leq t^{\text{abs}}$ or $\frac{\bar{v} - \underline{v}(Z)}{|\bar{v}|} \leq t^{\text{rel}}$. In our computational study, we choose $t^{\text{abs}} = 10^{-10}$ and $t^{\text{rel}} = 10^{-4}$, which are the default tolerances used by Gurobi [24]. Note that for $\bar{v} = 0$ and $\bar{v} > \underline{v}$, the *relative gap* $\frac{\bar{v} - \underline{v}}{|\bar{v}|}$ is defined to be ∞ . If it holds $\underline{v} \geq \bar{v} = 0$ then the relative gap does not matter, since we have $\bar{v} - \underline{v} \leq t^{\text{abs}}$. To simplify notation, we define $\text{prn}(\underline{v}, \bar{v}) = 1$ if the dual and primal bounds \underline{v}, \bar{v} are strong enough for pruning and $\text{prn}(\underline{v}, \bar{v}) = 0$ otherwise.

Recall that the dual bound $\underline{v}(Z)$ for $Z \subseteq \mathcal{Z}$ is the maximum of the linear relaxation value $v^R(\text{ROB}^S(Z, \mathcal{Q}, \underline{z}, \bar{z}))$ and the worst individual dual bound $\min\{\underline{v}(z) | z \in Z\}$ from Section 6.1.1. Even if $\underline{v}(Z)$ is too weak for pruning, i.e., $\text{prn}(\underline{v}(Z), \bar{v}) = 0$, it may hold $\text{prn}(\underline{v}(z), \bar{v}) = 1$ for a value $z \in Z$. Therefore, we apply a further pruning step in addition to the pruning of the whole node Z . Every time we consider a node Z , we check for all $z \in Z$ whether z can be pruned according to its individual dual bound $\underline{v}(z)$. This is beneficial, as

we obtain a stronger formulation for the resulting subset of Z . Furthermore, before solving a robust subproblem $\text{ROB}(Z, \underline{c}, \bar{c})$, we check for all remaining $z' \in \bigcup_{Z \in \mathcal{N}} Z$ whether it holds $\text{prn}(\underline{v}(z'), \bar{v}) = 1$, so that the bounds \underline{c}, \bar{c} , as chosen in Section 6.1.2, are as narrow as possible.

Once we consider a robust subproblem $\text{ROB}(Z, \underline{c}, \bar{c})$, we let the MILP solver manage the pruning itself, as the otherwise necessary interference into its solving process would lead to a performance degradation. However, we can monitor the best known dual bound $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ and terminate the subproblem as soon as we have $\text{prn}(\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c})), \bar{v}) = 1$. This is especially important for robust subproblems $\text{ROB}(Z, \underline{c}, \bar{c})$ corresponding to nodes Z containing values that are far from being optimal. In this case, we are usually aware of a primal bound \bar{v} that is substantially smaller than the optimal solution value $v(\text{ROB}(Z, \underline{c}, \bar{c}))$, allowing for a fast termination. Such a primal bound can either come from a previously considered robust subproblem or from a solution to $\text{ROB}(Z, \underline{c}, \bar{c})$ that we improved as described in the previous section.

Unfortunately, terminating $\text{ROB}(Z, \underline{c}, \bar{c})$ prematurely is problematic regarding the dual bounds $v(\text{ROB}(Z, \underline{c}, \bar{c})) - \delta_Z(z')$ computed in Section 6.1.1. Note that in practice, we do not necessarily know the optimal solution value $v(\text{ROB}(Z, \underline{c}, \bar{c}))$ and thus use the best known dual bound $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ instead. Hence, there is a trade-off in saving time by terminating $\text{ROB}(Z, \underline{c}, \bar{c})$ early and generating strong dual bounds $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c})) - \delta_Z(z')$. We resolve this trade-off by computing the estimators $\delta_Z(z')$ before solving $\text{ROB}(Z, \underline{c}, \bar{c})$ and constantly evaluating whether improving $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ can potentially lead to the pruning of additional values z' . Let $\mathcal{Z}' \cap [\underline{c}, \bar{c}]$ be the remaining values of z for which we computed the estimators $\delta_Z(z')$. Furthermore, let $\bar{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ be the currently best known primal bound for $\text{ROB}(Z, \underline{c}, \bar{c})$. For evaluating whether $z' \in \mathcal{Z}' \cap [\underline{c}, \bar{c}]$ can potentially be pruned, we consider three different cases.

- Case 1.* If it holds $\text{prn}(\max\{\underline{v}(z), \underline{v}(\text{ROB}(Z, \underline{c}, \bar{c})) - \delta_Z(z')\}, \bar{v}) = 1$ then z' can already be pruned.
- Case 2.* Otherwise, if it holds $\text{prn}(\bar{v}(\text{ROB}(Z, \underline{c}, \bar{c})) - \delta_Z(z'), \bar{v}) = 1$ then z' can be pruned if we manage to increase $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ up to $\bar{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$.
- Case 3.* Otherwise, z' can only be pruned if we find a better global primal bound \bar{v} .

If Case 1 applies then z' is irrelevant to the question whether we should terminate $\text{ROB}(Z, \underline{c}, \bar{c})$ early, as it will be pruned anyway. In contrast, it is unlikely that z' will be pruned if Case 3 applies. We have already stated in the previous section that our branch & bound algorithm usually finds (nearly) optimal solutions to ROB while solving the first robust subproblem. Hence, most of the time, the primal bound \bar{v} will not be improved, leaving little chance for z' to be pruned. Accordingly, in our implementation, we continue solving $\text{ROB}(Z, \underline{c}, \bar{c})$ as long as there exists a value $z' \in \mathcal{Z}' \cap [\underline{c}, \bar{c}]$ for which Case 2 applies. However, since closing the gap between $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ and $\bar{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ can

potentially waste much time, we use an additional termination criterion. In our implementation, we also terminate ROB $(Z, \underline{c}, \bar{c})$ if no $z' \in \mathcal{Z}' \cap [\underline{c}, \bar{c}]$ switched to Case 1 within the last 10 seconds. That is, raising the dual bound did not lead to a pruning of an additional z' within this time. Of course, this criterion is highly arbitrary, but it leads to an improvement of our algorithm’s performance in our computational study. As heavy engineering is beyond the scope of this paper, we leave a detailed analysis of this component and its potential for future research.

6.4 Node Selection

The node selection strategy determines the order in which we explore nodes within our branching tree, and thus directly impacts the number of nodes we consider before finding an optimal solution. Hence, a good node selection strategy is critical to the performance of any branch & bound algorithm, as finding an optimal (or at least good) solution quickly enables us to prune more efficiently. A review of different strategies in the context of mixed integer programming is given by Linderoth and Savelsbergh [32]. A survey on machine learning for node selection is given by Lodi and Zarpellon [33].

Two basic strategies, from which many other strategies emerge as a combination, are *depth-first* and *best-first search*. Depth-first search is based on the last-in-first-out principle and thus follows a path down the branching tree until a prunable node is reached. In contrast, best-first search ranks the nodes of the branching tree by assigning a value to each node and always picking a node with the best value. Here, we consider the case where the ranking value is equal to the node’s dual bound. In this case, best-first search is also called *best-bound search*. Naturally, both strategies, depth-first and best-bound search, have advantages and disadvantages, as discussed by Linderoth and Savelsbergh [32]. An advantage of depth-first search is that it requires less memory, as the number of active nodes $|\mathcal{N}|$ in the branching tree is relatively small. It also allows for a fast reoptimization after branching, since the optimal dual solution to the parent node’s subproblem is readily available to warm start the, typically similar, subproblem of the child node. Furthermore, depth-first search usually finds feasible solutions quickly, as integer feasible solutions tend to be located deep in the branching tree, where many variables are fixed due to branching. An obvious drawback, however, is that depth-first search may explore many unnecessary nodes and can get stuck in unpromising subtrees if the current primal bound is far from the optimal solution value. In contrast, best-bound search tends to minimize the number of nodes in the branching tree. This is because best-bound search will never select a node whose dual bound is worse than the optimal solution value. However, the drawback of best-bound search is that it may require more memory, as the number of active nodes in the branching tree grows large if there exist many nodes with similar bounds. This can also prevent the algorithm from finding feasible solutions early, since deeper levels of the branching tree are explored late. Furthermore, the reoptimization is hindered, as sequentially considered subproblems are less related compared to the

depth-first search.

The strategy for our branch & bound algorithm can be seen as a hybrid of depth-first and best-bound search. Note that our algorithm switches back and forth between two phases. In phase one, we branch the set \mathcal{Z} into subsets Z and obtain dual bounds $v^R(\text{ROB}^S(Z, \mathcal{Q}, \underline{z}, \bar{z}))$ from solving linear subproblems. In phase two, we stick to a node $Z \subseteq \mathcal{Z}$ and solve the robust subproblem $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$. Phase two can be seen as leaning towards depth-first search, since we focus on the chosen values in Z until the problem $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ is either solved to optimality or terminated as described in the previous section. Since $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ is a potentially hard problem, it would be beneficial to only solve it for promising nodes Z , presumably leading to good solutions. We use the dual bound $\underline{v}(Z)$ of a node $Z \subseteq \mathcal{Z}$ as an indicator for the node's potential to contain good solutions (x, p, z) with $z \in Z$, and thus perform a best-bound search in phase one. In detail, for the set of active tree nodes \mathcal{N} , we always process a node $Z \in \mathcal{N}$ for which the current dual bound $\underline{v}(Z)$ is minimum among all nodes, i.e., $Z \in \text{argmin}\{\underline{v}(Z) | Z \in \mathcal{N}\}$.

Fortunately, the drawbacks of best-bound search described above are not critical in our case. The number of active nodes that we generate is at most $|\mathcal{N}| \leq |\mathcal{Z}| \leq \lceil \frac{n-1}{2} \rceil + 1$. Hence, memory consumption should be no limiting factor in phase one. This also allows us to store a solution basis for each node to warm start the simplex algorithm after branching. However, while warm starting usually accelerates the solving process, we observed that it leads to less consistent results in our computational study, as it disables Gurobi's LP presolve [24]. Therefore, we do not consider warm starts for the evaluation of our branch & bound approach in Section 7.

6.5 Branching

Much research has been devoted to the question of how to branch efficiently in integer linear programming, see, e.g., Achterberg et.al [3] or Linderoth and Savelsbergh [32]. However, the main question that is addressed there is on which integer infeasible variable to branch. Obviously, this question is uninteresting in our case, since we solely branch on the variable z and hand the robust subproblems to the chosen MILP solver, which manages the branching on its own. Instead, we have to address the question how to divide a node $Z \subseteq \mathcal{Z}$ so that the branching is efficient. Furthermore, we want to discuss how to decide whether a node Z should be branched at all or whether we solve $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ directly as an MILP.

To answer the latter, let $(x, p, z) \in \mathcal{P}(Z, \mathcal{Q}, \underline{z}, \bar{z})$ be an optimal solution to the linear relaxation of $\text{ROB}(Z, \mathcal{Q}, \underline{z}, \bar{z})$. Note that we consider $\text{ROB}(Z, \mathcal{Q}, \underline{z}, \bar{z})$ instead of the equivalent $\text{ROB}^S(Z, \mathcal{Q}, \underline{z}, \bar{z})$ for simplicity. Since x meets the optimality-cuts, there exists a value $z' \in [\underline{z}, \bar{z}] \cap [\underline{z}(x), \bar{z}(x)]$. The bilinear solution $(x, p', z') \in \mathcal{P}^{\text{BIL}}$, with $p'_i = (\hat{c}_i - z')^+ x_i$, provides an upper bound on the optimal objective value over all solutions in \mathcal{P}^{BIL} fulfilling the optimality-cuts for $\underline{c} = \underline{z}$ and $\bar{c} = \bar{z}$. This upper bound is easily computable, as we have

$v((x, p', z')) = v((x, p'', \bar{z}(x)))$, with $p''_i = (\hat{c}_i - \bar{z}(x))^+ x_i$, and $\bar{z}(x)$ can be determined in linear time. Now, imagine that the objective values $v((x, p, z))$ and $v((x, p', z'))$ are nearly identical. Since \mathcal{P}^{BIL} is the strongest possible formulation for ROB, there is not much potential for improving the integrality gap of $\text{ROB}(Z, \mathcal{Q}, \underline{z}, \bar{z})$ via branching. While this does not necessarily imply for $[\underline{c}, \bar{c}] \supseteq [\underline{z}, \bar{z}]$ that the integrality gap of $\text{ROB}(Z, \mathcal{Q}, \underline{c}, \bar{c})$ is also small enough, we use the relation between the objective values $v((x, p, z))$ and $v((x, p', z'))$ as an indicator and stop branching Z once they are sufficiently close to each other. In our implementation, we consider the two values to be sufficiently close, if their gap is in the relative tolerance or absolute tolerance, that is $\text{prn}(v((x, p, z)), v((x, p', z'))) = 1$, as defined in Section 6.3. However, we do not solve $\text{ROB}^{\text{S}}(Z, \mathcal{Q}, \underline{c}, \bar{c})$ right away, but first reinsert the node Z into the set of active nodes \mathcal{N} and mark Z to be considered for a robust subproblem by storing a value $\text{sol}(Z) = 1$. This is because Z was not selected with respect to the just computed dual bound $v^{\text{R}}(\text{ROB}^{\text{S}}(Z, \mathcal{Q}, \underline{z}, \bar{z}))$, but a dual bound based on the linear relaxation value of a parent node. Once Z is chosen again with respect to its new (potentially significantly improved) dual bound, we solve the robust subproblem $\text{ROB}^{\text{S}}(Z, \mathcal{Q}, \underline{c}, \bar{c})$ directly as an MILP.

Now, assume that we have decided otherwise and want to branch the node $Z \subseteq \mathcal{Z}$ further into subnodes Z_1, Z_2 . Obviously, Z_1, Z_2 should form “intervals”, i.e., it holds $[\underline{z}_1, \bar{z}_1] \cap [\underline{z}_2, \bar{z}_2] = \emptyset$, as otherwise, the bounds on z would be unnecessarily wide, leading to weaker formulations. Hence, we search for a *branching-point* $\theta \in [\underline{z}, \bar{z}]$ defining $Z_1 = \{z' \in Z \mid z' \leq \theta\}$ and $Z_2 = \{z' \in Z \mid z' > \theta\}$. Another desirable property of Z_1, Z_2 would be that the computed optimal solution $(x, p, z) \in \mathcal{P}(Z, \mathcal{Q}, \underline{z}, \bar{z})$ is neither contained in $\mathcal{P}(Z_1, \mathcal{Q}, \underline{z}_1, \bar{z}_1)$, nor in $\mathcal{P}(Z_2, \mathcal{Q}, \underline{z}_2, \bar{z}_2)$. We can achieve this by choosing $\theta = z$. First, note that $\theta < \max(Z)$ holds, since we did not stop branching and thus have $(x, p, z) \notin \mathcal{P}^{\text{BIL}}$, which implies $z < \max(Z)$ due to Proposition 4. Furthermore, if it holds $z \notin Z$, then it is trivial that (x, p, z) is not feasible for any child node. In the case of $z \in Z$, we have $z = \bar{z}_1$, and thus $(x, p, z) \in \mathcal{P}(Z_1, \mathcal{Q}, \underline{z}_1, \bar{z}_1)$ would again imply $(x, p, z) \in \mathcal{P}^{\text{BIL}}$ due to Proposition 4.

Unfortunately, the computed value z is in practice often near to one of the bounds \underline{z}, \bar{z} , leading to an unbalanced branching, where the optimal linear relaxation value $v^{\text{R}}(\text{ROB}(Z_i, \mathcal{Q}, \underline{z}_i, \bar{z}_i))$ for one child node rises significantly, while the other remains nearly unchanged. This problem is also observed in the context of spatial branch & bound, which is a common approach for solving non-linear optimization problems. In spatial branch & bound, a convex relaxation of the non-linear formulation is considered to obtain lower bounds on the optimal objective value. This relaxation is then strengthened via branching on (continuous) variables occurring in non-linear terms, similar to the branching we perform on z to obtain stronger relaxations $\mathcal{P}(Z)$ of the bilinear formulation \mathcal{P}^{BIL} . A common choice for the branching-point in spatial branch & bound is a convex combination of the variable’s value in the current solution and the middle point of the variable’s domain [38]. In our case, this translates to choosing $\alpha z + (1 - \alpha)(\bar{z} + \underline{z})/2$ with $\alpha \in [0, 1]$. This value is then often projected

into a subinterval to ensure that θ is not at the boundaries of its domain, i.e., $\theta \in [\underline{z} + \beta(\bar{z} - \underline{z}), \bar{z} - \beta(\bar{z} - \underline{z})]$ with $\beta \in [0, 0.5]$. In summary, the branching point is chosen as

$$\theta = \max \{ \underline{z} + \beta(\bar{z} - \underline{z}), \min \{ \bar{z} - \beta(\bar{z} - \underline{z}), \alpha z + (1 - \alpha)(\bar{z} + \underline{z})/2 \} \}.$$

Obviously, the parameters α and β leave room for engineering and differ between solvers. For example, the solvers SCIP [22] and COUENNE [8] choose θ with default values $\alpha = 0.25$ and $\beta = 0.2$, while ANTIGONE ($\alpha = 0.75, \beta = 0.1$) and BARON ($\alpha = 0.7, \beta = 0.01$) choose a significantly higher value for α , according to [38]. Note that β has actually no effect on θ for any of these choices. Again, we don't dive too deep into the engineering of our branch & bound algorithm in this paper and simply take a middle course by choosing $\alpha = 0.5$ and $\beta = 0$. However, in some cases, this leads to a branching where (x, p, z) is still feasible for one of the child nodes. Hence, we check if the branching is effective, by evaluating for both child nodes Z_1, Z_2 if $(x, p, z) \notin \mathcal{P}(Z_i, \mathcal{Q}, \underline{z}_i, \bar{z}_i)$ holds. If not, we update θ by choosing the middle value between z and θ . We do this until (x, p, z) is infeasible for both nodes, which is guaranteed to happen, as our branching point converges to z .

6.6 Summary and Implementation

In this section, we summarize the components of our branch & bound approach and merge them into one algorithm, as described in Algorithm 3. We also discuss some details regarding the implementation of the algorithm, which is written in Java and uses Gurobi [24] as an MILP and LP solver.

Algorithm 3 starts with the preparation for the branch & bound by computing the conflict graph and clique partitioning (line 1), which are then used to compute \mathcal{Z} (line 2). Afterwards, the set of active nodes \mathcal{N} is initialized with the root node \mathcal{Z} , which is marked with $\text{sol}(\mathcal{Z}) = 0$, since we don't know whether $\text{ROB}^S(\mathcal{Z}, \mathcal{Q}, \underline{c}, \bar{c})$ should be solved directly as an MILP (line 3). Afterwards, we initialize the primal and dual bounds (line 4), as well as the set of already considered values $z \in \mathcal{Z}$ for subproblems $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ with $z \in Z$ (line 5). Note that we manage the whole branching tree outside of Gurobi, as it does not provide all *callbacks* to perform the necessary branching and node-selection [24].

After the initialization, our algorithm starts processing the nodes Z within the set of active nodes \mathcal{N} until no node remains, and thus the problem is solved to optimality (line 6). In accordance with Section 6.4, we choose a node among those having the lowest dual bound $\underline{v}(Z)$ (line 7). Afterwards, we check whether $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ is marked to be solved as an MILP (line 8). If so, we try to prune all remaining values z' in active nodes (lines 9 and 10) in order to reduce Z as much as possible and allow for a choice of tighter bounds \underline{c}, \bar{c} for the optimality-cuts, as described in Section 6.1.2 (line 11). We then compute the estimators $\delta_Z(z')$ for the remaining values in $[\underline{c}, \bar{c}]$ (line 12), which we need for our termination strategy of $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ and also for updating the dual bounds $\underline{v}(z')$. We then construct the problem $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ and pass it to

the solver (line 13). While constructing the robust subproblem in practice, we have to avoid some pitfalls regarding numerical issues. Since the deviations \hat{c}_i , and thus the values $z \in \mathcal{Z}$, can be arbitrarily close to each other, it is possible that our subproblem contains constraints $p'_Q + z' \geq \sum_{i \in Q} (\min\{\hat{c}_i, \bar{z}\} - z)^+ x_i$ for which the coefficients on the right-hand side are very small. Such constraints may not only be troublesome for the solver's performance, but also irrelevant in practice, since Gurobi considers per default all constraints that are violated by less than the feasibility tolerance 10^{-6} as satisfied [24]. Hence, we only add the constraint $p'_Q + z' \geq \sum_{i \in Q} (\min\{\hat{c}_i, \bar{z}\} - z)^+ x_i$ if $\min\{\hat{c}_i, \bar{z}\} - z > 10^{-6}$ holds for at least one $i \in Q$. Once the subproblem is passed to the solver, we monitor the solution process via callbacks. Using these, the solvers allow us to access the current best solution of the subproblem, and improve it as in Section 6.2, every time a new incumbent is found (line 14). Furthermore, we can query the current primal and dual bounds of the subproblem at every node of its branching tree in order to decide whether the subproblem can be terminated, as in Section 6.3 (line 15). After the subproblem is solved or terminated, we remove Z from the set of active nodes, add the values in Z to the set of already considered values \mathcal{Z}^* (line 16), and update dual bounds using the estimators $\delta_Z(z')$ (lines 17 and 18).

If we don't solve $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ directly as an MILP, we remove Z from the set of active nodes, as it will either be pruned or branched (line 20). In order to obtain a formulation that is as strong as possible, we try to prune all values $z \in Z$, using their individual dual bound $\underline{v}(z)$ (line 21). Afterwards, we let the solver solve the linear relaxation over $\mathcal{P}^S(Z, \mathcal{Q}, \underline{z}, \bar{z})$, also avoiding numerical issues as above. If there exists no solution to the linear relaxation, then Z can be pruned and there is nothing left to do (line 22). Otherwise, we check whether the optimal solution (x, p', z') is integer feasible and potentially update the best known solution (x^*, p^*, z^*) (lines 23 to 25). If the solution is not integer feasible, we check whether Z can be pruned using the new dual bound $v((x, p', z'))$ (line 26). If this is not the case, then we decide whether Z should be branched further, as in Section 6.5 (line 27). If we decide to solve $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ directly, we reinsert Z into \mathcal{N} and mark $\text{sol}(Z) = 1$ (line 28). Otherwise, we branch Z into subsets Z_1, Z_2 , as described in Section 6.5 (line 30), compute dual bounds for both child nodes (line 31), and insert them into the set of active nodes (line 32).

After Z is processed, either by solving the robust subproblem or its linear relaxation, we check whether the potentially obtained new primal and dual bounds allow for a pruning of some active nodes (line 33). If any active nodes remain, we continue with choosing the next node, otherwise we report the optimal solution (x^*, p^*, z^*) .

Obviously, it will not always be possible to solve ROB to optimality within a given time limit. Hence, in practice, we also keep track of a dual bound $\underline{v}(\text{ROB})$ in order to evaluate the quality of the best solution found. We do this by initializing $v(\text{ROB}) = \infty$ and updating it every time a node Z is pruned, using the corresponding dual bound, i.e., $\underline{v}(\text{ROB}) \leftarrow \min\{\underline{v}(\text{ROB}), \underline{v}(Z)\}$. After the algorithm is terminated, we again update $\underline{v}(\text{ROB}) \leftarrow \min\{\underline{v}(\text{ROB}), \underline{v}(Z)\}$

for all remaining active nodes $Z \in \mathcal{N}$. Doing so, we make sure that the dual bound \underline{v} (ROB) is equal to the minimum dual bound $\underline{v}(Z)$ of all leaves Z of our branching tree.

The above summary of our branch & bound algorithm closes the theoretical part of this paper. In the next section, we perform an extensive computational study to evaluate the performance of our approach.

7 Computational Study

In this section, we first carefully construct a set of hard robust problems, which we then use to experimentally compare our branch & bound algorithm to other approaches from the literature. All experiments have been implemented in Java 11 and are performed on a single core of a Linux machine with an Intel[®] Core[™] i7-5930K CPU @ 3.50GHz, with 4 GB RAM reserved for each calculation. All LPs and MILPs are solved using Gurobi version 9.1.0 [24] in single thread mode and all other settings at default.

7.1 Instance Generation

In order to avoid a bias towards certain combinatorial problems, we generate robust instances on the basis of the diverse MIPLIB 2017 [23]. To transform a given nominal problem from the MIPLIB 2017 into a robust problem, we have to decide which objective coefficients c_i are uncertain, how large the corresponding deviations \hat{c}_i are, and what our robustness budget Γ is. In [12, 14, 16], a coefficient is only considered to be uncertain if it is an “ugly” number. Here, we are less restrictive and consider c_i to be uncertain if we have $c_i \notin \{-1, 0, 1\}$. This is because treating integer objective coefficients as certain would leave us with few instances for our study. Regarding the choice of the deviations, in [12, 14, 16, 20] a fixed percentage of the absolute nominal coefficient is considered, i.e., $\hat{c}_i = \xi |c_i|$ for uncertain objective coefficients, where ξ ranges from from 0.01% to 2% across the different studies. Furthermore, the robustness budget Γ is chosen from a predefined set of arbitrarily fixed values [14, 16, 20].

Note that the aforementioned studies not only consider uncertain objective coefficients, but also uncertainties in the constraints. Bearing this in mind, the above choices may be appropriate in the respective settings for illustrating the effect of uncertainty [12, 16] and the creation of sufficiently hard instances [14, 20]. Nevertheless, we advocate for a different choice of \hat{c}_i and Γ in order to construct instances with which we can test our algorithms to their limits. In the following, we study the impact of \hat{c}_i and Γ on the integrality gap of ROB to evaluate how they should be chosen to obtain hard instances.

Just like in the literature, we define our deviations $\hat{c}_i = \xi_i |c_i|$ with respect to the nominal coefficients. However, the factor ξ_i is chosen independently for each uncertain coefficient from an interval $[\underline{\xi}, \bar{\xi}]$. In order to see whether a strong correlation between \hat{c}_i and c_i raises the integrality gap, we test different ranges $[\underline{\xi}, \bar{\xi}]$ with a fixed middle value $(\underline{\xi} + \bar{\xi})/2$. We also test much higher values ξ_i ,

compared to the values chosen in [12, 14, 16, 20], since large deviations result in more difficult problems and deviations of even more than 100% are relevant in practice, as observed in [27].

The choice of Γ must be made especially carefully. For a problem ROB, let n^{ROB} be the number of uncertain variables contributing to an arbitrary optimal solution. If it holds $\Gamma = 0$ or $\Gamma \geq n^{\text{ROB}}$ then either none or all coefficients of the chosen uncertain variables deviate to their maximum. This not only leads the idea of budgeted robust optimization to absurdity, but also results in a relatively small integrality gap. Hence, Γ should be somewhere between 0 and n^{ROB} to obtain a difficult instance. Accordingly, choosing Γ from a fixed set of values for all instances is not appropriate for our purpose, as, e.g., $\Gamma = 100$ may be suitable for large instances, while it is way too high for the smaller ones. Obviously, we cannot choose Γ with respect to n^{ROB} , as we do not know the exact value in advance. Furthermore, in contrast to a practitioner solving a real problem, we have no insight into the structure of the diverse problems from the MIPLIB 2017. Hence, our best bet is to solve the nominal problem first, count the number n^{NOM} of uncertain variables appearing in the obtained optimal solution, and choose Γ relative to n^{NOM} . We will see in the following that for the choice $\Gamma = \gamma n^{\text{NOM}}$, there is a correlation between γ and the integrality gap of ROB.

Before determining the integrality gap of ROB for different choices of \hat{c}_i and Γ , we have to select the nominal instances to be transformed into robust problems. Naturally, not all instances from the MIPLIB 2017 are suitable for this transformation. Of the available 1065 instances, we consider the ones that are labeled to be feasible, have an objective function, and consist only of binary variables. Furthermore, we only consider instances that have the “easy” label, as we cannot expect to solve the robust counterpart of hard instances. After this first selection, we try to solve the remaining 123 nominal instances within one hour using Gurobi. Of the instances that could be solved, we select those whose computed optimal solution contains at least ten uncertain variables, i.e., $n^{\text{NOM}} \geq 10$. This ensures that variables with uncertain coefficients have an impact on the optimal solution. From the remaining instances, we also had to exclude *pb-fit2d* and *supportcase11* due to numerical issues. After this final selection, we are left with 67 nominal instances for our computational studies.

For these 67 instances, we construct robust problems by choosing $\Gamma = \lceil \gamma n^{\text{NOM}} \rceil$, with $\gamma \in \{0\%, 10\%, 20\%, \dots, 200\%\}$, as well as $\hat{c}_i = \xi_i |c_i|$, where ξ_i is an independent and uniformly distributed random integer percentage within $[\underline{\xi}, \bar{\xi}] \in \{[10\%, 90\%], [30\%, 70\%], [45\%, 55\%], \{50\%\}\}$. For each resulting robust problem, we solve the linear relaxation, try to compute an optimal integer solution using our branch & bound algorithm, and determine the integrality gap. For a fair comparison of the integrality gap with respect to different choices of γ and $[\underline{\xi}, \bar{\xi}]$, we only consider the 44 underlying nominal instances for which we were able to compute an optimal solution for all combinations of γ and $[\underline{\xi}, \bar{\xi}]$. As we are interested in the impact of γ and $[\underline{\xi}, \bar{\xi}]$, and not of the nominal instance, we normalize the integrality gaps by dividing each gap by the maximum




Figure 1: Mean normalized integrality gap for different choices of γ and $[\underline{\xi}, \bar{\xi}]$.

gap over all combinations of γ and $[\underline{\xi}, \bar{\xi}]$ for the respective instance. Figure 1 shows for all combinations of γ and $[\underline{\xi}, \bar{\xi}]$ the mean of the normalized integrality gaps over all considered instances.

For all choices of $[\underline{\xi}, \bar{\xi}]$, the mean integrality gap first increases monotonically in γ , peaks at latest at $\gamma = 100\%$ and decreases afterwards. This suggests that, at least for most problems, the maximum integrality gap is achieved for a value Γ somewhere in $[0, n^{\text{NOM}}]$. We take this into account by choosing $\gamma \in \{10\%, 40\%, 70\%, 100\%\}$ in our computational study. Note that $\gamma = 100\%$ is most likely way too conservative for a practical problem. However, we are not interested in constructing meaningful practical instances, but instances where uncertainty contributes to the difficulty of the problem.

Regarding the deviations, it is clear to see that the integrality gap is higher for narrow intervals $[\underline{\xi}, \bar{\xi}]$, suggesting that a strong correlation between \hat{c}_i and c_i results in hard robust instances. Although choosing $\underline{\xi} = \bar{\xi}$ seems to be beneficial in this regard, we choose $\underline{\xi} \neq \bar{\xi}$ for our computational study, since fixing ξ_i may result in structural properties that lead to a biased performance of the tested algorithms. For example, Monaci and Pferschy [34] showed that an adaptation of the classical greedy heuristic for the binary knapsack problem has a better worst-case performance for the robust knapsack if $\max\{\xi_i/\xi_j | i, j \in [n]\}$ is small. Moreover, our branch & bound algorithm would particularly benefit from choosing $\underline{\xi} = \bar{\xi}$, as this usually provides a smaller set \mathcal{Z} of possible values for z . Therefore, we choose $[\underline{\xi}, \bar{\xi}] = [45\%, 55\%]$ and additionally take smaller and larger deviations into account, by also considering $[\underline{\xi}, \bar{\xi}] \in \{[5\%, 15\%], [95\%, 105\%]\}$ in our computational study. All generated instances are publicly available for download [1].

7.2 Impact of Components of the Branch & Bound Algorithm

Before comparing the branch & bound algorithm with approaches from the literature, we first evaluate the different components described in the previous sections. More precisely, we disable components to test their impact on the performance, leading to the following variants of our branch & bound algorithm.

BnB	is our branch & bound algorithm as described in Algorithm 3.
BnB-Clique	does not compute the conflict graph and cliques from Section 4.
BnB-Filter	does not filter \mathcal{Z} as described in Section 5, i.e., $\mathcal{Z} = \{\hat{c}_0, \dots, \hat{c}_n\}$.
BnB-Estimators	does not derive estimators from one ROB (Z) to another as described in Section 6.1.1.
BnB-CutLP	does not use optimality-cuts for solving linear relaxations as described in Section 6.1.2.
BnB-CutMILP	does not use optimality-cuts for robust subproblems as described in Section 6.1.2.
BnB-Cut	does not use optimality-cuts at all.
BnB-Primal	does not improve primal bounds as described in Section 6.2.
BnB-Terminate	does not terminate robust subproblems as described in Section 6.3, but solves them to optimality.
BnB-Branching	does not choose the branching point θ as described in Section 6.3, but chooses $\theta = z$.

Note that disabling some components can also have an effect on other components. The computation of cliques not only prevents us from using the reformulation $\text{ROB}(\mathcal{Q})$, but also worsens the filtering of \mathcal{Z} and the estimators $\delta_z(z')$. Disabling estimators allows us to terminate robust subproblems $\text{ROB}(Z, \underline{c}, \bar{c})$ more aggressively, as raising the dual bound $\underline{v}(\text{ROB}(Z, \underline{c}, \bar{c}))$ past the current primal bound \bar{v} is no longer beneficial. Furthermore, disabling optimality-cuts for robust subproblems allows us to use estimators $\delta_z(z')$ for $z' \notin [\underline{c}, \bar{c}]$.

We use the ten variants above to solve the $67 \cdot 3 \cdot 4 = 804$ robust instances (67 nominal instances, 3 different $[\underline{\xi}, \bar{\xi}]$, 4 different γ) constructed in the previous section within a time limit of 3600 seconds, including preprocessing, construction of subproblems, etc. Detailed results per instance and algorithm are provided in a supplementary electronic file [1]. The plots in Figure 2 give an indicator of the performances on an aggregate level by showing for all variants the proportion of instances that could be solved within a specific number of seconds. Figure 2a suggests that filtering the set \mathcal{Z} of possible values for z barely makes a difference




Figure 2: Proportion of instances solved within a specific number of seconds for variants of the branch & bound algorithm with different components disabled.

for our branch & bound algorithm. In contrast, disabling cliques or estimators heavily affects the algorithm’s performance. After 3600 seconds, the default algorithm solves around 5% instances more than these two variants.

Surprisingly, Figure 2b shows that disabling optimality-cuts (especially for linear programs) slightly improves the performance for the tested instances. A detailed look at the computational results shows that the impact of optimality-cuts can differ highly between instances. This is partially because the different variants solve different robust subproblems, whose complexity can vary significantly. However, there is also a synergy between our branching strategy, described in Section 6.5, and the disabling of optimality-cuts for linear relaxations. Although it seems unintuitive, the addition of optimality-cuts for linear relaxations often results in an increase in the number of nodes in our branching tree, which is partially due to the following reason. Consider a node $Z \subseteq \mathcal{Z}$ such that all solutions x obeying the optimality-cuts for \underline{z}, \bar{z} are far off from being optimal. Furthermore, let $(x, p, z) \in \mathcal{P}(Z, \mathcal{Q})$ be an optimal solution for the linear relaxation without optimality-cuts. We observed for many instances that in this case it holds $z \in \{\underline{z}, \bar{z}\}$ and thus the linear formulation is as strong as the bilinear formulation according to Proposition 4. Hence, we stop branching the node due to our branching strategy, and directly solve $\text{ROB}^S(Z, \mathcal{Q})$ as an MILP, which usually leads to a quick pruning of Z . In contrast, when adding optimality cuts, z usually lies in the inner of the interval $[\underline{z}, \bar{z}]$, which often results in further unnecessary branching. This observation suggests that the current branching strategy has potential for further improvement in future research. In the current state of the algorithm, it is reasonable to test whether using optimality-cuts is useful when solving a practical problem.

Figure 2c shows that terminating robust subproblems prematurely improves the algorithm’s performance and results in solving around 2% instances more. Choosing the branching point θ as a convex combination of the solution value z and the middle of the interval $(\underline{z} + \bar{z})/2$ seems to have a marginal positive effect. The same holds for the improvement of the primal bound via computing optimal z for incumbent solutions, which suggests that our approach for selecting nodes $Z \subseteq \mathcal{Z}$ containing promising z is very effective. We already stated in Section 6.2 that most of the time, we already have a (nearly) optimal solution after solving the very first robust subproblem. For our test instances, the relative gap between the best known solution value after the first robust subproblem and the primal bound after 3600 seconds is below 10^{-2} for 99% of all instances and even below 10^{-4} for 87.8% of all instances. When disabling the improvement of incumbent solutions, this still holds for more than 94.5% (below 10^{-2}) and 69% (below 10^{-4}) of all instances respectively.

The latter is especially interesting when considering that all our theoretical results except for the estimators and the improvement of primal bounds can also be applied for robust optimization with uncertain constraints. When considering uncertain constraints, we cannot assume that a solution computed for a fixed value of z is also feasible for another value of z . Nevertheless, the variant of the branch & bound algorithm with estimators and improvement of primal bounds disabled has a similar performance compared to BnB-Estimators, solving 76.7%

of all instances and even 78.6% with optimality-cuts for linear relaxations disabled. This suggests that our branch & bound approach and the theoretical results in this paper are also highly interesting for robust optimization with uncertain constraints.

7.3 Comparing Algorithms from the Literature

We now evaluate our branch & bound approach by comparing BnB-CutLP with the following eight algorithms.

ROB	is the MILP over the standard formulation \mathcal{P}_{ROB} .
SEP	is the cutting-plane approach separating scenarios from the uncertainty set, as described in [14].
BS	is the approach of Bertsimas and Sim [15] solving nominal subproblems $\text{NOS}(z)$ for all $z \in \{\hat{c}_0, \dots, \hat{c}_n\}$.
DnC	is the divide & conquer algorithm of Hansknecht et al. [25] making use of Lemma 10.
RP1,...,RP4	are the corresponding reformulations of Atamtürk [6].

The approaches ROB, SEP, and BS are widely known and studied, and can thus be considered as the current state-of-the-art approaches. In contrast, DnC has so far only been considered for robust shortest path problems and was not evaluated for general robust optimization problems [25]. To the best of our knowledge, we also present the first study that evaluates the reformulations RP1,...,RP4 on a set of instances based on real-world problems.

In our implementation, we slightly adapt RP2 and RP3 compared to [6]. Reformulation RP2 consists of an exponential number of valid inequalities that are separated in $\mathcal{O}(n^2)$ by searching for negative weighted paths in an acyclic directed graph. Atamtürk shows that a subset of these inequalities is sufficient to define the convex hull of

$$\left\{ (x, p, z) \in \{0, 1\}^n \times \mathbb{R}_{\geq 0}^{n+1} \mid p_i + z \geq \hat{c}_i x_i \forall i \in [n] \right\}.$$

It is easy to see that the graph constructed in [6] can be modified by deleting some arcs, such that there exists a one-to-one correspondence between paths in the graph and inequalities defining the convex hull. We use this reduced graph for our implementation. Reformulation RP3 incorporates the valid inequalities of RP2 by adding $n + 2$ additional variables and $\mathcal{O}(n^2)$ constraints. Similar to the graph for the separation problem some of these constraints can be omitted, resulting in a smaller formulation.

Just like in the previous section, we use the different algorithms to solve our 804 robust instances within a time limit of 3600 seconds. Again, detailed results per instance and algorithm are provided in a supplementary electronic file [1]. Figure 3 shows for all algorithms the proportion of instances that were




Figure 3: Proportion of instances solved within a specific number of seconds for different approaches from the literature.

solved in a specific number of seconds. It is evident that our branch & bound algorithm outperforms all existing approaches from the literature by far, solving 83.8% of all instances in 3600 seconds. Among all other algorithms, DnC solves the most instances, ending at 55.3% after 3600 seconds. In comparison, BnB-CutLP only needs 220 seconds to solve 55.3% of all instances. ROB solves less problems (53.1%) than DnC but is faster in the beginning, solving more problems in shorter time. SEP solves only 31.6% of all instances and thus performs significantly worse than ROB. Interestingly, this is in contrast to the findings of Bertsimas et al. [14], who observed no clear winner between these two approaches for robust problems with uncertain constraints. BS solves more instances (45.9%) than SEP but is still clearly worse than ROB and DnC, supporting our claim from the introduction that BS is not practical if the number of different deviations $|\{\hat{c}_0, \dots, \hat{c}_n\}|$ is large. Of the four reformulations of Atamtürk, RP2 is the only practicable one, solving 49.1% of all instances. This is because RP1, RP3, and RP4 are simply too large for most practical problems. RP1 exceeds the memory limit of 4 GB for 29.9% of all instances, RP3 for 20.9% and RP4 even for 36.1%. Even if the models can be build obeying the memory limit, they are most of the time still too large for Gurobi to solve them. RP1 was not even able to solve the linear relaxation of the root node for 5.8% of all instances. For RP3 and RP4, this was the case for 44.8% and 12.1% of all instances respectively.

Obviously, many of the robust instances are very difficult to solve. Thus, in practice, one might also be satisfied obtaining a nearly optimal solution. Figure 6 shows the proportion of instances that are solved up to a specified relative optimality gap within the time limit of 3600 seconds. Our branch & bound algorithm also clearly outperforms the other algorithms in this regard. BnB-CutLP solves 94% of all instances to the optimality gap of 1% and 98.8% to the gap of 10%. In contrast, ROB, which is the second best performing algorithm, only solves 78.9% of all instances to the optimality gap of 10%.




Figure 4: Proportion of instances solved within a specific relative optimality gap for different approaches from the literature.

Note that the line corresponding to BS is nearly horizontal, as the dual bound computed by BS equals the minimum dual bound over all nominal subproblems, and is thus negative infinity before all $z \in \{\hat{c}_0, \dots, \hat{c}_n\}$ have been considered. Therefore, we usually either solve an instance to the optimality gap of 10^{-4} or report an infinite gap. The small increase in instances solved before 1% is due to an error of Gurobi occurring for robust instances emerging from the nominal instance *neos-1516309*. For these problems, Gurobi solves all nominal subproblems within the time limit, but reports for some a dual bound that is too low. For a fair comparison, we still consider these instances to be solved to optimality.

In order to evaluate the impact of the deviations \hat{c}_i and the robustness budget Γ on the algorithms' performances, we report in Table 1 the proportion of instances solved for every combination of $[\underline{\xi}, \bar{\xi}]$ and γ . Our branch & bound approach solves consistently for every setting more instances than any other algorithm and has a relatively stable performance for the different choices of $[\underline{\xi}, \bar{\xi}]$. This is in contrast to ROB, which performs significantly worse for higher deviations, as these weaken the formulation. ROB also performs worse for γ around 40% and 70%, which supports our claim from Section 7.1 that choosing Γ somewhere within $[0, n^{\text{NOM}}]$ results in hard problems. For BnB-CutLP, the performance increases for higher γ , as the set of possibly optimal values \mathcal{Z} for z decreases. Higher γ are also beneficial for BS, as for these, the optimal choice for z is smaller and thus found faster when iterating over $\{\hat{c}_0, \dots, \hat{c}_n\}$. Hence, we find a good primal bound early on, which can be used to terminate the remaining nominal subproblems once their respective dual bounds are high enough.

7.4 Improving Algorithms from the Literature

We close our computational study by showing that the theoretical results from this paper can also be used to significantly improve most of the algorithms




Figure 5: Proportion of instances solved within a specific number of seconds for different improved approaches from the literature.

considered in the previous section. An obvious improvement for ROB is to compute a partitioning into cliques, determine $\hat{c}_{i^{\max}}$, the highest possible optimal value for z as in Section 5, and solve the reformulation $\text{ROB}^S([0, \hat{c}_{i^{\max}}], \mathcal{Q})$ instead of the original one. In the following, we call this approach ROB+. For improving RP4, recall that the reformulation combines the nominal subproblems $\text{NOS}(z)$ for all $z \in \{\hat{c}_0, \dots, \hat{c}_n\}$ into one problem. However, it is sufficient to define RP4 for the filtered set \mathcal{Z} of possible optimal values for z , instead of the set of all deviations $\{\hat{c}_0, \dots, \hat{c}_n\}$. An analogous reduction can be applied for the reformulation RP1, which is quite similar to RP4. In the following, we call the approaches using these reduced reformulations RP1+ and RP4+.

The algorithm that can be improved the most is the DnC of Hansknecht et al. [25]. DnC chooses specific values $z \in \{\hat{c}_0, \dots, \hat{c}_n\}$, solves the corresponding nominal subproblems $\text{NOS}(z)$, and computes dual bounds for other $z' \in \{\hat{c}_0, \dots, \hat{c}_n\}$ using Lemma 10 until all z are either pruned or considered for a nominal subproblem. To improve DnC, we only consider values for z within the filtered set \mathcal{Z} and use the estimators from Theorem 11 instead of the ones from Lemma 10. Furthermore, we apply optimality-cuts for the nominal subproblems, with \underline{c}, \bar{c} chosen analogously as in Section 6.1.2. We also improve incumbent solutions by computing the corresponding optimal z and terminate nominal subproblems prematurely, analogously to Sections 6.2 and 6.3. The improved DnC is called DnC+ in the following.

While the approaches SEP, RP2, and RP3 cannot be improved using our theoretical results, BS could be enhanced similarly to DnC. However, we do not consider an improved version of BS, since it is essentially a strictly weaker algorithm compared to DnC.

We again report results per instance and algorithm are provided in a supplementary electronic file [1] and show aggregate results in Figure 5. We see that computing a partitioning into cliques and $\hat{c}_{i^{\max}}$ pays off, as the improved formulation used for ROB+ enables us to solve 57.2% instances, compared to




Figure 6: Proportion of instances solved within a specific relative optimality gap for different improved approaches from the literature.

53.1% for ROB. The filtering of \mathcal{Z} is also effective for reducing the size of the reformulations RP1 and RP4. RP1+ exceeds the memory limit for 19.4% of all instances, instead of 29.9%. For RP4+, this reduction is from 36.1% to 29.4%. Both approaches also solve more instances within the time limit. RP1+ solves 19.7% instead of 17.9%, while RP4+ even solves 20.5% instead of 11.9%. Nevertheless, both reformulations are still way too large for most problems and cannot compete with the other approaches. This is especially true in comparison to DnC+, which performs significantly better than DnC, solving 83% of all instances instead of 55.3%. In fact, DnC+ performs similar to our branch & bound approach. While DnC+ solves more instances early on, BnB-CutLP solves slightly more instances within 3600 seconds (83.8%). A glance at the proportion of instances solved within a specific relative optimality gap, shown in Figure 6, indicates that our branch & bound is indeed slightly better than DnC+ in solving very hard instances, as BnB-CutLP still solves clearly more instances (94%) to the optimality gap of 1% than DnC+ (89.4%). A drawback of DnC+ is also that, in contrast to our branch & bound approach, it cannot be applied for problems with uncertain constraints. This is because Lemma 10 and Theorem 11 do not generalize to this case, which would result in DnC being almost equivalent to BS.

We close our computational study with an evaluation of the improvements applied to DnC+. We do so by disabling the components individually, analogously to Section 7.2. Figure 7a shows that disabling the filtering of \mathcal{Z} and the computation of clique partitionings lead to a slight degradation in performance. Both variants solve 82.5% of all instances instead of 83%. Using the estimators from Lemma 10 instead of Theorem 11 significantly worsens the algorithm, solving only 78.9% of all instances. Figure 7b reveals that disabling the improvement of primal bounds, the termination of robust subproblems or optimality-cuts is also hindering. In contrast to BnB, which chooses nodes based on the linear relaxation, DnC+ selects many values for z that are not promising.




Figure 7: Proportion of instances solved within a specific number of seconds for different variants of DnC+.

Accordingly, improving the incumbent solutions for the corresponding subproblems and terminating them early is much more important to DnC+ compared to BnB. Disabling the improvement of primal bounds results in solving 81.5% of all instances. Disabling the termination of robust subproblems even leads to solving only 77.6% of the instances. Surprisingly, the addition of optimality-cuts has the largest impact on DnC+, although we observed that they slightly worsen BnB in the current implementation. With optimality-cuts disabled, we only solve 75.6% of all instances. This shows the potential of the optimality-cuts and raises hope that they can also be a helpful addition to our branch & bound approach with further engineering.

8 Conclusion

In this paper, we considered robust binary optimization problems with budget uncertainty in the objective, which are tractable in theory, but often hard to solve in practice. We identified that the standard formulation for solving these problems is weak and that the variable z is critical in this regard. To address this issue, we proposed a compact bilinear formulation that is as strong as theoretically possible. To benefit from the formulation’s strength in practice, we derived a strong linear formulation for the case where z is bounded. Building upon this linear formulation and many structural properties of the robust problem, we proposed a branch & bound algorithm in which we obtain bounds on z via branching.

To test the algorithms strength, we compared it to other sophisticated algorithms from the literature within a comprehensive computational study, for which we carefully generated a set of hard robust instances based on real-world problems from the MIPLIB 2017. The computational results show that our algorithm outperforms all existing approaches by far. Furthermore, we showed

that the structural properties shown in this paper can be used to substantially improve the divide & conquer approach by Hansknecht et al. [25], providing us with two potent algorithms for robust optimization.

For future research, the different components of our approach leave much room for engineering to further enhance the branch & bound algorithm. Additionally, it would be interesting to test our approach for robust optimization with uncertain constraints. We already mentioned that most theoretical results can be generalized to this case and showed that our algorithm performs well relying only on these general results.

Declarations

Funding This work was partially supported by the German Federal Ministry of Education and Research (grants no. 05M16PAA) within the project “HealthFaCT - Health: Facility Location, Covering and Transport”, the Freigeist-Fellowship of the Volkswagen Stiftung, and the German research council (DFG) Research Training Group 2236 UnRAVeL.

Conflict of interest The authors declare that they have no conflict of interest.

Author Contributions Christina Büsing: Conceptualization, Writing - Review & Editing, Supervision, Project administration, Funding acquisition
Timo Gersing: Conceptualization, Methodology, Software, Validation, Formal analysis, Investigation, Data Curation, Writing - Original Draft, Writing - Review & Editing, Visualization
Arie Koster: Conceptualization, Writing - Review & Editing, Supervision, Project administration, Funding acquisition

References

- [1] Instances and computational results for download. <https://math2.rwth-aachen.de/robustbinaryopt>. Accessed: 2021-10-21.
- [2] Tobias Achterberg, Robert E Bixby, Zonghao Gu, Edward Rothberg, and Dieter Weninger. Presolve reductions in mixed integer programming. *INFORMS Journal on Computing*, 32(2):473–506, 2020.
- [3] Tobias Achterberg, Thorsten Koch, and Alexander Martin. Branching rules revisited. *Operations Research Letters*, 33(1):42–54, 2005.
- [4] Tobias Achterberg and Roland Wunderling. Mixed integer programming: Analyzing 12 years of progress. In *Facets of combinatorial optimization*, pages 449–481. Springer, 2013.

- [5] Eduardo Álvarez-Miranda, Ivana Ljubić, and Paolo Toth. A note on the Bertsimas & Sim algorithm for robust combinatorial optimization problems. *4OR*, 11(4):349–360, 2013.
- [6] Alper Atamtürk. Strong formulations of robust mixed 0–1 programming. *Mathematical Programming*, 108(2-3):235–250, 2006.
- [7] Alper Atamtürk, George L Nemhauser, and Martin WP Savelsbergh. Conflict graphs in solving integer programming problems. *European Journal of Operational Research*, 121(1):40–55, 2000.
- [8] Pietro Belotti, Jon Lee, Leo Liberti, François Margot, and Andreas Wächter. Branching and bounds tightening techniques for non-convex minlp. *Optimization Methods & Software*, 24(4-5):597–634, 2009.
- [9] Aharon Ben-Tal, Laurent El Ghaoui, and Arkadi Nemirovski. *Robust optimization*. Princeton university press, 2009.
- [10] Aharon Ben-Tal and Arkadi Nemirovski. Robust convex optimization. *Mathematics of Operations Research*, 23(4):769–805, 1998.
- [11] Aharon Ben-Tal and Arkadi Nemirovski. Robust solutions of uncertain linear programs. *Operations Research Letters*, 25(1):1–13, 1999.
- [12] Aharon Ben-Tal and Arkadi Nemirovski. Robust solutions of linear programming problems contaminated with uncertain data. *Mathematical Programming*, 88(3):411–424, 2000.
- [13] Dimitris Bertsimas, David B Brown, and Constantine Caramanis. Theory and applications of robust optimization. *SIAM Review*, 53(3):464–501, 2011.
- [14] Dimitris Bertsimas, Iain Dunning, and Miles Lubin. Reformulation versus cutting-planes for robust optimization. *Computational Management Science*, 13(2):195–217, 2016.
- [15] Dimitris Bertsimas and Melvyn Sim. Robust discrete optimization and network flows. *Mathematical Programming*, 98(1-3):49–71, 2003.
- [16] Dimitris Bertsimas and Melvyn Sim. The price of robustness. *Operations Research*, 52(1):35–53, 2004.
- [17] Robert Bixby and Edward Rothberg. Progress in computational mixed integer programming—a look back from the other side of the tipping point. *Annals of Operations Research*, 149(1):37–41, 2007.
- [18] Samuel Souza Brito and Haroldo Gambini Santos. Preprocessing and cutting planes with conflict graphs. *Computers & Operations Research*, 128:105176, 2021.

- [19] Matteo Fischetti, Fred Glover, and Andrea Lodi. The Feasibility Pump. *Mathematical Programming*, 104(1):91–104, 2005.
- [20] Matteo Fischetti and Michele Monaci. Cutting plane versus compact formulations for uncertain (integer) linear programs. *Mathematical Programming Computation*, 4(3):239–273, 2012.
- [21] Virginie Gabrel, Cécile Murat, and Aurélie Thiele. Recent advances in robust optimization: An overview. *European Journal of Operational Research*, 235(3):471–483, 2014.
- [22] Gerald Gamrath, Daniel Anderson, Ksenia Bestuzheva, Wei-Kun Chen, Leon Eifler, Maxime Gasse, Patrick Gemander, Ambros Gleixner, Leona Gottwald, Katrin Halbig, et al. The scip optimization suite 7.0. 2020.
- [23] Ambros Gleixner, Gregor Hendel, Gerald Gamrath, Tobias Achterberg, Michael Bastubbe, Timo Berthold, Philipp M. Christophel, Kati Jarck, Thorsten Koch, Jeff Linderoth, Marco Lübbecke, Hans D. Mittelmann, Derya Ozyurt, Ted K. Ralphs, Domenico Salvagnin, and Yuji Shinano. MIPLIB 2017: Data-Driven Compilation of the 6th Mixed-Integer Programming Library. *Mathematical Programming Computation*, 2021. URL: <https://doi.org/10.1007/s12532-020-00194-3>.
- [24] Gurobi Optimization, LLC. Gurobi optimizer reference manual, version 9.1, 2021. URL: <http://www.gurobi.com>.
- [25] Christoph Hansknecht, Alexander Richter, and Sebastian Stiller. Fast robust shortest path computations. In *18th Workshop on Algorithmic Approaches for Transportation Modelling, Optimization, and Systems (AT-MOS 2018)*. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik, 2018.
- [26] Richard M Karp. Reducibility among combinatorial problems. In *Complexity of computer computations*, pages 85–103. Springer, 1972.
- [27] Arie MCA Koster and Manuel Kutschka. Network design under demand uncertainties: A case study on the abilene and geant network data. In *Photonic Networks, 12. ITG Symposium*, pages 1–8. VDE, 2011.
- [28] P Kouvelis and G Yu. Robust discrete optimization and its applications. 1997. *Kluwer Academic Publishers, Boston*.
- [29] Sascha Kuhnke, Pascal Richter, Fynn Kepp, Jeff Cumpston, Arie MCA Koster, and Christina Büsing. Robust optimal aiming strategies in central receiver systems. *Renewable Energy*, 152:198–207, 2020.
- [30] AH Land and AG Doig. An automatic method of solving discrete programming problems. *Econometrica: Journal of the Econometric Society*, pages 497–520, 1960.

- [31] Taehan Lee and Changhyun Kwon. A short note on the robust combinatorial optimization problems with cardinality constrained uncertainty. *4OR*, 12(4):373–378, 2014.
- [32] Jeff T Linderoth and Martin WP Savelsbergh. A computational study of search strategies for mixed integer programming. *INFORMS Journal on Computing*, 11(2):173–187, 1999.
- [33] Andrea Lodi and Giulia Zarpellon. On learning and branching: a survey. *Top*, 25(2):207–236, 2017.
- [34] Michele Monaci and Ulrich Pferschy. On the robust knapsack problem. *SIAM Journal on Optimization*, 23(4):1956–1982, 2013.
- [35] David R Morrison, Sheldon H Jacobson, Jason J Sauppe, and Edward C Sewell. Branch-and-bound algorithms: A survey of recent advances in searching, branching, and pruning. *Discrete Optimization*, 19:79–102, 2016.
- [36] Kyungchul Park and Kyungsik Lee. A note on robust combinatorial optimization problem. *Management Science and Financial Engineering*, 13(1):115–119, 2007.
- [37] Allen L Soyster. Convex programming with set-inclusive constraints and applications to inexact linear programming. *Operations Research*, 21(5):1154–1157, 1973.
- [38] Emily Speakman and Jon Lee. On branching-point selection for trilinear monomials in spatial branch-and-bound: the hull relaxation. *Journal of Global Optimization*, 72(2):129–153, 2018.

A Proof of Lemma 7

Lemma 7. For $x \in \mathbb{R}^n$, we have

$$\underline{z}(x) = \max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i > \Gamma \right. \right\} \right) \quad (3)$$

and

$$\bar{z}(x) = \max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n, \infty\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma \right. \right\} \right). \quad (4)$$

Proof. Recall that $\underline{z}(x)$ and $\bar{z}(x)$ are initially defined as

$$\underline{z}(x) = \min \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i > z} x_i \leq \Gamma \right. \right\}$$

and

$$\bar{z}(x) = \min \left(\{\infty\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i > z} x_i < \Gamma \right. \right\} \right).$$

We first prove Equality (3). If we have $\underline{z}(x) = 0$ then for all $z > 0$, it holds

$$\sum_{i \in [n]: \hat{c}_i \geq z} x_i \leq \sum_{i \in [n]: \hat{c}_i > 0} x_i \leq \Gamma$$

and thus we have

$$\max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i > \Gamma \right. \right\} \right) = 0.$$

In the case of $\underline{z}(x) > 0$, there exists an index $j > 0$ with $\hat{c}_j = \underline{z}(x)$ and $\hat{c}_{j-1} < \underline{z}(x)$. It holds $\sum_{i \in [n]: \hat{c}_i \geq \underline{z}(x)} x_i > \Gamma$, as otherwise we would have

$$\sum_{i \in [n]: \hat{c}_i > \hat{c}_{j-1}} x_i = \sum_{i \in [n]: \hat{c}_i \geq \underline{z}(x)} x_i \leq \Gamma,$$

which contradicts the minimality of $\underline{z}(x)$. Now, assume that there exists a value $z > \underline{z}(x)$ with $\sum_{i \in [n]: \hat{c}_i \geq z} x_i > \Gamma$. Then we would have

$$\sum_{i \in [n]: \hat{c}_i > \underline{z}(x)} x_i \geq \sum_{i \in [n]: \hat{c}_i \geq z} x_i > \Gamma,$$

contradicting the definition of $\underline{z}(x)$.

We now prove Equality (4). If we have $\bar{z}(x) = 0$ then for all $z > 0$, it holds

$$\sum_{i \in [n]: \hat{c}_i \geq z} x_i \leq \sum_{i \in [n]: \hat{c}_i > 0} x_i < \Gamma$$

and thus

$$\max \left(\{0\} \cup \left\{ z \in \{\hat{c}_0, \dots, \hat{c}_n, \infty\} \left| \sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma \right. \right\} \right) = 0.$$

For simplicity, we denote $\hat{c}_{n+1} = \infty$. Then in the case of $\bar{z}(x) > 0$, there exists an index $j > 0$ with $\hat{c}_j = \bar{z}(x)$ and $\hat{c}_{j-1} < \bar{z}(x)$. It holds $\sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x)} x_i \geq \Gamma$, as otherwise we would have

$$\sum_{i \in [n]: \hat{c}_i > \hat{c}_{j-1}} x_i = \sum_{i \in [n]: \hat{c}_i \geq \bar{z}(x)} x_i < \Gamma,$$

which contradicts the minimality of $\bar{z}(x)$. Now assume that there exists a value $z > \bar{z}(x)$ with $\sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma$. Then we would have

$$\sum_{i \in [n]: \hat{c}_i > \bar{z}(x)} x_i \geq \sum_{i \in [n]: \hat{c}_i \geq z} x_i \geq \Gamma,$$

contradicting the definition of $\bar{z}(x)$. □

B Implementation of Conflict Graph and Clique Partitioning

We restrict ourselves here to detecting conflicts between positive literals x_i of uncertain variables, as these are the only ones we need for our clique reformulation. In order to determine if there exists a conflict between two uncertain variables x_{i_1} and x_{i_2} , we have to evaluate whether $\{x \in \mathcal{X} \mid x_{i_1} = x_{i_2} = 1\}$ is empty. Since this is in general \mathcal{NP} -hard, we resort to a simpler problem. Let $\sum_{i=1}^n a_{ji}x_i \leq b_j$ be a row of the constraint matrix $Ax \leq b$ and let $l_i \leq x_i \leq u_i$ be bounds on variable x_i for all $i \in [n]$. If it holds

$$\min \left\{ \sum_{i=1}^n a_{ji}x_i \mid x \in [l, u], x_{i_1} = x_{i_2} = 1 \right\} > b_j \quad (7)$$

then x_{i_1} and x_{i_2} cannot both be equal to one and we can add an edge $\{x_{i_1}, x_{i_2}\}$ to the conflict graph. In order to evaluate Inequality (7) efficiently for all pairs i_1, i_2 , we first compute

$$b'_j = b_j - \min \left\{ \sum_{i=1}^n a_{ji}x_i \mid x \in [l, u] \right\}$$

by setting $x_i = l_i$ for $a_{ji} > 0$ and $x_i = u_i$ if $a_{ji} < 0$. Since the uncertain variables x_{i_1}, x_{i_2} are binary, we have

$$\begin{aligned} & \min \left\{ \sum_{i=1}^n a_{ji}x_i \mid x \in [l, u], x_{i_1} = x_{i_2} = 1 \right\} \\ &= \min \left\{ \sum_{i=1}^n a_{ji}x_i \mid x \in [l, u] \right\} + \max \{a_{ji_1}, 0\} + \max \{a_{ji_2}, 0\}, \end{aligned}$$

and thus it is sufficient to evaluate whether

$$b'_j < \max \{a_{ji_1}, 0\} + \max \{a_{ji_2}, 0\}$$

holds. In order to find conflicting variables x_{i_1}, x_{i_2} having this property, we use Algorithm 4, which is similar to the one presented by Brito and Santos [18]. Instead of performing a pairwise evaluation, Algorithm 4 directly searches for subsets $h \subseteq \{x_1, \dots, x_n\}$ forming a clique in the conflict graph. This is not only faster than a pairwise evaluation, but also beneficial for storing the conflict graph. Assume that a row of the constraint matrix implies conflicts of a large clique in the conflict graph. Atamtürk et al. [7] already mentioned that storing these conflicts as a set of edges or using adjacency lists consumes too much memory. Instead, one should use a separate structure to store these conflicts. Here, we store conflicts implied by cliques h with $|h| = 2$ in adjacency lists, while cliques with $|h| > 2$ are stored directly as a list of variables. To guarantee fast access to the cliques, we maintain for each variable a list of references to cliques

in which it is contained. Thus, the memory requirement of adding a clique h is only $\mathcal{O}(|h|)$ instead of $\mathcal{O}(|h|^2)$. In the following, we think of the conflict graph as a hyper graph $G = (V, H)$, with $V = \{x_1, \dots, x_n\}$ being the variables and $H \subseteq 2^V$ being a set of hyper edges representing cliques in the conflict graph.

Algorithm 4 constructs this hyper graph by iterating over all constraints $\sum_{i=1}^n a_{ji}x_i \leq b_j$. For each constraint, we first compute b'_j (line 3) and the highest coefficient a^* occurring in the constraint (line 4). If we have $2 \max\{a^*, 0\} \leq b'_j$ then the constraint will imply no conflicts, which allows for a fast skipping of uninteresting constraints (line 5). Otherwise, we construct a list of candidates for which we have $\max\{a^*, 0\} + \max\{a_{ji}, 0\} > b'_j$, that is the variable x_{i_l} either defines a^* or has a conflict with the variable defining a^* (line 6). If the list consists of more than one variable, i.e., the variable defining a^* , then we have found a conflict (line 7). We sort the list of candidates (line 8) and find the lowest index l^* such that $x_{i_{l^*}}$ and $x_{i_{l^*+1}}$ are in conflict (line 9). Due to the ordering of the list, all variables $\{x_{i_{l^*}}, \dots, x_{i_k}\}$ are in conflict with each other and can thus be added as a hyper edge to the conflict graph (line 10). For all variables x_{i_p} that do not belong to the hyper edge, we search for the lowest index l' such that x_{i_p} and $x_{i_{l'}}$ are in conflict (line 12). Such an index exists, since x_{i_p} is in conflict with x_{i_k} . Again, due to the ordering of the list, the variables $\{x_{i_p}, x_{i_{l'}}, \dots, x_{i_k}\}$ are in conflict and can be added to our graph (line 13).

Note that the hyper edge added in line 13 consists of a subset of the first hyper edge added to the constraint, starting at an index l' , and an additional variable x_{i_p} . Brito and Santos [18] pointed out that this can be used to store the graph more efficiently. Instead of storing the whole hyper edge $\{x_{i_p}, x_{i_{l'}}, \dots, x_{i_k}\}$, we only store the variable x_{i_p} , a reference to the hyper edge $\{x_{i_{l^*}}, \dots, x_{i_k}\}$ and the starting index l' , from which we can reconstruct the hyper edge $\{x_{i_p}, x_{i_{l'}}, \dots, x_{i_k}\}$.

After constructing the conflict graph, we use Algorithm 5 to compute a partitioning of V into cliques. Algorithm 5 is a greedy heuristic that builds on the idea that a minimum clique cover consists without loss of generality only of cliques that are maximal with respect to inclusion. We first initialize a set of cliques $\mathcal{Q} = \emptyset$ and remaining nodes $V' = V$ (line 1). Until there are nodes left for partitioning (line 2), we iteratively select an arbitrary remaining node $v' \in V'$ (line 3) and construct a maximal clique $Q \subseteq V'$ containing v' . We initialize Q as the largest hyper edge on the remaining nodes $h \cap V'$ containing v' (line 4 and 5). This speeds up the construction of Q , since we do not have to check whether the variables in h are in conflict. We then expand Q by iteratively adding remaining nodes that are contained in the neighborhood of all current clique members (lines 6 to 10). Afterwards, we add this clique to our partitioning (line 11), remove the contained nodes from the remaining nodes (line 12), and proceed until no nodes are left.

Algorithm 3: Procedure for filtering possible optimal values of z .

Input: An instance of ROB

Output: An optimal solution (x^*, p^*, z^*) of value \bar{v}

- 1 Compute conflict graph and clique partitioning \mathcal{Q} , as in Appendix B
 - 2 Compute possible optimal values $\mathcal{Z} \subseteq \{\hat{c}_0, \dots, \hat{c}_n\}$, as in Algorithm 1
 - 3 Initialize set of active nodes $\mathcal{N} = \{\mathcal{Z}\}$ with $\text{sol}(\mathcal{Z}) = 0$
 - 4 Set dual bounds $\underline{v}(\mathcal{Z}) = \underline{v}(z) = -\infty$ for all $z \in \mathcal{Z}$, and primal bound $\bar{v} = \infty$
 - 5 Initialize set $\mathcal{Z}^* = \emptyset$ of already considered values for robust subproblems
 - 6 **while** $\mathcal{N} \neq \emptyset$ **do**
 - 7 Choose $Z \in \arg \min \{\underline{v}(Z) | Z \in \mathcal{N}\}$
 - 8 **if** $\text{sol}(Z) = 1$ **then**
 - 9 Let $\mathcal{Z}' = \bigcup_{Z' \in \mathcal{N}} Z'$ be the set of remaining values
 - 10 Prune all $z' \in \mathcal{Z}'$ with $\text{prn}(\underline{v}(z'), \bar{v}) = 1$
 - 11 Choose \underline{c}, \bar{c} , as in Section 6.1.2
 - 12 Compute estimators $\delta_Z(z')$ for all $z' \in \mathcal{Z}' \cap [\underline{c}, \bar{c}]$, as in Algorithm 2
 - 13 Solve $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$ with the following **callbacks**
 - 14 Update \bar{v} and (x^*, p^*, z^*) for all solutions found, as in Section 6.2
 - 15 Terminate $\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})$, as in Section 6.3
 - 16 Remove $\mathcal{N} \leftarrow \mathcal{N} \setminus \{Z\}$ and add $\mathcal{Z}^* \leftarrow \mathcal{Z}^* \cup Z$
 - 17 Update $\underline{v}(z') \leftarrow \max \left\{ \underline{v}(z'), \underline{v}(\text{ROB}^S(Z, \mathcal{Q}, \underline{c}, \bar{c})) - \delta_Z(z') \right\}$ for all $z' \in \mathcal{Z}' \cap [\underline{c}, \bar{c}]$
 - 18 Update $\underline{v}(Z') \leftarrow \max \{ \underline{v}(Z'), \min \{ \underline{v}(z') | z' \in Z' \} \}$ for all $Z' \in \mathcal{N}$
 - 19 **else**
 - 20 Remove $\mathcal{N} \leftarrow \mathcal{N} \setminus \{Z\}$
 - 21 Prune all $z \in Z$ with $\text{prn}(\underline{v}(z), \bar{v}) = 1$
 - 22 **if** $\mathcal{P}^S(Z, \mathcal{Q}, z, \bar{z}) \neq \emptyset$ **then**
 - 23 Compute optimal solution $(x, p', z') \in \mathcal{P}^S(Z, \mathcal{Q}, z, \bar{z})$
 - 24 **if** (x, p', z') is integer feasible **then**
 - 25 Update \bar{v} and (x^*, p^*, z^*)
 - 26 **else if** $\text{prn}(v((x, p', z')), \bar{v}) = 0$ **then**
 - 27 **if** $\text{prn}(v((x, p', z')), (x, p'', \bar{z}(x))) = 1$ **then**
 - 28 Set $\text{sol}(Z) = 1$ and reinsert $\mathcal{N} \leftarrow \mathcal{N} \cup \{Z\}$
 - 29 **else**
 - 30 Branch Z into Z_1, Z_2 , as in Section 6.5
 - 31 Set $\underline{v}(Z_i) \leftarrow \max \{ v((x, p', z')), \min \{ \underline{v}(z) | z \in Z_i \} \}$ for $i = 1, 2$
 - 32 Insert $\mathcal{N} \leftarrow \mathcal{N} \cup \{Z_1, Z_2\}$ with $\text{sol}(Z_1) = \text{sol}(Z_2) = 0$
 - 33 Prune all $Z' \in \mathcal{N}$ with $\text{prn}(\underline{v}(Z'), \bar{v}) = 1$
 - 34 **return** (x^*, p^*, z^*)
-

$[\underline{\xi}, \bar{\xi}]$	γ	Algorithm								
		BnB-CutLP	ROB	SEP	BS	DnC	RP1	RP2	RP3	RP4
[5%, 15%]	10%	80.6%	73.1%	62.7%	38.8%	56.7%	23.9%	67.2%	20.9%	7.5%
	40%	82.1%	67.2%	47.8%	41.8%	55.2%	20.9%	56.7%	17.9%	10.4%
	70%	83.6%	58.2%	37.3%	43.3%	52.2%	19.4%	56.7%	17.9%	9.0%
	100%	88.1%	58.2%	37.3%	46.3%	50.7%	20.9%	52.2%	17.9%	11.9%
[45%, 55%]	10%	85.1%	56.7%	38.8%	38.8%	50.7%	19.4%	52.2%	17.9%	10.4%
	40%	82.1%	44.8%	22.4%	44.8%	53.7%	14.9%	44.8%	17.9%	10.4%
	70%	82.1%	43.3%	20.9%	47.8%	53.7%	13.4%	43.3%	16.4%	11.9%
	100%	83.6%	44.8%	17.9%	53.7%	53.7%	16.4%	37.3%	16.4%	16.4%
[95%, 105%]	10%	82.1%	52.2%	28.4%	41.8%	59.7%	16.4%	46.3%	17.9%	10.4%
	40%	83.6%	38.8%	23.9%	46.3%	59.7%	16.4%	41.8%	17.9%	10.4%
	70%	83.6%	46.3%	22.4%	50.7%	58.2%	13.4%	41.8%	19.4%	13.4%
	100%	89.6%	53.7%	19.4%	56.7%	59.7%	19.4%	49.3%	22.4%	20.9%

Table 1: Proportion of instances solved for different algorithms and choices of γ and $[\underline{\xi}, \bar{\xi}]$.

Algorithm 4: Algorithm for computing hyper edges for the conflict graph.

Input: Constraints $Ax \leq b$ with $A \in \mathbb{R}^{m \times n}$ and uncertain variables V
Output: A hyper graph $G = (V, H)$ with hyper edges $H \subseteq 2^V$

- 1 Initialize hyper edges $H = \emptyset$
- 2 **for** $j \in [m]$ **do**
- 3 Compute $b'_j = b_j - \min \{\sum_{i=1}^n a_{ji}x_i \mid x \in [l, u]\}$
- 4 Let $a^* = \max \{a_{ji} \mid i \in [n]\}$
- 5 **if** $2 \max \{a^*, 0\} > b'_j$ **then**
- 6 Let $L = (x_{i_1}, \dots, x_{i_k})$ be a list of uncertain variables with
 $\max \{a^*, 0\} + \max \{a_{ji_l}, 0\} > b'_j$ for $l \in [k]$
- 7 **if** $k > 1$ **then**
- 8 Sort L non-decreasing w.r.t. $\max \{a_{ji}, 0\}$
- 9 Let $l^* =$
 $\operatorname{argmin} \{l \in [k-1] \mid \max \{a_{ji_l}, 0\} + \max \{a_{ji_{l+1}}, 0\} > b'_j\}$
- 10 Add $H \leftarrow H \cup \{\{x_{i_{l^*}}, \dots, x_{i_k}\}\}$
- 11 **for** $p \in [l^* - 1]$ **do**
- 12 Let
 $l' = \operatorname{argmin} \{l \in [k] \mid \max \{a_{ji_p}, 0\} + \max \{a_{ji_l}, 0\} > b'_j\}$
- 13 Add $H \leftarrow H \cup \{\{x_{i_p}, x_{i_{l'}}, \dots, x_{i_k}\}\}$

14 **return** $G = (V, H)$

Algorithm 5: Greedy heuristic for clique partitioning in a conflict graph.

Input: A conflict graph $G = (V, H)$ consisting of nodes and hyper edges

Output: A partitioning \mathcal{Q} of V into cliques

```
1 Initialize the partitioning into cliques  $\mathcal{Q} = \emptyset$  and set of remaining nodes
    $V' = V$ .
2 while  $V' \neq \emptyset$  do
3   Choose  $v' \in V'$ 
4   Choose  $h \in \operatorname{argmax} \{|h \cap V'| \mid h \in (H \cup \{v'\}), v' \in h\}$ 
5   Initialize new clique  $Q = h \cap V'$ 
6   Compute candidates  $N = V' \bigcap_{v \in Q} N(v)$ 
7   while  $N \neq \emptyset$  do
8     Choose any  $v \in N$ 
9     Add candidate  $Q \leftarrow Q \cup \{v\}$ 
10    Update candidates  $N \leftarrow N \cap N(v)$ 
11  Add clique  $\mathcal{Q} \leftarrow \mathcal{Q} \cup \{Q\}$ 
12  Remove from remaining nodes  $V' \leftarrow V' \setminus Q$ 
13 return  $\mathcal{Q}$ 
```
