

# MIXED-INTEGER QUADRATIC OPTIMIZATION AND ITERATIVE CLUSTERING TECHNIQUES FOR SEMI-SUPERVISED SUPPORT VECTOR MACHINES

JAN PABLO BURGARD, MARIA EDUARDA PINHEIRO, MARTIN SCHMIDT

**ABSTRACT.** Among the most famous algorithms for solving classification problems are support vector machines (SVMs), which find a separating hyperplane for a set of labeled data points. In some applications, however, labels are only available for a subset of points. Furthermore, this subset can be non-representative, e.g., due to self-selection in a survey. Semi-supervised SVMs tackle the setting of labeled and unlabeled data and can often improve the reliability of the results. Moreover, additional information about the size of the classes can be available from undisclosed sources. We propose a mixed-integer quadratic optimization (MIQP) model that covers the setting of labeled and unlabeled data points as well as the overall number of points in each class. Since the MIQP's solution time rapidly grows as the number of variables increases, we introduce an iterative clustering approach to reduce the model's size. Moreover, we present an update rule for the required big- $M$  values, prove the correctness of the iterative clustering method as well as derive tailored dimension-reduction and warm-starting techniques. Our numerical results show that our approach leads to a similar accuracy and precision than the MIQP formulation but at much lower computational cost. Thus, we can solve larger problems. With respect to the original SVM formulation, we observe that our approach has even better accuracy and precision for biased samples.

## 1. INTRODUCTION

Support vector machines (SVMs) are a standard approach for supervised binary classification (Boser et al. 1992; Cortes and Vapnik 1995). The core idea is to find a separating hyperplane that optimally splits the feature space in a positive and a negative side according to the positive and negative labels of the data.

Obtaining labels for all units of interest can be costly. This is especially the case if one has to do a classic survey to obtain the labels. In this case, it would be favorable to train the SVM on only partly labeled data. This yields a semi-supervised learning setting. Bennett and Demiriz (1998) formulate and solve the semi-supervised SVM ( $S^3VM$ ) as a mixed-integer linear problem (MILP). Many strategies for solving  $S^3VM$  have been proposed in the following decades such as the transductive approach (TSVM) by Joachims (2002) and Xu Yu (2012) or manifold regularization (LapSVM) by Belkin et al. (2006) and Melacci and Belkin (2009). Some researchers also consider a balancing constraint as done in meanS3VM by Kontonatsios et al. (2017) and in  $c^3SVM$  by Chapelle et al. (2006). Moreover, the balancing constraint proposed by Chapelle and Zien (2005) enforces that the proportion of unlabeled and labeled data on both sides is similar to the proportion given by the labeled data.

---

*Date:* March 22, 2023.

*2020 Mathematics Subject Classification.* 90C11, 90C90, 90-08, 68T99.

*Key words and phrases.* Semi-Supervised Learning, Support Vector Machines, Clustering, Mixed-Integer Quadratic Optimization.

In many cases, however, the aggregated information about the number of positive and negative cases in a population is known from an external source. For example, in population surveys, there are population figures from official statistics agencies. As another example, in some businesses, the total amount of positive labels could be known but not which customer has a positive or a negative label. An intuitive example is a supermarket for which the amount of cash payments is known. However, this information is not ex-post attributable to the individual customers. We propose to add this aggregated additional information to the optimization model by imposing a cardinality constraint on the predicted labels for the unlabeled data. As will be shown in our numerical experiments, this improves the accuracy of the classification of the unlabeled data. Furthermore, the inclusion of such a cardinality constraint is very useful in the case in which the labeled data is not a representative sample from the population. When obtaining the labels from process data or from online surveys, the inclusion process of the labeled data is generally not known. This is subsumed under the non-probability sample. In this case, inverse inclusion probability weighting, as typically done in survey sampling, is not applicable. By not controlling the inclusion process, strong over- or under-coverage of relevant information in the data set is possible and should be taken into account in the analysis. Not accounting for possible biases in the data generally leads to biased results.

We propose a big- $M$ -based MIQP to solve the semi-supervised SVM problem with a cardinality constraint for the unlabeled data. The cardinality constraint helps to account for biased samples since the number of positive predictions on the population is bounded by the constraint. The computation time for this MIQP grows rapidly with the number of variables—especially for an increasing number of integer variables. We develop an algorithm that uses a clustering-based model reduction to reduce the computation time. Similar reduction approaches can be found for the classic SVM using, e.g., fuzzy clustering (Almasi and Rouhani 2016; Cervantes et al. 2006), clustering-based convex hulls (Birzhandi and Youn 2019), and  $k$ -means clustering (Almeida et al. 2000; Yao et al. 2013). We prove the correctness of our iterative clustering method and further show that it computes feasible points for the original problem. Hence, it also delivers proper upper bounds. Within our iterative approach, we additionally derive a scheme for updating the required big- $M$  values and present tailored dimension-reduction as well as warm-starting techniques.

The paper is organized as follows. In Section 2, we describe our optimization problem and the big- $M$ -based MIQP formulation. Afterward, the clustering-based model reduction technique is presented in Section 3. There, we also present our algorithm that combines the model reduction and the MIQP formulation. In Section 4, we discuss some algorithmic improvements such as the handling of data points that are far away from the hyperplane and the choice of  $M$  in the big- $M$  formulation. In Section 5, we present how to use the solution of our algorithm to obtain the solution of the initial MIQP formulation by fixing some points on the correct side of the hyperplane. Finally, in Section 6, numerical results are reported and discussed and we conclude in Section 7.

## 2. AN MIQP FORMULATION FOR A CARDINALITY-CONSTRAINED SEMI-SUPERVISED SVM

Let  $X \in \mathbb{R}^{d \times N}$  be the data matrix with  $X_l = [x^1, \dots, x^n]$  being the labeled data and  $X_u = [x^{n+1}, \dots, x^N]$  being the unlabeled data. Hence, we have  $x^i \in \mathbb{R}^d$  for all  $i \in [1, N] := \{1, \dots, N\}$ . We set  $m := N - n$  and  $y \in \{-1, 1\}^n$  is the vector of class labels for the labeled data. When the data is linearly separable, the SVM provides

a hyperplane  $(\omega, b)$  that separates the positively and negatively labeled data. In the case that the data is not linearly separable, the standard approach is to use the  $\ell_2$ -SVM by Cortes and Vapnik (1995) given by

$$\min_{\omega, b, \xi} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i \quad (\text{P1a})$$

$$\text{s.t. } y_i(\omega^\top x^i - b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P1b})$$

$$\xi_i \geq 0, \quad i \in [1, n]. \quad (\text{P1c})$$

Here and in what follows,  $\|\cdot\|$  denotes the Euclidean norm. For being able to include unlabeled data in the optimization process, Bennett and Demiriz (1998) propose the semi-supervised SVM ( $S^3\text{VM}$ ). In many applications, the aggregated information on the labels is available, e.g., from census data. In the following, we know the total number  $\tau$  of positive labels for the unlabeled data from an external source. We adapt the idea of the  $S^3\text{VM}$  such that we can use  $\tau$  as an additional information in the optimization model. Our goal is to find optimal parameters  $\omega^* \in \mathbb{R}^d$ ,  $b^* \in \mathbb{R}$ ,  $\xi^* \in \mathbb{R}^n$ , and  $\eta^* \in \mathbb{R}^2$  that solve the optimization problem

$$\min_{\omega, b, \xi, \eta} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i + C_2(\eta_1 + \eta_2) \quad (\text{P2a})$$

$$\text{s.t. } y_i(\omega^\top x^i - b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P2b})$$

$$\tau - \eta_1 \leq \sum_{i=n+1}^N h_{\omega, b}(x^i) \leq \tau + \eta_2, \quad (\text{P2c})$$

$$\xi_i \geq 0, \quad i \in [1, n], \quad (\text{P2d})$$

$$\eta_1, \eta_2 \geq 0, \quad (\text{P2e})$$

where

$$h_{\omega, b}(x) = \begin{cases} 1, & \text{if } \omega^\top x + b \geq 0, \\ 0, & \text{otherwise.} \end{cases}$$

Note that the objective function in (P2a) is a compromise between maximizing the distance between the two classes as well as minimizing the classification error for the label and the unlabeled data. The penalty parameters  $C_1 > 0$  and  $C_2 > 0$  aim to control the importance of the slack variables  $\xi$  and  $\eta$ , respectively. Constraint (P2b) enforces on which side of the hyperplane the labeled data  $x^i$  should lie. Constraint (P2c) ensures that we have  $\tau$  unlabeled data on the positive side. Note that, having assigned a very high value to  $C_1$  or  $C_2$ , the objective function value is dominated by these slack variables.

The function  $h_{\omega, b}(\cdot)$  in Constraint (P2c) is not continuous, which means that Problem (P2) cannot be easily solved by standard solvers. A typical way to overcome this problem is to add binary variables to turn on or off the enforcement of a constraint. By introducing binary variables  $z_i \in \{0, 1\}$ ,  $i \in [n+1, N]$ , we can reformulate the optimization Problem (P2) using the following big- $M$  formulation:

$$\min_{\omega, b, \xi, \eta, z} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i + C_2(\eta_1 + \eta_2) \quad (\text{P3a})$$

$$\text{s.t. } y_i(\omega^\top x^i + b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P3b})$$

$$\omega^\top x^i + b \leq z_i M, \quad i \in [n+1, N], \quad (\text{P3c})$$

$$\omega^\top x^i + b \geq -(1 - z_i)M, \quad i \in [n+1, N], \quad (\text{P3d})$$

$$\tau - \eta_1 \leq \sum_{i=n+1}^N z_i \leq \tau + \eta_2, \quad (\text{P3e})$$

$$\xi_i \geq 0, \quad i \in [1, n], \quad (\text{P3f})$$

$$\eta_1, \eta_2 \geq 0, \quad (\text{P3g})$$

$$z_i \in \{0, 1\}, \quad i \in [n+1, N], \quad (\text{P3h})$$

where  $M$  needs to be chosen sufficiently large. As  $z_i$  is binary, Constraints (P3c) and (P3d) lead to

$$\omega^\top x^i + b > 0 \implies z_i = 1, \quad i \in [n+1, N],$$

$$\omega^\top x^i + b < 0 \implies z_i = 0, \quad i \in [n+1, N].$$

If  $x^i$  lies on the hyperplane, i.e.,  $\omega^\top x^i + b = 0$ , Constraints (P3c) and (P3d) hold for  $z_i = 1$  and  $z_i = 0$ . In this case, it can be counted either on the positive or on the negative side. Reformulation (P3) is a mixed-integer quadratic problem (MIQP) in which all constraints are linear but the objective function is quadratic. We refer to this problem as CS<sup>3</sup>VM. In the big- $M$  formulation, the choice of  $M$  is crucial. If  $M$  is too small, the problem can become infeasible or optimal solutions could be cut off. If  $M$  is chosen too large, the respective continuous relaxations usually lead to bad lower bounds and solvers may encounter numerical troubles. The choice of  $M$  is discussed in the following lemma and theorem. In Lemma 1 we show how  $M$  is related to the objective function and the given data. This is then used in Theorem 2 to derive a provably correct big- $M$ .

**Lemma 1.** *Given a feasible point for Problem (P3) with an objective function value  $f$ , an optimal solution  $(\omega^*, b^*, \xi^*, \eta^*, z^*)$  of (P3) satisfies*

$$\|\omega^*\| \leq \sqrt{2f} \quad \text{and} \quad |b^*| \leq \|\omega^*\| \max_{i \in [1, N]} \|x^i\| + 1$$

and, consequently, every optimal solution satisfies (P3c) and (P3d) for

$$M = 2\sqrt{2f} \max_{i \in [1, N]} \|x^i\| + 1.$$

*Proof.* Due to optimality, we get

$$\frac{\|\omega^*\|^2}{2} \leq \frac{\|\omega^*\|^2}{2} + C_1 \sum_{i=1}^n \xi_i^* + C_2(\eta_1^* + \eta_2^*) \leq f \implies \|\omega^*\| \leq \sqrt{2f}.$$

The second inequality is shown by contradiction. To this end, we w.l.o.g. assume that  $\tilde{b} = \|\omega^*\| \max_{i \in [1, N]} \|x^i\| + 1 + \delta$  is part of an optimal solution for some  $\delta > 0$ . Using the inequality of Cauchy-Schwarz then yields

$$\begin{aligned} (\omega^*)^\top x^i + \tilde{b} &= (\omega^*)^\top x^i + \|\omega^*\| \max_{j \in [1, N]} \|x^j\| + 1 + \delta \\ &\geq -\|\omega^*\| \|x^i\| + \|\omega^*\| \max_{j \in [1, N]} \|x^j\| + 1 + \delta \\ &> 1 \end{aligned}$$

for all  $i \in [1, N]$ . Hence, for all  $i \in [1, n]$  with  $y_i = 1$ , we get  $\tilde{\xi}_i = 0$  from Constraint (P3b) and the objective function. Moreover, for  $i \in [1, n]$  with  $y_i = -1$ , the same reasoning implies

$$-(\omega^*)^\top x^i - \tilde{b} = 1 - \tilde{\xi}_i \implies \tilde{\xi}_i = 2 + (\omega^*)^\top x^i + \|\omega^*\| \max_{j \in [1, N]} \|x^j\| + \delta.$$

Besides that, for the unlabeled data  $i \in [n+1, N]$ , since  $(\omega^*)^\top x^i + \tilde{b} > 1$ , we get  $\tilde{z}_i = 1$ , which leads to

$$\sum_{i=n+1}^N \tilde{z}_i = m \implies \tilde{\eta}_1 = 0, \tilde{\eta}_2 = m - \tau.$$

This means that the objective function value for the point  $(\omega^*, \tilde{b}, \tilde{\xi}, \tilde{\eta}, \tilde{z})$  is given by

$$\tilde{f} := \frac{\|\omega^*\|^2}{2} + C_1 \sum_{i: y_i = -1} \left( 2 + (\omega^*)^\top x^i + \|\omega^*\| \max_{j \in [1, N]} \|x^j\| + \delta \right) + C_2(m - \tau).$$

However, if we set  $\bar{b} := \|\omega^*\| \max_{i \in [1, N]} \|x^i\| + 1$ , we get

$$(\omega^*)^\top x^i + \bar{b} \geq 1, \quad i \in [1, N],$$

i.e.,  $z_i = 1$  for all  $i \in [n+1, N]$ ,  $\bar{\eta}_1 = 0$ ,  $\bar{\eta}_2 = m - \tau$ , and  $\bar{\xi}_i = 0$  for  $i$  with  $y_i = 1$ . Moreover, for  $i \in [1, n]$  with  $y_i = -1$ , from Constraint (P3b) we obtain

$$-(\omega^*)^\top x^i - \bar{b} = 1 - \bar{\xi}_i \implies \bar{\xi}_i = 2 + (\omega^*)^\top x^i + \|\omega^*\| \max_{i \in [1, N]} \|x^i\|.$$

All this implies that the objective function value  $\bar{f}$  for the point  $(\omega^*, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  satisfies

$$\bar{f} := \frac{\|\omega^*\|^2}{2} + C_1 \sum_{i: y_i = -1} (2 + (\omega^*)^\top x^i + \|\omega^*\| \max_{j \in [1, N]} \|x^j\|) + C_2(m - \tau) < \tilde{f},$$

which contradicts the assumption that  $\tilde{f}$  is optimal. Hence,

$$|b^*| \leq \|\omega^*\| \max_{i \in [1, N]} \|x^i\| + 1$$

holds, which proves the second inequality. Note further that

$$(\omega^*)^\top x^i + b^* \leq \|\omega^*\| \|x^i\| + |b^*| \leq 2\sqrt{2f} \max_{j \in [1, N]} \|x^j\| + 1 = M$$

and

$$(\omega^*)^\top x^i + b^* \geq -\|\omega^*\| \|x^i\| - |b^*| \geq -2\sqrt{2f} \max_{j \in [1, N]} \|x^j\| - 1 = -M$$

holds for all  $i \in [n+1, N]$ .  $\square$

We now use the result from the last technical lemma to obtain a provably correct big- $M$ .

**Theorem 2.** *A valid big- $M$  for Problem (P3) is given by*

$$M = 2\sqrt{2(2C_1\bar{n} + C_2(m - \tau))} \max_{i \in [1, N]} \|x^i\| + 1 \quad (1)$$

with  $\bar{n} := |\{i \in [1, n]: y_i = -1\}|$ .

*Proof.* Consider the feasible point of (P3) given by  $\omega = 0 \in \mathbb{R}^d$  and  $b = 1$ . Since  $\omega^\top x^i + b = 1$  holds for all  $i \in [1, N]$ , Constraint (P3b) implies

$$\xi_i = \begin{cases} 2, & \text{if } y_i = -1, \\ 0, & \text{otherwise.} \end{cases}$$

Moreover, using Constraints (P3c)–(P3e) leads to

$$z_i = 1, \quad i \in [n+1, N], \quad \eta_1 = 0, \quad \eta_2 = m - \tau,$$

which implies that the objective function for the point  $(\omega, b, \xi, \eta, z)$  is given by

$$f = 0 + 2C_1\bar{n} + C_2(m - \tau).$$

Finally, from Lemma 1, we get

$$M = 2\sqrt{2(2C_1\bar{n} + C_2(m - \tau))} \max_{i \in [1, N]} \|x^i\| + 1. \quad \square$$

### 3. A RE-CLUSTERING METHOD FOR SOLVING CS<sup>3</sup>VM

In Model (P3) of the last section, each binary variable is related to an unlabeled point. The larger the number of unlabeled data, the larger the number of binary variables and, hence, the larger the computational burden to solve Problem (P3). To reduce this computational burden, we propose to cluster the unlabeled data. This way, only one binary variable per cluster is needed. For every cluster, we use its centroid as its representative point. To obtain clusterings, we use minimum sum-of-squares clustering (MSSC). The MSSC problem is NP-hard; see, e.g., Aloise et al. (2009), Dasgupta (2007), and Mahajan et al. (2012). However, we do not need a globally optimal solution for the MSSC problem as will be shown below. Given a number  $k$  of clusters and a matrix  $S = [s^1, \dots, s^p] \in \mathbb{R}^{d \times p}$  of given points, the goal of the MSSC is to find mean vectors  $c^j \in \mathbb{R}^d$ ,  $j \in [1, k]$ , that solve the problem

$$c^* = \arg \min_c \ell(S, c), \quad c = (c^j)_{j=1, \dots, k},$$

where the loss function  $\ell$  is the sum of the squared Euclidean distances, i.e.,

$$\ell(S, c) = \sum_{j=1}^k \sum_{s^i \in \mathcal{C}_j} \|s^i - c^j\|^2$$

with  $\mathcal{C}_j \subset \mathbb{R}^d$  being the set of data points that are assigned to cluster  $j$ .

We solve this problem heuristically using the  $k$ -means algorithm (Lloyd 1982; MacQueen 1967) for  $S = X_u$ , i.e., we cluster the unlabeled data. Then, instead of using all unlabeled data as in the last section, we only use the clusters' centroids  $c^1, \dots, c^k$  and the numbers  $e_1, \dots, e_k$  of data points in each cluster to obtain the problem

$$\min_{\omega, b, \xi, \eta, z} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i + C_2(\eta_1 + \eta_2) \quad (\text{P4a})$$

$$\text{s.t.} \quad y_i(\omega^\top x^i + b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P4b})$$

$$\omega^\top c^j + b \leq z_j M, \quad j \in [1, k], \quad (\text{P4c})$$

$$\omega^\top c^j + b \geq -(1 - z_j)M, \quad j \in [1, k], \quad (\text{P4d})$$

$$\tau - \eta_1 \leq \sum_{j=1}^k e_j z_j \leq \tau + \eta_2, \quad (\text{P4e})$$

$$\xi_i \geq 0, \quad i \in [1, n], \quad (\text{P4f})$$

$$\eta_1, \eta_2 \geq 0, \quad (\text{P4g})$$

$$z_j \in \{0, 1\}, \quad j \in [1, k]. \quad (\text{P4h})$$

A valid big- $M$  is still given by (1) as shown in the next proposition.

**Proposition 1.** *If  $e_j \geq 1$  for all  $j \in [1, k]$ , a valid big- $M$  for Problem (P4) is given by (1).*

*Proof.* The proof follows the same lines as the proofs of Lemma 1 and Theorem 2 with the additional observation that for all  $j \in [1, k]$ , it holds

$$\|c^j\| = \frac{1}{e_j} \left\| \sum_{i:x^i \in C_j} x^i \right\| \leq \frac{e_j \max_{i \in [n+1, N]} \|x^i\|}{e_j} = \max_{i \in [n+1, N]} \|x^i\|. \quad \square$$

It can happen that the hyperplane given by  $(\omega^*, b^*)$  that results from the solution of Problem (P4) cuts through some cluster. This means that not all data points of the cluster actually lie on the same side of the hyperplane. If this happens, the solution of Problem (P4) does not satisfy the cardinality constraint (P3e) of Problem (P3). To fix this, we propose an iterative method that is formally listed in Algorithm 1.

---

**Algorithm 1:** Re-Clustering Method (RCM)

---

**Input :**  $X \in \mathbb{R}^{d \times N}$ ,  $y \in \{-1, 1\}^n$ ,  $k^1 \in \mathbb{N}$ ,  $C_1 > 0$ ,  $C_2 > 0$ , and  $\tau \in \mathbb{N}$ .

- 1 Set  $t \leftarrow 1$ , compute  $M^t$  as in (1), compute a clustering of  $X_u$  in  $k^1$  many clusters using the  $k$ -means algorithm, and obtain the centroids  $c^1, \dots, c^{k^1}$  as well as the numbers  $e_1, \dots, e_{k^1}$  of data points in each cluster.
- 2 Solve Problem (P4) to compute the hyperplane  $(\omega^t, b^t)$  as well as  $\xi^t, \eta^t, z^t$ .
- 3 **if** the hyperplane  $(\omega^t, b^t)$  cuts a cluster **then**
- 4     Set  $k^{t+1} \leftarrow k^t$ .
- 5     **for** each cluster that is cut by the hyperplane  $(\omega^t, b^t)$  **do**
- 6         Split the cluster into two new clusters so that neither of the two new clusters is cut by the hyperplane  $(\omega^t, b^t)$ .
- 7         Update the centroids of the newly created clusters.
- 8         Set  $k^{t+1} \leftarrow k^{t+1} + 1$ .
- 9     **end**
- 10    Update  $t \leftarrow t + 1$  and go to Step 2.
- 11 **else**
- 12    Return the hyperplane  $(\omega^t, b^t)$  as well as  $\xi^t, \eta^t, z^t$ .
- 13 **end**

---

If Algorithm 1 terminates it holds that all points in a cluster are on the same side of the final hyperplane. This implies the cardinality constraint (P3e) is satisfied. Note that the  $k$ -means algorithm is only called once to initialize the clustering. For all other iterations, we manually split clusters if they are cut by the hyperplane of the respective iteration and compute the new centroids directly.

The next theorem establishes that Algorithm 1 always terminates after finitely many iterations.

**Theorem 3.** *Suppose that  $e_j \geq 1$  for all  $j \in [1, k^1]$  after Step 1 of Algorithm 1. Then, Algorithm 1 terminates after at most  $m - k^1$  iterations, where  $m$  is the number of the unlabeled data points and  $k^1$  is the number of initial clusters.*

*Proof.* Observe that since we cluster  $m$  unlabeled points, the maximum number of clusters we can obtain is  $m$ . Besides that, if in an iteration  $t$ , Algorithm 1 does not terminate, at least one cluster is split Step 6. Because we start with  $k^1$  clusters and since in each iteration, we increase the number of clusters at least by one, the maximum number of iterations is  $m - k^1$ .  $\square$

Note that the point obtained by Algorithm 1 is not necessarily a minimizer of Problem (P3). However, the objective function value of the point obtained by Algorithm 1 is an upper bound for the objective function value of Problem (P3).

**Theorem 4.** Let  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  be the point returned by Algorithm 1. Then,

$$\bar{f} := \frac{\|\bar{\omega}\|^2}{2} + C_1 \sum_{i=1}^n \bar{\xi}_i + C_2(\bar{\eta}_1 + \bar{\eta}_2)$$

is an upper bound of Problem (P3) with  $M = 2\sqrt{2\bar{f}} \max_{i \in [1, N]} \|x^i\| + 1$ .

*Proof.* For all clusters  $\mathcal{C}_j$ ,  $j \in \{1, \dots, k^t\}$ , where  $t$  is the final iteration of Algorithm 1, we set  $\tilde{z}_i = \bar{z}_j$  for all  $i$  with  $x^i \in \mathcal{C}_j$ . We now show that  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  is a feasible point for Problem (P3). Indeed, Constraints (P3b), (P3f), (P3g), and (P3h) are clearly fulfilled. Furthermore, since

$$\sum_{i \in \mathcal{C}_j} \tilde{z}_i = e_j \bar{z}_j$$

for all  $j \in [1, k^t]$ , using (P4e) we get

$$\sum_{i=n+1}^N \tilde{z}_i = \sum_{j=1}^{k^t} e_j \bar{z}_j \implies \tau - \bar{\eta}_1 \leq \sum_{i=n+1}^N \tilde{z}_i \leq \tau + \bar{\eta}_2$$

and Constraint (P3e) is satisfied. Besides that,

$$\frac{\|\bar{\omega}\|^2}{2} \leq \bar{f} \implies \|\bar{\omega}\| \leq \sqrt{2\bar{f}} \quad (2)$$

holds and as in Lemma 1, we get

$$|\bar{b}| \leq \|\bar{\omega}\| \max_{i \in [1, N]} \|x^i\| + 1. \quad (3)$$

Moreover, by construction, for all  $i \in \{n+1, \dots, N\}$  with  $\tilde{z}_i = 1$ ,  $x^i$  belongs to a cluster  $\mathcal{C}_j$  such that  $\bar{\omega}^\top c^j + \bar{b} \geq 0$ . Using the fact that all points in  $\mathcal{C}_j$  are on the same side of the hyperplane, this side must be the positive one. This fact together with (2) and (3) implies

$$\begin{aligned} -(1 - \tilde{z}_i)M = 0 &\leq \bar{\omega}^\top x^i + \bar{b} \leq \|\bar{\omega}\| \max_{i \in [1, N]} \|x^i\| + |\bar{b}| \\ &\leq 2\sqrt{2\bar{f}} \max_{i \in [1, N]} \|x^i\| + 1 = M = \tilde{z}_i M. \end{aligned}$$

Similarly, for all  $i \in \{n+1, \dots, N\}$  with  $\tilde{z}_i = 0$ , we get

$$-M = -(1 - \tilde{z}_i)M \leq \bar{\omega}^\top x^i + \bar{b} \leq 0 = \tilde{z}_i M$$

and (P3c) as well as (P3d) are fulfilled. Because  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  is a feasible point for Problem (P3),  $\bar{f}$  is an upper bound to the Problem (P3).  $\square$

#### 4. FURTHER ALGORITHMIC ENHANCEMENTS

In order to reduce computational costs, we propose two additional enhancements. The first one (see Section 4.1) makes use of the fact that the SVM is mostly influenced by data points that are close to the separating hyperplane. The second one (see Section 4.2) introduces a rule for updating  $M$  in each iteration of Algorithm 1.

**4.1. Handling Points far From the Hyperplane.** In Algorithm 1, the number of clusters increases in each iteration. Hence, the time to solve Problem (P4) increases from iteration to iteration in general. Like in the original SVM, the points closest to the hyperplane influence the resulting hyperplane more than the other points. Obviously, eliminating points that do not strongly influence the hyperplane decreases the size of the problem. Some approaches to eliminate these points have also been proposed for the original SVM. For a recent survey, see, e.g., Birzhandi et



al. (2002). However, most of these approaches are heuristics and do not necessarily yield a feasible point of the problem.

The idea for our setting is the following. Clusters that are far away from the hyperplane could be omitted as this will not change the solution. The farther a cluster is from the hyperplane in an iteration, the less likely it is that the cluster will be split or change sides completely in a future iteration. Hence, the clusters farthest from the current hyperplane mainly add information about their side and capacity. However, in a later iteration, the cluster may become relevant again. Thus, we need to find a way to discard detailed information on certain clusters but also a way to reactivate the discarded clusters if necessary.

We propose the following procedure to reduce the amount of clusters that have to be considered in the current iteration of the algorithm. If the number of clusters exceeds a fixed value  $k^+$ , we first fix the cluster with the centroid farthest from the hyperplane as a kind of residual cluster on a side if this side has points far from the hyperplane. Second, we discard all clusters in which all points are farther from the hyperplane than some  $\Delta^t$  and assign them to the residual cluster on their side of the hyperplane. This way the cardinality constraint remains valid. Moreover, all formerly discarded clusters are checked for re-consideration. If a discarded cluster has a point with a distance to the hyperplane less than  $\Delta^t$  or if any point in the cluster changed the side, the cluster is reactivated.

Let  $\bar{S} = (s_{\alpha(1)}, \dots, s_{\alpha(d)})^\top$  be the vector of increasingly sorted values of  $S = \{s_1, \dots, s_d\}$  and let  $a \in (0, 1)$ . The  $a$ -quantile of  $S$ , as proposed by Hyndman and Fan (1996), is given by

$$P_S(a) := s_{\alpha(q)} + \frac{s_{\alpha(q)} - s_{\alpha(r)}}{q - r} ((d-1)a - q + 1)$$

with

$$q := \max_{i \in [1, d]} \left\{ i : \frac{i-1}{d-1} \leq a \right\}, \quad r := \min_{i \in [1, d]} \left\{ i : \frac{i-1}{d-1} \geq a \right\}.$$

Given a parameter  $\hat{\Delta}^t \in (0, 1)$ , we choose  $\Delta^t$  in each iteration  $t$  according to

$$\Delta^t = P_{D^t}(\hat{\Delta}^t) \quad \text{with} \quad D_j^t = |(\omega^t)^\top c_j + b^t| \quad \text{for all } j \in [1, k^t]. \quad (4)$$

Note that if in an iteration  $t$ , a point in some discarded cluster changed the side, the vector  $z$  as part of the current solution does not fit to this change. This happens when, e.g.,  $(\omega^{t-1})^\top x^i + b^{t-1} > 0$  and  $(\omega^t)^\top x^i + b^t < 0$  but  $z_j^t > 0$  with  $\mathcal{C}_j$  being the cluster with centroid farthest from the hyperplane on the positive side. To avoid that this happens too often,  $\hat{\Delta}^{t+1}$  is increased by a fixed value  $\tilde{\Delta} \in (0, 1)$  when there is some point in some discarded cluster that has changed sides.

Motivated by the above discussions, we add new steps in the Algorithm 1 that can be seen in Algorithm 2. In Step 5, if the number of clusters exceeds  $k^+$ , clusters far from the hyperplane are discarded. In Steps 9 and 10, clusters discarded with a point that changed sides or that is closer to the hyperplane than  $\Delta^t$  are reactivated. In Step 12,  $\hat{\Delta}^t$  is updated.

**4.2. Updating the Big- $M$ .** As discussed in Section 2,  $M$  needs to be sufficiently large. However, the bigger the  $M$ , the more likely we face numerical issues. As shown in Section 2, the smaller the objective function provided by a feasible point, the smaller the value of  $M$  can be chosen. Based on that, we update  $M$  in each iteration with the aim of decreasing it. We do this by adding Step 16 in Algorithm 2 and the next theorem justifies this.

**Algorithm 2:** Improved Re-Clustering Method (IRCM)

---

**Input:**  $X \in \mathbb{R}^{d \times N}$ ,  $y \in \{-1, 1\}^n$ ,  $k^1 \in \mathbb{N}$ ,  $C_1 > 0$ ,  $C_2 > 0$ ,  $\tau \in \mathbb{N}$ ,  
 $\hat{\Delta}^1 \in (0, 1)$ ,  $\tilde{\Delta} \in (0, 1)$ ,  $\mathcal{G}^1 = \emptyset$ ,  $k^+ \in \mathbb{N}$ .

- 1 Set  $t = 1$ , compute  $M^t$  as in (1), cluster  $X_u$  in  $k^1$  clusters using  $k$ -means,  
leading to centroids  $c^1, \dots, c^{k^1}$  and the numbers  $e_1, \dots, e_{k^1}$  of data points  
in each cluster.
- 2 Solve Problem (P4) to compute the hyperplane  $(\omega^t, b^t)$  as well as  $\xi^t, \eta^t, z^t$ .
- 3 Compute  $\Delta^t$  as in (4).
- 4 **if**  $k^t > k^+$  **then**
- 5 | update  $\mathcal{G}^{t+1} \leftarrow \mathcal{G}^t \cup \{\mathcal{C}_j : |(\omega^t)^\top x^\ell + b^t| > \Delta^t \forall x^\ell \in \mathcal{C}_j\}$ .
- 6 **else**
- 7 | set  $\mathcal{G}^{t+1} \leftarrow \mathcal{G}^t$ .
- 8 **end**
- 9 Set  
 $\mathcal{J}^t := \{\mathcal{C}_j \in \mathcal{G}^t : \exists x^\ell \in \mathcal{C}_j : \text{sign}((\omega^t)^\top x^\ell + b^t) \neq \text{sign}((\omega^{t+1})^\top x^\ell + b^{t+1})\}$ .
- 10 Update  $\mathcal{G}^{t+1} \leftarrow \mathcal{G}^{t+1} \setminus (\{\mathcal{C}_j \in \mathcal{G}^t : \exists x^\ell \in \mathcal{C}_j \text{ with } |(\omega^t)^\top x^\ell + b^t| \leq \Delta^t\} \cup \mathcal{J}^t)$ .
- 11 **if**  $\mathcal{J}^t \neq \emptyset$  **then**
- 12 | update  $\hat{\Delta}^{t+1} \leftarrow \min\{\hat{\Delta}^t + \tilde{\Delta}, 1\}$ .
- 13 **else**
- 14 | set  $\hat{\Delta}^{t+1} \leftarrow \hat{\Delta}^t$
- 15 **end**
- 16 Compute  $M^{t+1}$  as in (8).
- 17 **if**  $\mathcal{J}^t \neq \emptyset$  or the hyperplane  $(\omega^t, b^t)$  cuts a cluster **then**
- 18 | Set  $k^{t+1} \leftarrow k^t$ .
- 19 **for** each cluster that is cut by the hyperplane  $(\omega^t, b^t)$  **do**
- 20 | Split the cluster into two new clusters so that neither of the two new  
clusters is cut by the hyperplane  $(\omega^t, b^t)$ .
- 21 | Update the centroids of the newly created clusters.
- 22 | Set  $k^{t+1} \leftarrow k^{t+1} + 1$ .
- 23 **end**
- 24 | Update  $t \leftarrow t + 1$  and back to Step 2.
- 25 **else**
- 26 | Return the hyperplane  $(\omega^t, b^t)$  as well as  $\xi^t, \eta^t, z^t$ .
- 27 **end**

---

**Theorem 5.** Consider  $X, y, C_1, C_2, \tau$ , as well as  $c^1, \dots, c^{k^t}$  and  $e_1, \dots, e_{k^t}$  in an iteration  $t$  of Algorithm 1. Then, the optimal solution  $(\bar{\omega}^t, \bar{b}^t, \bar{\xi}^t, \bar{\eta}^t, \bar{z}^t)$  of Problem (P4) provides an upper bound

$$\tilde{f}_t := \frac{\|\bar{\omega}^t\|^2}{2} + C_1 \sum_{i=1}^n \bar{\xi}_i + C_2(\bar{\eta}_1 + \bar{\eta}_2), \quad (5)$$

with

$$\tilde{z}_j = \begin{cases} 1, & \text{if } (\bar{\omega}^t)^\top \tilde{c}_j + \bar{b}^t \geq 0, \\ 0, & \text{otherwise,} \end{cases} \quad (6)$$

and

$$\bar{\eta}_1 = \max \left\{ 0, \tau - \sum_{j=1}^s e_j \tilde{z}_j \right\}, \quad \bar{\eta}_2 = \max \left\{ 0, \sum_{j=1}^s e_j \tilde{z}_j - \tau \right\}, \quad (7)$$

for Problem (P4) with  $c^1, \dots, c^{k^{t+1}}$  and  $e_1, \dots, e_{k^{t+1}}$  as updated in iteration  $t$  with

$$M = 2\sqrt{2\tilde{f}_t} \max_{i \in [1, N]} \|x^i\| + 1. \quad (8)$$

*Proof.* Consider  $\tilde{z}$  as given in (6) and  $\tilde{\eta}_1, \tilde{\eta}_2$  as given in (7). We now show that  $(\bar{\omega}^t, \bar{b}^t, \bar{\xi}^t, \bar{z}, \bar{\eta})$  is a feasible point for Problem (P4). Indeed, Constraints (P4b) and (P4e)–(P4h) are clearly satisfied. Moreover,  $(\bar{\omega}^t, \bar{b}^t, \bar{\xi}^t, \bar{\eta}^t, \bar{z}^t)$  provides the objective function value given by (5) and

$$\|\bar{\omega}^t\| \leq \sqrt{2\tilde{f}_t}, \quad |\bar{b}^t| \leq \|\bar{\omega}^t\| \max_{i \in [1, N]} \|x^i\| + 1,$$

see the proof of Lemma 1. This together with  $\|c^j\| \leq \max_{i \in [n+1, N]} \|x^i\|$  implies

$$(\bar{\omega}^t)^\top c^j + \bar{b}^t \leq \|\bar{\omega}^t\| \max_{i \in [n+1, N]} \|x^i\| + |\bar{b}^t| \leq 2\sqrt{2\tilde{f}_t} \max_{i \in [1, N]} \|x^i\| + 1 = M$$

and

$$(\bar{\omega}^t)^\top c^j + \bar{b}^t \geq -M.$$

Hence, Constraints (P4c) and (P4d) are satisfied. Since  $(\bar{\omega}^t, \bar{b}^t, \bar{\xi}^t, \bar{z}, \bar{\eta})$  is a feasible point for Problem (P4),  $\tilde{f}_t$  is an upper bound for Problem (P4).  $\square$

Using Theorem 5, we can update  $M$  in each iteration of Algorithm 2 as in (8). The following theorem establishes that as Algorithm 1, Algorithm 2 always terminates after finitely many iterations.

**Theorem 6.** *The Algorithm 2 terminates after at most*

$$2m - k^1 + \frac{(1 - \hat{\Delta}^1)}{\tilde{\Delta}}$$

*iterations, where  $m$  is the number of unlabeled data points,  $k^1$  is the number of initial clusters, and  $\hat{\Delta}^1, \tilde{\Delta}$  are inputs of Algorithm 2.*

*Proof.* In Algorithm 2, the number of iterations can only be greater as in Algorithm 1 if there is some iteration  $t$  for which  $\mathcal{J}^t \neq \emptyset$  holds but the hyperplane does not cut any cluster. At each iteration in which this happens,  $\hat{\Delta}^t$  is increased and, in the worst case, i.e.,

$$\hat{t} := m - k^1 + \frac{(1 - \hat{\Delta}^1)}{\tilde{\Delta}},$$

we get  $\hat{\Delta}^{\hat{t}} = 1$ . This implies that for all further iterations  $t$ ,

$$\Delta^t = \max_{j \in [1, k^t]} |(\omega^t)^\top c^j + b^t|$$

holds. Thus, no cluster is added to the set  $\mathcal{G}^t$ . Since  $|\mathcal{G}^t| \leq m$  and  $\mathcal{J}^t \subset \mathcal{G}^t$ , Algorithm 2 can only have  $m$  more iterations with  $\mathcal{J}^t \neq \emptyset$ . This means that the maximum number of iterations is  $2m - k^1 + (1 - \hat{\Delta}^1)/\tilde{\Delta}$ .  $\square$

Note that the objective function value obtained by Algorithm 2 is an upper bound for the objective function value of Problem (P3).

**Theorem 7.** *Let  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  be the point found by Algorithm 2. Then*

$$\bar{f} := \frac{\|\bar{\omega}\|^2}{2} + C_1 \sum_{i=1}^n \bar{\xi}_i + C_2(\bar{\eta}_1 + \bar{\eta}_2)$$

*is an upper bound of Problem (P3) with  $M = 2\sqrt{2\bar{f}} \max_{i \in [1, N]} \|x^i\| + 1$ .*

*Proof.* Since Algorithm 2 terminates when no cluster changes the side and no cluster is cut by the hyperplane, the proof is the same as for Theorem 5.  $\square$

## 5. USING IRCM FOR WARM-STARTING

As stated in Theorem 7, the solution found by Algorithm 2 is feasible for Problem (P3). Hence, we can use it for warm-starting the solution process of Problem (P3). The next lemma establishes that unlabeled points can be fixed to be in one side of the hyperplane.

**Lemma 8.** *Let  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  be a feasible point of Problem (P3) with objective function value  $\bar{f}$ . Furthermore, let  $(\omega^*, b^*, \xi^*, \eta^*, z^*)$  be an optimal solution of Problem (P3) with objective function value  $f^*$ . Set*

$$P_u := \{i \in [n+1, N]: (\omega^*)^\top x^i + b^* > 0\},$$

$$N_u := \{i \in [n+1, N]: (\omega^*)^\top x^i + b^* < 0\},$$

and let  $S_p \subseteq P_u$ ,  $S_n \subseteq N_u$  be arbitrarily chosen subsets and let  $x^s \notin S_n$  be an unlabeled point with  $\bar{\omega}^\top x^s + \bar{b} < 0$ . Then, the objective function value  $\bar{f}$  given by any feasible point of the problem

$$\min_{\omega, b, \xi, \eta, z} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i + C_2(\eta_1 + \eta_2) \quad (\text{P5a})$$

$$\text{s.t. } y_i(\omega^\top x^i + b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P5b})$$

$$\omega^\top x^i + b \leq z_i M, \quad i \in [n+1, N] \setminus (\{s\} \cup S_p \cup S_n), \quad (\text{P5c})$$

$$\omega^\top x^i + b \geq -(1 - z_i)M, \quad i \in [n+1, N] \setminus (\{s\} \cup S_p \cup S_n), \quad (\text{P5d})$$

$$\omega^\top x^i + b \geq 0, \quad i \in S_p, \quad (\text{P5e})$$

$$\omega^\top x^i + b \leq 0, \quad i \in S_n, \quad (\text{P5f})$$

$$0 \leq \omega^\top x^s + b \leq z_s M, \quad (\text{P5g})$$

$$\tau - \eta_1 \leq |S_p| + \sum_{i \in [n+1, N] \setminus (S_p \cup S_n)} z_i \leq \tau + \eta_2, \quad (\text{P5h})$$

$$\xi_i \geq 0, \quad i \in [1, n], \quad (\text{P5i})$$

$$\eta_1, \eta_2 \geq 0, \quad (\text{P5j})$$

$$z_i \in \{0, 1\}, \quad i \in [n+1, N] \setminus (S_p \cup S_n), \quad (\text{P5k})$$

with  $M$  as defined in (8), satisfies the following properties:

- (a)  $\bar{f}$  is an upper bound for  $f^*$ ,
- (b) if  $\bar{f}$  is the optimal objective function value of Problem (P5) and  $\bar{f} < \tilde{f}$  is satisfied, it holds  $(\omega^*)^\top x^s + b^* < 0$ , i.e.,  $x^s \in N_u$ .

*Proof.* (a) The points that satisfy Constraints (P5b)–(P5k) are feasible for Problem (P3) and provide an objective function value  $\tilde{f}$ . Since  $f^*$  is the optimal objective function value of Problem (P3),  $f^* \leq \tilde{f}$  holds.

- (b) Consider by contradiction that  $(\omega^*)^\top x^s + b^* \geq 0$  holds. This means that  $(\omega^*, b^*, \xi^*, \eta^*, z^*)$  satisfies (P5b)–(P5k). Moreover, since  $\tilde{f}$  is the objective function for Problem (P5), we get  $f^* = \tilde{f}$ . However,  $f^* \leq \bar{f}$  holds. Thus,

$$f^* \leq \bar{f} < \tilde{f} = f^*$$

yields a contradiction.  $\square$

Note that the last lemma can be adapted for the case  $\bar{\omega}^\top x^s + \bar{b} > 0$ . In this case, the constraints (P5g) need to be replaced with

$$-(1 - z_s)M \leq \omega^\top x^s + b \leq 0 \quad (9)$$

and (b) needs to be replaced with  $(\omega^*)^\top x^s + b^* > 0$ , i.e.,  $x^s \in P_u$ . Note that the more points we have fixed on one side, the solution of Problem (P3) tends to be faster as there are fewer binary variables.

Moreover, the solution of Problem (P3) can be found by solving the problem

$$\min_{\omega, b, \xi, \eta, z} \frac{\|\omega\|^2}{2} + C_1 \sum_{i=1}^n \xi_i + C_2(\eta_1 + \eta_2) \quad (\text{P6a})$$

$$\text{s.t. } y_i(\omega^\top x^i - b) \geq 1 - \xi_i, \quad i \in [1, n], \quad (\text{P6b})$$

$$\omega^\top x^i + b \leq z_i M, \quad i \in [n+1, N] \setminus (S_p \cup S_n), \quad (\text{P6c})$$

$$\omega^\top x^i + b \geq -(1 - z_i)M, \quad i \in [n+1, N] \setminus (S_p \cup S_n), \quad (\text{P6d})$$

$$\omega^\top x^i + b \geq 0, \quad i \in S_p, \quad (\text{P6e})$$

$$\omega^\top x^i + b \leq 0, \quad i \in S_n, \quad (\text{P6f})$$

$$\tau - \eta_1 \leq |S_p| + \sum_{i \in [n+1, N] \setminus (S_p \cup S_n)} z_i \leq \tau + \eta_2, \quad (\text{P6g})$$

$$\xi_i \geq 0, \quad i \in [1, n], \quad (\text{P6h})$$

$$\eta_1, \eta_2 \geq 0 \quad (\text{P6i})$$

$$z_i \in \{0, 1\}, \quad i \in [n+1, N] \setminus (S_p \cup S_n), \quad (\text{P6j})$$

where  $S_p$  and  $S_n$  are subsets of  $P_u$  and  $N_u$ , respectively.

Based on these results, we propose the following. We compute the point  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  using Algorithm 2, leading to an objective function value  $\bar{f}$  for Problem (P3). Afterward, we sort the indices  $i \in \{n+1, N\}$ , indicated by the permutation  $\alpha : \{n+1, N\} \rightarrow \{n+1, N\}$ , so that  $|\bar{\omega}^\top x^{\alpha(i)} + \bar{b}| \geq |\bar{\omega}^\top x^{\alpha(i)+1} + \bar{b}|$  holds.

Consider now a given and fixed parameter  $B_{\max}$ , a factor  $\gamma \in (1, m/B_{\max}]$ , and let  $\beta$  be  $\gamma B_{\max}$  rounded to the next integer. While the number of fixed points is smaller than  $B_{\max}$ , we do the following. For  $i \in \{1, \dots, \beta\}$ , if  $\bar{\omega}^\top x^{\alpha(i)} + \bar{b} < 0$  holds, we try to solve Problem (P5) using the limit time of  $T_{\max}$  and the upper bound  $\bar{f}$ . If there is a feasible point of this problem, we set  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  to this point and update the objective function value  $\bar{f}$  accordingly. If no feasible point could be computed and if the limit time was not reached, we fix  $x^s$  to be in the negative side.

Similarly, we do the same if  $\bar{\omega}^\top x^{\alpha(i)} + \bar{b} > 0$  holds with (P5g) replaced by (9). The method is formally described in Algorithm 3.

## 6. NUMERICAL RESULTS

In this section, we present and discuss our computational results that illustrate the benefits of knowing the total amount of each class of unlabeled data and of using our approaches to speed up the solution process. We evaluate this on different test sets from the literature. The test sets are described in Section 6.1, while the computational setup is depicted in Section 6.2. The evaluation criteria are described in Section 6.3 and the numerical results are discussed in Section 6.4.

**6.1. Test Sets.** For the computational analysis of the proposed approaches, we consider the subset of instances presented by Olson et al. (2017) that are suitable for classification problems and that have at most three classes. We restrict ourselves to instances of at most three classes to obtain an overall test set of manageable size. Repeated instances are removed and instances with missing information are reduced to the observations without missing information. If three classes are given

**Algorithm 3:** Improved & Warm-Started Re-Clustering Method (WIRCM)

---

**Input:**  $X \in \mathbb{R}^{d \times N}$ ,  $y \in \{-1, 1\}^n$ ,  $k^1 \in \mathbb{N}$ ,  $C_1 > 0$ ,  $C_2 > 0$ ,  $\tau \in \mathbb{N}$ ,  
 $\hat{\Delta}^1 \in (0, 1)$ ,  $\hat{\Delta} \in (0, 1)$ ,  $\mathcal{G}^1 = \emptyset$ ,  $k^+ \in \mathbb{N}$ ,  $T_{\max} > 0$ ,  $B_{\max} \in \mathbb{N}$ , and  
 $\gamma \in (1, m/B_{\max}]$ .

- 1 Compute the hyperplane  $(\bar{\omega}, \bar{b})$  and  $\bar{\xi}, \bar{\eta}, \bar{z}$  using Algorithm 2, leading to the objective function value  $\bar{f}$ . Let  $M$  be the last  $M^t$  of Algorithm 2.
- 2 Sort the indices  $i \in \{n+1, N\}$  such that  $|\bar{\omega}^\top x^{\alpha(i)} + \bar{b}| \geq |\bar{\omega}^\top x^{\alpha(i)+1} + \bar{b}|$  holds and set  $\beta$  to be  $\gamma B_{\max}$  rounded to the next integer.
- 3 **for**  $i \in \{1, \dots, \beta\}$  **do**
- 4 **if**  $|S_p| + |S_n| \leq B_{\max}$  **then**
- 5 **if**  $\bar{\omega}^\top x^s + \bar{b} < 0$  **then**
- 6 Solve Problem (P5) with upper bound  $\bar{f}$  and a time limit  $T_{\max}$ .
- 7 **if** *there is a feasible point* **then**
- 8 | update  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$ , and  $\bar{f}$
- 9 **else if**  $T_{\max}$  *was not reached* **then**
- 10 |  $S_n \leftarrow S_n \cup \{s\}$
- 11 **end**
- 12 **else if**  $\bar{\omega}^\top x^s + \bar{b} > 0$  **then**
- 13 Solve the problem (P5) with (P5g) replaced by (9), using  $\bar{f}$  as an upper bound and a time limit of  $T_{\max}$ .
- 14 **if** *there is a feasible point* **then**
- 15 | update  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$ , and  $\bar{f}$
- 16 **else if**  $T_{\max}$  *was not reached* **then**
- 17 |  $S_p \leftarrow S_p \cup \{s\}$
- 18 **end**
- 19 **end**
- 20 **end**
- 21 **end**
- 22 Compute the solution  $(\omega^*, b^*, \xi^*, \eta^*, z^*)$  of Problem (P6) with  $(\bar{\omega}, \bar{b}, \bar{\xi}, \bar{\eta}, \bar{z})$  value and  $\bar{f}$  as an upper bound.

---

in an instance, we transform them into two classes such that the class with label 1 represents the positive class, and the other two classes represent the negative class. This results in the 97 instances that are listed in Table 1 including their size and their dimension.

To avoid numerical instabilities, we re-scale all data sets as follows. For each coordinate  $j \in [1, d]$ , we compute

$$l_j = \min_{i \in [1, N]} \{x_j^i\}, \quad u_j = \max_{i \in [1, N]} \{x_j^i\}, \quad m_j = 0.5(l_j + u_j)$$

and shift each coordinate  $j$  of all data points  $x^i$  via  $\bar{x}_j^i = x_j^i - m_j$ . If we do this for all data points, they get centered around the origin. Moreover, if a coordinate  $j$  of the re-scaled points is still large, i.e., if  $\tilde{l}_j = l_j - m_j < -10^2$  or  $\tilde{u}_j = u_j - m_j > 10^2$  holds, it is re-scaled via

$$\tilde{x}_j^i = (\bar{v} - v) \frac{\bar{x}_j^i - \tilde{l}_j}{\tilde{u}_j - \tilde{l}_j} + \bar{v},$$

with  $\bar{v} = 10^2$  and  $v = -10^2$ . The corresponding 29 instances that we re-scaled are marked with an asterisk in Table 1.

Table 1: Overview over the entire test set

ID	Instance	$N$	$d$
1	prnn_synth	250	2
2*	analcata_data_asbestos	73	3
3*	lupus	87	3
4	analcata_data_boxing1	120	3
5	analcata_data_boxing2	132	3
6	haberman	289	3
7	analcata_data_happiness	60	3
8*	analcata_data_aids	50	4
9	analcata_data_lawsuit	263	4
10	iris	147	4
11	hayes_roth	93	4
12	balance_scale	625	4
13	parity5	32	5
14*	bupa	341	5
15	irish	470	5
16	phoneme	5349	5
17	tae	110	5
18	new_thyroid	215	5
19*	analcata_data_bankruptcy	50	6
20*	analcata_data_creditscore	100	6
21	mux6	64	6
22	monk3	357	6
23	monk1	432	6
24	monk2	432	6
25	appendicitis	106	7
26	prnn_crabs	200	7
27*	penguins	333	7
28	postoperative_patient_data	78	8
29*	biomed	209	8
30*	pima	768	8
31*	cars	392	8
32	analcata_data_japansolvent	52	9
33	glass2	162	9
34	breast_cancer	272	9
35	saheart	462	9
36	threeOf9	512	9
37	profb	672	9
38	breast_w	463	9
39	tic_tac_toe	958	9
40	xd6	512	9
41	cmc	1425	9
42	analcata_data_cyyoung9302	92	10
43	analcata_data_cyyoung8092	97	10
44	breast	691	10
45	flare	315	10
46	parity5+5	1024	10
47	magic	18905	10
48	analcata_data_fraud	42	11
49	heart_statlog	270	13

50	heart_h	293	13
51	hungarian	293	13
52*	cleve	302	13
53*	heart_c	302	13
54	wine_recognition	178	13
55*	australian	690	14
56*	adult	48790	14
57*	schizo	340	14
58*	buggyCrx	690	15
59	labor	57	16
60	house_votes_84	342	16
61	hepatitis	155	19
62*	credit_g	1000	20
63	gametes_e_0.1H	1599	20
64	gametes_e_0.4H	1600	20
65	gametes_e_0.2H	1600	20
66	gametes_h_50	1592	20
67	gametes_h_75	1599	20
68*	churn	5000	20
69*	ring	7400	20
70	twonorm	7400	20
71	waveform_21	5000	21
72	ann_thyroid	7129	21
73	spect	228	22
74	horse_colic	357	22
75	agaricus_lepiota	8124	22
76*	hypothyroid	3086	25
77*	dis	3711	29
78*	allhypo	3709	29
79*	allbp	3711	29
80*	breast_cancer_wisconsin	569	30
81	backache	180	32
82	ionosphere	351	34
83	chess	3196	36
84	waveform_40	5000	40
85	connect_4	67557	42
86	spectf	267	44
87*	tokyo1	959	44
88	molecular_biology_promoters	106	57
89*	spambase	4210	57
90	sonar	208	60
91	splice	2903	60
92	coil2000	8380	85
93*	Hill_Valley_without_noise	1212	100
94*	clean1	476	168
95*	clean2	6598	168
96	dna	3002	180
97	gametes_e_1000atts	1600	1000

---

In our computational study, we want to highlight the importance of cardinality constraints, especially for the case of non-representative biased samples. Biased



samples occur frequently in non-probability surveys, which are surveys for which the inclusion process is not monitored and, hence, the inclusion probabilities are unknown as well. Correction methods like inverse inclusion probability weighting are therefore not applicable. For an insight into inverse inclusion probability weighting, see Skinner and D’arrigo (2011) and references therein.

To mimic this situation, we create 5 biased samples with 10% of the data being labeled for each instance. Different from a simple random sample in which each point has an equal probability of being chosen as labeled data, in the biased sample, the labeled data is chosen with probability 85% for being on the positive side of the hyperplane. Then, for each instance, with a time limit of 3600s, we apply the approaches listed in Section 6.2. In Appendix B, we also provide the results under simple random sampling, which produces unbiased samples. We see that the results from the proposed methods are similar to the plain SVM in that setting. Hence, besides the additional computational burden, there is no downside to use the proposed method in case of an unknown sampling process.

**6.2. Computational Setup.** Our algorithm has been implemented in Julia 1.8.5 and we use Gurobi 9.5.2 and JuMP (Dunning et al. 2017) to solve Problem (P1), (P3), and (P4). All computations were executed on the high-performance cluster “Elwetritsch”, which is part of the “Alliance of High-Performance Computing Rheinland-Pfalz” (AHRP). We used a single Intel XEON SP 6126 core with 2.6 GHz and 64 GB RAM.

For each one of the 485 instances described in Section 6.1, the following approaches are compared:

- (a) SVM as given in Problem (P1), where only labeled data are considered;
- (b) CS<sup>3</sup>VM as given in Problem (P3) with  $M$  as given in (1);
- (c) IRCM as described in Algorithm 2;
- (d) WIRCM as described in Algorithm 3.

Based on our preliminary experiments, we set the penalty parameters  $C_1 = C_2 = 1$ . For WIRCM, we impose a time limit for solving Problem (P5) of  $T_{\max} = 40$  s. Moreover, we choose  $\gamma = 1.2$  and the maximum number  $B_{\max}$  of unlabeled points that can be fixed as

$$B_{\max} = \begin{cases} 0.2m, & \text{if } m \in [1, 100], \\ 0.25m, & \text{if } m \in (100, 500], \\ 0.35m, & \text{if } m \in (500, 1000], \\ 0.45m, & \text{otherwise.} \end{cases}$$

Finally, for IRCM and WIRCM, we set  $\hat{\Delta}_0 = 0.8$ ,  $\tilde{\Delta} = 0.1$ ,  $k^+ = 50$ , and the initial number of clusters is set to

$$k^1 = \begin{cases} 10, & \text{if } m \in [1, 500], \\ 20, & \text{if } m \in (500, 1000], \\ 50, & \text{otherwise.} \end{cases}$$

**6.3. Evaluation Criteria.** The first evaluation criterion is the run time of CS<sup>3</sup>VM, IRCM, and WIRCM. We do not compare the run time to solve the SVM problem with the mentioned three approaches because it is a different problem. The results will help to contextualize other evaluation criteria such as accuracy and precision. To compare run times, we use empirical cumulative distribution functions (ECDFs). Specifically, for  $S$  being a set of solvers (or approaches as above) and for  $P$  being a set of problems, we denote by  $t_{p,s} \geq 0$  the run time of approach  $s \in S$  applied to problem  $p \in P$  in seconds. If  $t_{p,s} > 3600$ , we consider

problem  $p$  as not being solved by approach  $s$ . With these notations, the performance profile of approach  $s$  is the graph of the function  $\gamma_s : [0, \infty) \rightarrow [0, 1]$  given by

$$\gamma_s(\sigma) = \frac{1}{|P|} |\{p \in P : t_{p,s} \leq \sigma\}|.$$

The second evaluation criterion is based on Theorem 5, where we show that the objective function value of the point obtained by IRCM is an upper bound for CS<sup>3</sup>VM, and consequently for Problem (P4) that is solved with WIRCM. Based on that, we compare how close the objective function values obtained from CS<sup>3</sup>VM, IRCM, and WIRCM are to the optimal solution. To this end, we use ECDFs with

$$t_{p,s} := \frac{b_{p,s} - f_p^*}{f_p^*}, \quad (10)$$

where  $f_p^*$  is the optimal objective function value of problem  $p$  and  $b_{p,s}$  is the objective function value obtained by approach  $s$ .

Besides that, for each instance and for each approach described in Section 6.2, after computing the hyperplane  $(\omega, b)$ , we classify all points  $x^i$  as being on the positive side if  $\omega^\top x^i + b > 0$  and as being on the negative side if  $\omega^\top x^i + b < 0$  holds. For CS<sup>3</sup>VM and WIRCM, if the hyperplane  $(\omega, b)$  satisfies  $\omega^\top x^i + b = 0$  for some unlabeled point  $x^i$ , we classify this point as positive or negative depending on the respective binary variable  $z_i$ . On the other hand, for IRCM, if  $\omega^\top x^i + b = 0$  for some unlabeled point  $x^i$ , we classify this point as positive or negative depending on  $z_j$  with  $j$  so that  $x^i \in \mathcal{C}_j$ . For the labeled points in these three approaches and for all points in the SVM, if  $\omega^\top x^i + b = 0$  holds, we classify the point on the correct side. Note that for the cases in which the IRCMs take more than 3600s to solve the instance, we use the last hyperplane found by the algorithm. If we hit the time limit in Gurobi when solving CS<sup>3</sup>VM (either standalone or in the final phase of the WIRCM), we take the best solution found so far.

Knowing the true label of all points, we then distinguish all points in four categories: true positive (TP) or true negative (TN) if the point is classified correctly in the positive or negative class, respectively, as well as false positive (FP) if the point is misclassified in the positive class and as false negative (FN) if the point is misclassified in the negative class. Based on that we compute two classification metrics, for which a higher value indicates a better classification. The first one is accuracy (AC). It measures the proportion of correctly classified points and is given by

$$\text{AC} := \frac{\text{TP} + \text{TN}}{\text{TP} + \text{TN} + \text{FP} + \text{FN}} \in [0, 1]. \quad (11)$$

The second metric is precision (PR). It measures the proportion of correctly classified points among all positively classified points and is computed by

$$\text{PR} := \frac{\text{TP}}{\text{TP} + \text{FP}} \in [0, 1]. \quad (12)$$

The main comparison in terms of accuracy and precision is w.r.t. the “true hyperplane”, i.e., the solution of Problem (P1) on the complete data with all  $N$  points and all labels available. The main question is how close the accuracy and precision is to the one of the true hyperplane. Hence, we compute the ratios of the accuracy and precision according to

$$\widehat{\text{AC}} := \frac{\text{AC}}{\text{AC}_{\text{true}}}, \quad \widehat{\text{PR}} := \frac{\text{PR}}{\text{PR}_{\text{true}}}, \quad (13)$$

where  $\text{AC}_{\text{true}}$  and  $\text{PR}_{\text{true}}$  are computed as in Equations (11) and (12) for the true hyperplane.




FIGURE 1. ECDFs for run time (in seconds).




FIGURE 2. ECDFs for the quality of the obtained upper bounds.

We also compare the measures with the SVM method, which only considers the information of the labeled data. For this purpose, we compute

$$\overline{AC} := \frac{AC - AC_{SVM}}{AC_{SVM}}, \quad \overline{PR} := \frac{PR - PR_{SVM}}{PR_{SVM}}, \quad (14)$$

where  $AC_{SVM}$  and  $PR_{SVM}$  are computed as in (11) and (12) for the SVM hyperplane. To keep the numerical results section concise, we report on recall and the false positive rate in Appendix A.

## 6.4. Numerical Results.

6.4.1. *Run Time.* Figure 1 shows the ECDFs for the measured run times. It can be seen that the IRCM outperforms both CS<sup>3</sup>VM and WIRCM. This shows that the idea to cluster unlabeled data points significantly decreases the run time. However, we need to be careful with the interpretation of these run times since termination of the IRCM does not imply that a globally optimal point is found, whereas this is guaranteed CS<sup>3</sup>VM and the WIRCM. The quality of the points found by the IRCM will be discussed in the next section. The figure also clearly indicates that Problem (P2) is rather challenging: Even IRCM, which terminates for the most instances within the time limit (indicated by the gray and dashed vertical line) only does so for 57% of the instances. Note that the WIRCM has the worst efficiency. This obviously needs to be the case since due to Step 1 of Algorithm 3, its run time always includes the run time of the IRCM.




FIGURE 3. Relative accuracy  $\widehat{AC}$  w.r.t. the true hyperplane; see (13). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.

6.4.2. *Quality of the Obtained Upper Bounds.* As discussed in the last section, for some instances none of the three approaches terminate within the given time limit. This means we do not obtain the optimal objective function value for these instances, which we, moreover, can only provably obtain by CS<sup>3</sup>VM and the WIRCM. In fact, we have the optimal solution for 179 instances. These are the baseline instances for Figure 2, which shows the ECDFs for the upper bound quality, as defined by using  $t_{p,s}$  in (10). Note that the IRCM finds an objective function value rather close to the optimal value (with  $t_{ps} \leq 0.2$ , see the gray dashed vertical line) in 90% of these instances. Besides that, the WIRCM outperforms CS<sup>3</sup>VM in this comparison, which means using the IRCM as a warm start improves the result.

The consequences of the results so far are the following. If one is interested in getting a rather good feasible point as quickly as possible, one should use the IRCM. If one is able to spend some more run time, one should use the WIRCM. Hence, both novel methods derived in this paper have their advantage over just solving the CS<sup>3</sup>VM with a standard MIQP solver.

6.4.3. *Accuracy.* As can be seen in Figure 3, the relative accuracy  $\widehat{AC}$  (w.r.t. the true hyperplane) of CS<sup>3</sup>VM, the IRCM, and the WIRCM are closer to one than the relative accuracy of SVM—especially for the unlabeled data. That is, our approaches re-produce the classification of the true hyperplane with higher accuracy than the standard SVM does. Hence, all newly proposed methods outperform the standard SVM approach in this setting. Besides that, the relative accuracy of the SVM is more spread than the one of the other algorithms, indicating that there is comparable more variation in the results as compared the results of the three novel approaches.

The box in the boxplot depicts the range of the central 50% of the values; 25% of the values are below and 25% are above the box. As can be seen in Figure 4, in almost 75% of the cases, CS<sup>3</sup>VM, the IRCM, and the WIRCM have  $\overline{AC}$  values larger than zero, where zero means same accuracy as the SVM itself. That is, in general, our methods have greater accuracy than the SVM. Though, some cases indicate worse  $\overline{AC}$  for our methods than for the SVM. This happens because for some instances, the methods (mainly for CS<sup>3</sup>VM; see also Figure 1) do not terminate within the time limit. Hence, we expect that the number of negative values will decrease if we increase the time limit.

6.4.4. *Precision.* As can be seen in Figure 5, the SVM's relative precision  $\widehat{PR}$  is lower than the relative precision of the newly proposed methods. This means that




FIGURE 4. Accuracy values  $\overline{AC}$  w.r.t. the SVM; see (14). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.



FIGURE 5. Relative precision  $\widehat{PR}$  w.r.t. the true hyperplane as; see (13). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.

the new approaches re-produce the classification of the true hyperplane with higher precision than the original SVM. Hence, SVM has more false-positive results. This happens because the biased sample is more likely to have positively labeled data and due to having no information about the unlabeled data, the SVM ends up classifying points on the positive side. On the other hand, the  $\widehat{PR}$  values of the IRCM and the WIRCM are less spread than the ones of CS<sup>3</sup>VM. The reason most likely is that the CS<sup>3</sup>VM approach terminates on fewer instances than the IRCM and the WIRCM. Moreover, as it was the case for the relative accuracy  $\widehat{AC}$ , the relative precision  $\widehat{PR}$  of the SVM is more spread than those of the other algorithms.

Finally, Figure 6 shows that CS<sup>3</sup>VM, the IRCM, and the WIRCM have slightly higher  $\widehat{PR}$  values than 0, which is the baseline here that refers to the SVM itself. This means, our methods are slightly more precise than the SVM. The negative outliers most likely are due to the same reason as those for the respective accuracy values.

## 7. CONCLUSION

For many classification problems, it can be costly to obtain labels for the entire population of interest. However, aggregate information on how many points are in each class can be available from external sources. For this situation, we proposed a semi-supervised SVM that can be modeled via a big- $M$ -based MIQP formulation.




FIGURE 6. Precision values  $\overline{\text{PR}}$  w.r.t. the SVM; see (14). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.

We also presented a rule for updating the big- $M$  in an iterative re-clustering method and derived further computational techniques such as tailored dimension reduction and warm-starting to reduce the computational cost.

In case of simple random samples, our proposed semi-supervised methods perform as good as the classic SVM approach. However, in many applications, the available data is coming from non-probability samples. Hence, there is the risk of obtaining biased samples. Our numerical study shows that our approaches have better accuracy and precision than the original SVM formulation in this setting.

The problem of considering a cardinality constraint is computationally challenging. Our proposed clustering approach significantly helps to decrease the run time and to find an objective function value that is very close to the optimal value. Besides that, the clustering approach maintains the same accuracy and precision as the MIQP formulation. Moreover, using the clustering approach as a warm-start and fixing some unlabeled points on one side of the hyperplane helps to improve the quality of the objective function value again. Hence, the newly proposed methods lead to a significant improvement compared to just solving the classic MIQP formulation using a standard solver.

In this paper, we consider only the linear SVM kernel. For future work, the development of methods for other kernels, such as a Gaussian kernel, can be a valuable topic. Another possible direction of future research is to adapt our approaches for multiclass SVMs using a one-vs.-rest strategy.

#### ACKNOWLEDGEMENTS

The authors thank the DFG for their support within RTG 2126 “Algorithmic Optimization”.

#### REFERENCES

- Almasi, O. N. and M. Rouhani (2016). “Fast and de-noise support vector machine training method based on fuzzy clustering method for large real world datasets.” In: *Turkish Journal of Electrical Engineering and Computer Sciences* 24, pp. 219–233. DOI: [10.3906/elk-1304-139](https://doi.org/10.3906/elk-1304-139).
- Almeida, M. B. de, A. de Pádua Braga, and J. P. Braga (2000). “SVM-KM: speeding SVMs learning with a priori cluster selection and k-means.” In: *Proceedings. Vol.1. Sixth Brazilian Symposium on Neural Networks*, pp. 162–167. DOI: [10.1109/SBRN.2000.889732](https://doi.org/10.1109/SBRN.2000.889732).

- Aloise, D., A. Deshpande, P. Hansen, and P. Popat (2009). “NP-hardness of Euclidean sum-of-squares clustering.” In: *Machine Learning* 75.2, pp. 245–248. DOI: [10.1007/s10994-009-5103-0](https://doi.org/10.1007/s10994-009-5103-0).
- Belkin, M., P. Niyogi, and V. Sindhwani (2006). “Manifold regularization: a geometric framework for learning from labeled and unlabeled examples.” In: *Journal of Machine Learning Research* 7, pp. 2399–2434. URL: <https://www.jmlr.org/papers/v7/belkin06a.html>.
- Bennett, K. P. and A. Demiriz (1998). “Semi-Supervised Support Vector Machines.” In: *Proceedings of the 11th International Conference on Neural Information Processing Systems*. NIPS’98. MIT Press, pp. 368–374. URL: <https://proceedings.neurips.cc/paper/1998/file/b710915795b9e9c02cf10d6d2bdb688c-Paper.pdf>.
- Birzhandi, P., K. T. Kim, and H. Y. Youn (2002). “Reduction of Training Data for Support Vector Machine: A Survey.” In: *Soft Computing* 26.8, pp. 3729–3742. DOI: [10.1007/s00500-022-06787-5](https://doi.org/10.1007/s00500-022-06787-5).
- Birzhandi, P. and H. Y. Youn (2019). “CBCH (Clustering-Based Convex Hull) for Reducing Training Time of Support Vector Machine.” In: *The Journal of Supercomputing* 75.8, pp. 5261–5279. DOI: [10.1007/s11227-019-02795-9](https://doi.org/10.1007/s11227-019-02795-9).
- Boser, B. E., I. M. Guyon, and V. N. Vapnik (1992). “A Training Algorithm for Optimal Margin Classifiers.” In: *Proceedings of the Fifth Annual Workshop on Computational Learning Theory*. COLT ’92. Pittsburgh, Pennsylvania, USA: ACM Press, pp. 144–152. DOI: [10.1145/130385.130401](https://doi.org/10.1145/130385.130401).
- Cervantes, J., X. Li, and W. Yu (2006). “Support Vector Machine Classification Based on Fuzzy Clustering for Large Data Sets.” In: vol. 4293. Springer-Verlag, pp. 572–582. DOI: [10.1007/11925231\\_54](https://doi.org/10.1007/11925231_54).
- Chapelle, O., M. Chi, and A. Zien (2006). “A Continuation Method for Semi-Supervised SVMs.” In: *Proceedings of the 23rd International Conference on Machine Learning*. ICML ’06. New York, NY, USA: Association for Computing Machinery, pp. 185–192. DOI: [10.1145/1143844.1143868](https://doi.org/10.1145/1143844.1143868).
- Chapelle, O. and A. Zien (2005). “Semi-Supervised Classification by Low Density Separation.” In: *Proceedings of the Tenth International Workshop on Artificial Intelligence and Statistics*. Ed. by R. G. Cowell and Z. Ghahramani. Vol. R5. Proceedings of Machine Learning Research. PMLR, pp. 57–64. URL: <http://proceedings.mlr.press/r5/chapelle05b/chapelle05b.pdf>.
- Cortes, C. and V. Vapnik (1995). “Support Vector Networks.” In: *Machine Learning* 20, pp. 273–297. DOI: [10.1007/BF00994018](https://doi.org/10.1007/BF00994018).
- Dasgupta, S. (2007). “The hardness of k-means clustering.” In: URL: <https://cseweb.ucsd.edu/~dasgupta/papers/kmeans.pdf>.
- Dunning, I., J. Huchette, and M. Lubin (2017). “JuMP: A Modeling Language for Mathematical Optimization.” In: *SIAM Review* 59.2, pp. 295–320. DOI: [10.1137/15M1020575](https://doi.org/10.1137/15M1020575).
- Hyndman, R. J. and Y. Fan (1996). “Sample Quantiles in Statistical Packages.” In: *The American Statistician* 50.4, pp. 361–365. DOI: [10.2307/2684934](https://doi.org/10.2307/2684934).
- Joachims, T. (2002). “Training Transductive Support Vector Machines.” In: *Learning to Classify Text Using Support Vector Machines*. Springer US, pp. 163–174. DOI: [10.1007/978-1-4615-0907-3\\_9](https://doi.org/10.1007/978-1-4615-0907-3_9).
- Kontonatsios, G., A. J. Brockmeier, P. Przybyła, J. McNaught, T. Mu, J. Y. Goulermas, and S. Ananiadou (2017). “A semi-supervised approach using label propagation to support citation screening.” In: *Journal of Biomedical Informatics* 72, pp. 67–76. DOI: [10.1016/j.jbi.2017.06.018](https://doi.org/10.1016/j.jbi.2017.06.018).
- Lloyd, S. (1982). “Least squares quantization in PCM.” In: *IEEE transactions on information theory* 28.2, pp. 129–137. DOI: [10.1109/TIT.1982.1056489](https://doi.org/10.1109/TIT.1982.1056489).

- MacQueen, J (1967). “Classification and analysis of multivariate observations.” In: *5th Berkeley Symp. Math. Statist. Probability*, pp. 281–297.
- Mahajan, M., P. Nimbhorkar, and K. Varadarajan (2012). “The planar k-means problem is NP-hard.” In: *Theoretical Computer Science* 442, pp. 13–21. DOI: <https://doi.org/10.1016/j.tcs.2010.05.034>.
- Melacci, S. and M. Belkin (2009). “Laplacian Support Vector Machines Trained in the Primal.” In: *Journal of Machine Learning Research* 12. DOI: [10.48550/ARXIV.0909.5422](https://doi.org/10.48550/ARXIV.0909.5422).
- Olson, R. S., W. La Cava, P. Orzechowski, R. J. Urbanowicz, and J. H. Moore (2017). “PMLB: a large benchmark suite for machine learning evaluation and comparison.” In: *BioData Mining* 10.36, pp. 1–13. DOI: [10.1186/s13040-017-0154-4](https://doi.org/10.1186/s13040-017-0154-4).
- Skinner, C. J. and D’arrigo (2011). “Inverse probability weighting for clustered nonresponse.” In: *Biometrika* 98.4, pp. 953–966. DOI: [10.1093/biomet/asr058](https://doi.org/10.1093/biomet/asr058).
- Xu Yu Jing Yang, J.-p. Z. (2012). “A Transductive Support Vector Machine Algorithm Based on Spectral Clustering.” In: *AASRI Procedia* 1. Elsevier Ltd, pp. 384–388. DOI: [10.1016/j.aasri.2012.06.059](https://doi.org/10.1016/j.aasri.2012.06.059).
- Yao, Y., Y. Liu, Y. Yu, H. Xu, W. Lv, Z. Li, and X. Chen (Oct. 2013). “K-SVM: An effective SVM algorithm based on K-means clustering.” In: *Journal of Computers* 8. DOI: [10.4304/jcp.8.10.2632-2639](https://doi.org/10.4304/jcp.8.10.2632-2639).

#### APPENDIX A. FURTHER NUMERICAL RESULTS

Besides the measures of accuracy and precision, we compare two further measures in this section. First, recall (RE) measures the percentage of points with positive label that are actually classified as positive. It is formally given by

$$\text{RE} := \frac{\text{TP}}{\text{TP} + \text{FN}}. \quad (15)$$

Note that for applications such as cancer diagnosis, it is relevant to evaluate recall because it is more important to flag cancer rather than to do not. Also in cases of rare positive labels, recall is often the favored metric. Note that values close to 1 indicate a better classification here.

Second, we also compare the false positive rate (FPR), which measures the probability of points with negative labels being classified as positive:

$$\text{FPR} := \frac{\text{FP}}{\text{TN} + \text{FP}}. \quad (16)$$

This quantity is important in some applications such as quality control, where a false positive can cause more issues than a false negative. Note that for FPR, the lower the value, the better the classification.

The main comparison in terms of recall and false positive rate is w.r.t. the “true hyperplane”, i.e., the solution of Problem (P1) on the complete data with all  $N$  points and all labels available. The main question is how close the recall and false positive rate is to the one of the true hyperplane. Hence, we compute the ratios of the recall and false positive rate according to

$$\widehat{\text{RE}} := \frac{\text{RE}}{\text{RE}_{\text{true}}}, \quad \widehat{\text{FPR}} := \frac{\text{FPR}}{\text{FPR}_{\text{true}}}, \quad (17)$$

where  $\text{RE}_{\text{true}}$  and  $\text{FPR}_{\text{true}}$  are computed as in (15) and (16) for the true hyperplane.

As can be seen in Figure 7, the SVM’s relative recall is a little bit larger than the one of the other methods. As in Section 6.4.4, this happens because the biased sample is more likely to have positive labeled data and having no information about the unlabeled data, the SVM ends up classifying points on the positive side.






FIGURE 7. Relative recall  $\widehat{RE}$  w.r.t. the true hyperplane; see (17). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.




FIGURE 8. Relative false positive rate  $\widehat{FPR}$  w.r.t. the true hyperplane; see (17). Left: Comparison for all data points. Right: Comparison only for unlabeled data points.

Figure 8 shows that  $CS^3VM$ , the  $IRCM$ , and the  $WIRCM$  have lower  $\widehat{FPR}$  values than the original  $SVM$ . This means that the newly proposed methods have a lower false positive rate than the original  $SVM$ . The fact that  $CS^3VM$  terminates for less instances than the  $IRCM$  explains why the  $IRCM$  has a lower relative false positive rate than  $CS^3VM$ . Finally, since the  $WIRCM$  uses the  $IRCM$  for warm-starting, the  $WIRCM$  also has better relative false positive rates than  $CS^3VM$ .

#### APPENDIX B. NUMERICAL RESULTS FOR SIMPLE RANDOM SAMPLES

In Section 6, we focused our computational study on non-representative, biased samples. The common baseline scenario to check the performance of estimators is to apply them on simple random samples. Hence, for completeness, we also present the results under simple random sampling. That is, each unit in the data set has the same probability  $\pi_i = n/N$  to be included into the sample of size  $n$ . The instances are the same as described in Section 6.1. The computational setup follows the description in Section 6.2. As before, the used evaluation criteria are  $\widehat{AC}$ ,  $\widehat{PR}$  as in (13) and  $\widehat{RE}$ ,  $\widehat{FPR}$  as in (17).

Figure 9 and 10 show similar accuracy and precision performance for all approaches. This is as expected, as the sample is not biased and hence the cardinality constraint does not contribute relevant additional information to the problem. Therefore, the  $SVM$  does not tend to classify the points as positive as it is the case




FIGURE 9. Relative accuracy  $\widehat{AC}$  w.r.t. the true hyperplane; see (13), for the simple random samples. Left: Comparison for all data points. Right: Comparison only for unlabeled data points.




FIGURE 10. Relative precision  $\widehat{PR}$  w.r.t. the true hyperplane; see (13), for the simple random samples. Left: Comparison for all data points. Right: Comparison only for unlabeled data points.

for the biased samples. The outliers, mainly present for  $CS^3VM$ , are due those instances that are not solved within the time limit. As can be seen in Figure 11 and 12, recall and false positive rate are also similar for all approaches.

Hence, for the simple random samples our approaches have almost the same results as the SVM. Note that for the biased samples, they outperformed the SVM. Hence, in cases for which the type of sample is not known, it is “safe” to use the newly proposed approaches for classification.

(J. P. Burgard) TRIER UNIVERSITY, DEPARTMENT OF ECONOMIC AND SOCIAL STATISTICS,  
UNIVERSITÄTSRING 15, 54296 TRIER, GERMANY  
*Email address:* burgardj@uni-trier.de

(M. E. Pinheiro, M. Schmidt) TRIER UNIVERSITY, DEPARTMENT OF MATHEMATICS, UNIVER-  
SITÄTSRING 15, 54296 TRIER, GERMANY  
*Email address:* pinheiro@uni-trier.de  
*Email address:* martin.schmidt@uni-trier.de




FIGURE 11. Relative recall  $\widehat{RE}$  w.r.t. the true hyperplane; see (17), for the simple random samples. Left: Comparison for all data points. Right: Comparison only for unlabeled data points.




FIGURE 12. Relative false positive rate  $\widehat{FPR}$  w.r.t. the true hyperplane; see (17), for the simple random samples. Left: Comparison for all data points. Right: Comparison only for unlabeled data points.