

# On Subproblem Tradeoffs in Decomposition and Coordination of Multiobjective Optimization Problems<sup>\*†</sup>

Philip J. de Castro <sup>‡</sup> Margaret M. Wiecek <sup>§</sup>

---

**Abstract:** We propose a two-stage methodology to support decision-making for large/complex multiobjective optimization problems (MOPs) with a decomposable structure, regardless of whether the MOP, due to its size, is solvable in its entirety. During the first stage, the MOP is decomposed into a collection of multiobjective subproblems each of which have fewer objectives than the original MOP. The second stage utilizes the new notion of subproblem tradeoffs, which allow decision makers (DMs) to coordinate the subproblems and select a Pareto efficient solution satisfying their overall and subproblem-level preferences while maintaining a holistic view of the large/complex MOP. We then present three decision-making procedures which capitalize on the insights provided by subproblem tradeoffs. Finally, we demonstrate the effectiveness of the methodology on an example inspired by disaster relief.

*Keywords:* Decision support, Multicriteria decision-making, Decomposition, Complex Systems, Achievement scalarizing functions

*2020 MSC:* 90B50 90C29

---

## 1 Introduction

Multiobjective programs (MOPs) model decision problems governed by multiple and conflicting criteria or objectives that arise in many areas of human activity such as resource management and engineering design. In the presence of conflict, a unique optimal decision is not possible. Rather, the decision maker (DM) is presented with a set of non-improvable decisions known as efficient solutions and with the outcomes of these decisions known as Pareto (nondominated) points. The final goal for the DM is to apply personal preferences, that are not contained in the MOP model, and select a preferred efficient solution as the final decision to be implemented. Solving MOPs therefore involves an optimization stage to compute the efficient and/or the Pareto set, and a decision stage to conduct a search for a preferred efficient solution and/or Pareto outcome [9, 38, 23, 50].

---

<sup>\*</sup>DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited. OPSEC10001

<sup>†</sup>This is the second version of this manuscript.

<sup>‡</sup>Department of Mathematics, University of Utah. Salt Lake City, UT. <https://orcid.org/0009-0003-7306-9324>

<sup>§</sup>School of Mathematical and Statistical Sciences, Clemson University. Clemson, SC. <https://orcid.org/0000-0001-6853-2626>

The difficulty in performing the optimization stage results from the size of the MOP and the type of variables, constraints, and objective functions in the mathematical model. Since this stage relies on the capabilities of optimization algorithms, certain types of variables and functions make MOPs harder to solve than the MOP’s size does. For example, algorithms to compute the efficient set for convex MOPs with continuous variables have been well established regardless of the number of objective and constraint functions or variables [47]. However, nonconvex MOPs, such as mixed-integer or bilevel MOPs, are much more difficult to solve [15, 26].

The decision stage faces other difficulties. The search for a preferred efficient solution is likely to be manageable for bi- or triobjective programs but becomes challenging for MOPs with more objectives regardless of their type. In lower-dimensional objective spaces, a DM is likely to have the knowledge of the decision problem beyond the MOP model to identify a preferred efficient solution and the Pareto set can be easily represented graphically to further assist the DM. However, in higher dimensions, the DM may experience a cognitive burden resulting from too much information at once, or too many simultaneous tasks, resulting in not being able to process the information.

MOPs with more than three criteria are named “many-objective problems” to recognize the difficulties they cause [36]. To resolve the challenges of many-objective problems, one of the main research directions has been to decompose the original MOP into subproblems (sub-MOPs), each with a smaller number of criteria. The sub-MOPs are then coordinated to guarantee that by only computing their efficient sets, the efficient set of the MOP can be retrieved. A recent review of decomposition and coordination (D&C) approaches to MOPs is given in [48]. Below we review the studies that have given motivation for the current work.

The D&C methods for MOPs with global variables proposed in [18] and [17] rely on approximate efficiency and are supported with tradeoffs between two objective functions. In [18], the Lagrange multipliers associated with a single-objective problem related to two sub-MOPs provide the trade-off value at a feasible solution with respect to two objective functions, each belonging to another sub-MOP. In [17], *a priori* tradeoffs are provided by the DM. Complex MOPs with local and global variables and constraints are defined by means of graphs in [12]. The concepts of (approximate) superior solutions and dominance between subsystems are introduced to complement the classical concepts of (approximate) efficient solutions and dominance between criterion vectors. The subsystems are coordinated by computing a compromise solution that may not be necessarily superior for every subsystem but which is as close as possible to the superior sets of all subsystems with respect to a distance measure such as a norm. Furthermore, recent applied studies give evidence of the significance and relevance of D&C methods customized to specific real-life applications such as automotive design in [27, 51, 7] and food bank network redesign in [37].

Related to D&C methods is multi-task optimization, where a number of optimization problems are to be solved simultaneously; see, e.g., [24, 34]. However, D&C starts with a *single* large/-complex MOP, which is decomposed into a number of subproblems. Furthermore, coordination does not solve all problems simultaneously; rather, coordination ensures that the subproblems have “worked together” to construct a solution for the original large/complex MOP satisfying the DM’s

preferences.

The overall goal of this paper is to support decision-making with large/complex MOPs by developing a D&C methodology. Notably, all results in this work do not depend on any underlying mathematical properties of the large/complex MOP. In other words, we do *not* require the large/complex MOP to have a compact feasible set, be convex, linear, etc. We need only assume that (weakly) efficient solutions exist and that the DM has access to the necessary computational tools or solvers to find these (weakly) efficient solutions. It is worth noting that this last assumption is necessary since our results are quite general. Thus, the limitations of D&C reside in application and computation, not in theory.

Our decomposition and coordination approach, then, is intended to make the application of multicriteria decision-making (MCDM) tools possible with large/complex MOPs and many-objective problems. (Some classic MCDM tools include [4, 41, 33, 39, 5].) Although the mathematical theory underlying many of these MCDM methods are able to handle arbitrarily many objectives, the consensus in the literature recognizes that the neighborhood of ten objectives is the typical maximum number of objectives that a DM can cognitively handle [40, 42]. However, these MCDM tools are useful in practice and so ensuring that it is still possible to use them, even in the many-objective and complex cases, is important for real-world applications. This paper shows that it is possible to use MCDM methods on large/complex MOPs and many-objective decision problems.

The D&C methodology developed here contributes to this goal in four ways. First, we show how a large/complex MOP is to be decomposed into interacting sub-MOPs and how efficient solutions for the large/complex MOP may be obtained from efficient solutions for the sub-MOPs.

Second, we show how to quantify tradeoffs between entire subproblems rather than only between specific objectives associated with them. To accomplish this, we use the results on bivariate achievement scalarizing functions (BASFs) from [8].

Third, we design a coordination methodology that offers three ways a complex system can be coordinated during the decision stage to arrive at a preferred efficient solution. The coordination procedures are where MCDM procedures are to be applied, since they are meant to enable the DM to explore various alternatives through the coordination of the sub-MOPs. In particular, we propose a coordination procedure which provides a feasible solution that is as close as possible to the efficient sets of all sub-MOPs, as similarly proposed in [18] and [12]. The closeness, however, is measured by the introduction of subsystem tradeoffs that are provided by a bilevel MOP solved over the efficient sets of the sub-MOPs. We recognize that bilevel MOPs are hard to solve [16, 45, 15, 3, 32], but believe this difficulty is worthwhile since the proposed bilevel MOP enriches the decision stage with valuable information that other D&C methods cannot provide. However, we formulate an auxiliary MOP which circumvents the difficulties while still conceptually employing the bilevel MOP.

The paper is structured as follows. First, we present basic definitions and concepts of multi-objective optimization in Section 2. In Section 3 an MOP with many criteria and a decomposable structure is discussed, while Section 4 presents decomposition. The new theory of BASFs [8] is

applied to the decomposable MOP in Section 5, leading to further theoretical developments on the newly defined subproblem tradeoffs. Section 6 employs the new concepts in an interactive decision procedure, which combines the hierarchical coordination and a newly proposed autonomous coordination, to assist DMs in exploring their alternatives. We apply our new concepts and methods to an example application of disaster relief in Section 7, while Section 8 concludes the paper.

## 2 Preliminaries

We begin with a generic MOP and the optimality concept based on the efficiency of solutions and the Pareto nondominance of their images. Let  $f_i : \mathbb{R}^n \rightarrow \mathbb{R}$  for  $i = 1, \dots, p$  and let  $X \subseteq \mathbb{R}^n$  be a nonempty set. A generic multiobjective optimization problem is of the following form.

$$\begin{aligned} \min_x \quad & f(x) = [f_1(x), \dots, f_p(x)] \\ \text{s. t.} \quad & x \in X \end{aligned} \tag{MOP}$$

We denote the outcome set by  $Y = f(X) = \{f(x) \in \mathbb{R}^p \mid x \in X\}$  and use the following standard definition for vector ordering. Let  $u = (u_1, \dots, u_p)$ ,  $v = (v_1, \dots, v_p) \in \mathbb{R}^p$ . We say that  $u < v$  if  $u_i < v_i$  for each  $i = 1, \dots, p$ ;  $u \leq v$  if  $u_i \leq v_i$  for each  $i = 1, \dots, p$  and  $u \neq v$ ; and  $u \leq v$  if  $u_i \leq v_i$  for each  $i = 1, \dots, p$ . We also define the cones  $\mathbb{R}_{\geq}^p = \{y \in \mathbb{R}^p \mid y \geq 0\}$  and  $\mathbb{R}_{>}^p = \{y \in \mathbb{R}^p \mid y > 0\}$ . We denote the boundary of a set  $S \subseteq \mathbb{R}^p$  by  $\partial(S)$ . Finally, we use efficiency for determining the optimality of a feasible solution for (MOP).

**Definition 1.** Let  $x \in X \subseteq \mathbb{R}^n$  be feasible for (MOP). We say that  $x$  is a(n) **(weakly) efficient solution** for (MOP) if there is no  $x' \in X$  such that  $f(x')(<) \leq f(x)$ . We say that  $x$  is a **strictly efficient solution** for (MOP) if there is no  $x' \in X$ ,  $x' \neq x$ , such that  $f(x') \leq f(x)$ . If  $x$  is a(n) (weakly/strictly) efficient solution, we say that  $f(x)$  is a **(weak/strict) Pareto point**.

We denote the set of all (weakly/strictly) efficient solutions of (MOP) by  $E_{(w/s)}(X)$  and denote the set of all (weak/strict) Pareto points by  $P_{(w/s)}(Y) = f(E_{(w/s)}(X))$ . It will also be useful to have a notion of relaxed efficiency.

**Definition 2.** Let  $x \in X$  be feasible for (MOP) and  $\varepsilon \in \mathbb{R}_{\geq}^p$ . We say that  $x$  is a **(weakly)  $\varepsilon$ -efficient solution** for MOP if there is no feasible  $x' \in X$  such that  $f(x')(<) \leq f(x) - \varepsilon$ . If  $x$  is (weakly)  $\varepsilon$ -efficient, we say that  $f(x)$  is a **(weak)  $\varepsilon$ -Pareto point**.

We denote the set of (weakly)  $\varepsilon$ -efficient solutions by  $E_{(w)}(X, \varepsilon) \subseteq X$  and the set of (weak)  $\varepsilon$ -Pareto solutions by  $P_{(w)}(Y, \varepsilon)$ .

Finally, the following are helpful definitions in multiobjective optimization.

**Definition 3** ([29]). Let  $S, T \subseteq \mathbb{R}^p$  be nonempty sets. The **upper set-less relation**, denoted by  $\preceq_{\mathbb{R}_{\geq}^p}^u$ , is defined by  $S \preceq_{\mathbb{R}_{\geq}^p}^u T$  if and only if  $S \subseteq T - \mathbb{R}_{\geq}^p$ . For convenience, and when the context is clear, we write  $S \leq T$  whenever  $S \preceq_{\mathbb{R}_{\geq}^p}^u T$ .

**Definition 4** ([43]). Let  $Y$  be a nonempty set in  $\mathbb{R}^p$ . We say that  $P(Y)$  is **externally stable** if for every  $y \in Y \setminus P(Y)$ , there exists  $\hat{y} \in P(Y)$  such that  $y \in \hat{y} + \mathbb{R}_{\geq}^p$ .

**Theorem 1** ([43]). If  $Y$  is a nonempty compact set in  $\mathbb{R}^p$  then  $P(Y)$  is externally stable.

**Definition 5.** The **ideal point** of (MOP) is a point  $y^I \in \mathbb{R}^p$  such that for each component  $i \in \{1, \dots, p\}$ ,  $y_i^I = \min\{f_i(x) \mid x \in X\}$ .

The following well known result describes the relationship between  $P(Y)$  and  $y^I$ .

**Lemma 1.** Let  $y^I$  be the ideal point of (MOP).  $P(Y) = \{y^I\}$  if and only if  $y^I \in Y$ .

**Definition 6** ([49, 38, 8]). Let  $\sigma : \mathbb{R}^p \times \mathbb{R}^p \rightarrow \mathbb{R}$  be a continuous function and  $\mathcal{C} \supseteq \mathbb{R}_{\geq}^p$  a nonempty closed convex pointed cone. For any  $y^1, r^1, y^2, r^2 \in \mathbb{R}^p$ , We say that  $\sigma$  is

- **strictly order preserving** if  $y^1 < y^2$  implies  $\sigma(y^1, r^1) < \sigma(y^2, r^2)$ ; **order preserving** if  $y^1 \leq y^2$  implies  $\sigma(y^1, r^1) \leq \sigma(y^2, r^2)$ ; **strongly order preserving** if  $y^1 \leq y^2$  implies  $\sigma(y^1, r^1) < \sigma(y^2, r^2)$ ;
- **$\mathcal{C}$ -order representing** if  $\{y \in \mathbb{R}^p \mid \sigma(y, r) < 0\} = r - \text{int } \mathcal{C}$

If  $\sigma$  is both (strictly/strongly) order preserving and  $\mathcal{C}$ -order representing, then we say that  $\sigma$  is a **bivariate achievement scalarizing function (BASF)**.

With these preliminaries, in the next section we describe the large/complex MOPs studied in this work.

### 3 Complex System Modeling

In this work, we assume a specific structure for (MOP) that represents the complex system or all-in-one problem, denoted by (AiO). The (AiO) is decomposable into multiobjective subproblems with decision variables specific to one, more, or all subproblems. The following notation describes this structure and is illustrated on an (AiO) example with four subproblems.

**Definition 7.** Let  $N \in \mathbb{N}$  be the number of subproblems in (MOP). Define the set  $[N] = \{1, 2, \dots, N\}$  and let  $i, k \in [N]$ . For  $k \in [N]$ , let  $\binom{N}{k}$  denote the binomial coefficient, which gives the number of subsets of  $[N]$  of cardinality  $k$ . Furthermore, for every  $S \subseteq [N]$ , let  $m_S \in \mathbb{Z}_{>0}$ .

1. We define a vector variable  $x_S^i \in \mathbb{R}^{m_S}$  for each  $i \in [N]$  such that  $S \subseteq [N]$  and  $i \in S$ . Note that  $S$  is an index for the decision variable.
2. For  $i \in [N]$ , define the vector of vectors  $x_{\binom{N}{k}}^i = (x_S^i)_{\substack{S \subseteq [N] \\ |S|=k \\ i \in S}}$ . We have

$$x_{\binom{N}{k}}^i \in \prod_{\substack{S \subseteq [N] \\ |S|=k \\ i \in S}} \mathbb{R}^{m_S},$$

which is the Cartesian product of  $\mathbb{R}^{m_S}$  with indices  $S$  satisfying  $S \subseteq [N]$ ,  $|S| = k$ ,  $i \in S$ .

3. In general, for each  $i \in [N]$ , let

$$x^i = (x_{(N)}^i, x_{(N-1)}^i, \dots, x_{(1)}^i) = (x_{(k)}^i)_{k=N, \dots, 1}.$$

In words,  $x^i$  is the vector of vectors of variables belonging to subproblem  $i$ .

4. To reference a specific variable we write  $x_S$ , where  $S \subseteq [N]$ . If the subproblem of the variable needs to be denoted, we write  $x_S^i$ .

5. We call variables of the form

- $x_{[N]}^i$  **global variables**;
- $x_{\{i\}}^i$  **local variables**;
- $x_S^i$ , with  $S \subseteq [N]$ ,  $|S| = k$ ,  $i \in S$ , and  $2 \leq k \leq N - 1$ , **quasi-global variables**.

6. We have:

$$(a) \ x = (x^1, \dots, x^N) = (x^i)_{i=1, \dots, N} \in \prod_{i=1}^N \prod_{\substack{S \subseteq [N] \\ i \in S}} \mathbb{R}^{m_S};$$

$$(b) \ x = (x_S)_{S \subseteq [N]}.$$

7. In any notation, repetitions are dropped. In other words, any variables sharing the same index  $S \subseteq [N]$ , are written only once. (E.g.,  $x_{123}^1 = x_{213}^1 = x_{312}^1$  are all the same variable.)

*Example 1.* Suppose (AiO) has four subproblems, so  $N = 4$ . For the third subproblem,  $i = 3$ ,

$$\begin{aligned} x_{(1)}^3 &= x_3 & x_{(2)}^3 &= (x_{13}, x_{23}, x_{34}) \\ x_{(3)}^3 &= (x_{123}, x_{134}, x_{234}) & x_{(4)}^3 &= x_{1234}. \end{aligned}$$

Note that  $x^3 = (x_{1234}, x_{123}, x_{134}, x_{234}, x_{13}, x_{23}, x_{34}, x_3)$ . On the other hand, consider the second subproblem,  $i = 2$ ,

$$\begin{aligned} x_{(1)}^2 &= x_2 & x_{(2)}^2 &= (x_{12}, x_{23}, x_{24}) \\ x_{(3)}^2 &= (x_{123}, x_{124}, x_{234}) & x_{(4)}^2 &= x_{1234}. \end{aligned}$$

Similarly,  $x^2 = (x_{1234}, x_{123}, x_{124}, x_{234}, x_{12}, x_{23}, x_{24}, x_2)$ . Observe that  $x^2$  and  $x^3$  have overlapping variables. For example,  $x_{(3),123}^3 = x_{(4),123}^2 = x_{123}$ . Finally, observe that

$$x = (x_{1234}, x_{123}, x_{124}, x_{134}, x_{234}, x_{12}, x_{13}, x_{14}, x_{23}, x_{24}, x_{34}, x_1, x_2, x_3, x_4).$$

This notation is compact yet informative because it captures all possible locations of the decision variables in the subproblems and therefore describes the relationship between subproblems of a complex system MOP. Given the constant  $N$  denoting the number of subproblems, the index  $S \subseteq [N]$  denotes which subproblems the variable  $x_S$  appears in.

We are now in a position to define the structure of the MOP under consideration. For  $i \in [N]$ , let  $f^i : \prod_{\substack{S \subseteq [N] \\ i \in S}} \mathbb{R}^{m_S} \rightarrow \mathbb{R}^{p_i}$  and  $g^i : \prod_{\substack{S \subseteq [N] \\ i \in S}} \mathbb{R}^{m_S} \rightarrow \mathbb{R}^{q_i}$ . Then the **All-in-One** complex multiobjective problem is the following.

$$\min_x f(x) = [f^1(x^1), \dots, f^i(x^i), \dots, f^N(x^N)] \quad (\text{AiO})$$

$$\text{s. t. } g^i(x^i) \leq 0, \quad i \in [N]$$

We define  $X = \{x = (x^1, \dots, x^N) \mid g^i(x^i) \leq 0, i \in [N]\}$  and  $X^i = \{x^i \mid g^i(x^i) \leq 0\}$ . Furthermore, we let  $Y^i = f^i(X^i)$  for each  $i \in [N]$  and  $Y = f(X)$ .

Let us recall the underlying motivation for this work. We start with a large/complex MOP which has many more objectives than can computationally and/or cognitively be handled by the DM. If it turns out that this large/complex MOP can be written according to the notation introduced in Definition 7, then decision-making with the technique of decomposition and coordination is possible. First, decomposition splits (AiO) into sub-MOPs with fewer objectives and we show the relationships between efficient solutions of the sub-MOPs with efficient solutions of (AiO). However, it turns out that there is little relationship between efficient solutions of distinct sub-MOPs, which raises the need for coordination. Thus, coordination provides the foundation for decision-making by providing links between the efficient solutions of each sub-MOP to construct efficient solutions for (AiO).

The upshot of this D&C framework is that the DM need not complete the task of directly finding efficient solutions to (AiO); rather, the DM is asked to engage with a collection of smaller, and thereby easier to manage, sub-MOPs arising out of the mathematical structure of (AiO). With this motivation in mind, we proceed to present the details of our D&C methodology.

## 4 Decomposition

We decompose (AiO) by duplicating the global and quasi-global variables in each subproblem. For  $i \in [N]$ , the  $i^{\text{th}}$  subproblem is given by the following.

$$\begin{aligned}
& \min_{z_N^i, \dots, z_2^i, x_{(1)}^i} f^i(z_N^i, \dots, z_2^i, x_{(1)}^i) \\
& \text{s. t.} \quad (z_N^i, \dots, z_2^i, x_{(1)}^i) \in X^i
\end{aligned} \tag{SP}_i$$

where  $z_k^i = x_{(k)}^i$  for  $k \in \{2, \dots, N\}$ . We essentially take all of the variables, constraints, and objective functions which have  $i$  in its index and include them in  $(\text{SP}_i)$ . The following results relate (weakly) efficient solutions for  $(\text{SP}_i)$  to (weakly) efficient solutions for (AiO).

**Proposition 1.** *Let  $i \in [N]$  and let  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i)$  be a weakly efficient solution for  $(\text{SP}_i)$ . If there exists  $\hat{x}^j \in X^j$  for every  $j \in [N] \setminus \{i\}$  such that  $\hat{x} = (\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i, \hat{x}^j)_{j \in [N] \setminus \{i\}}$  is feasible for (AiO), then  $\hat{x}$  is a weakly efficient solution for (AiO).*

*Proof.* Let  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i) \in E_w(X^i)$  and suppose there exists  $\hat{x}^j \in X^j$  for all  $j \in [N] \setminus \{i\}$  such that  $\hat{x} = (\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i, \hat{x}^j)_{j \in [N] \setminus \{i\}}$  is feasible for (AiO). Towards a contradiction, suppose  $\hat{x} \notin E_w(X)$ . Then there exists  $x \in X$  such that

$$[f^1(x^1), \dots, f^i(x^i), \dots, f^N(x^N)] < [f^1(\hat{x}^1), \dots, f^i(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i), \dots, f^N(\hat{x}^N)].$$

Note that this implies that  $f^i(x^i) < f^i(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i)$ , contradicting the weak efficiency of  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i)$  for  $(\text{SP}_i)$ .  $\square$

**Proposition 2.** *For each  $i \in [N]$ , let  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i)$  be an  $\varepsilon^i$ -efficient solution for  $(\text{SP}_i)$  with  $\varepsilon^i \in \mathbb{R}_{\geq}^{p_i}$ . If for every  $i, j \in [N]$ ,  $2 \leq k \leq N$  and  $S \subseteq [N]$  such that  $|S| = \binom{N}{k}$  and  $i, j \in S$ , it holds that  $\hat{z}_{k,S}^i = \hat{z}_{k,S}^j = \hat{x}_S$ , then  $\hat{x} = (\hat{x}_S)_{S \subseteq [N]} = (\hat{x}^1, \dots, \hat{x}^N)$  is an  $\varepsilon = (\varepsilon^1, \dots, \varepsilon^N)$ -efficient solution for (AiO).*

*Proof.* For each  $i \in [N]$  let  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i) \in E(X^i, \varepsilon^i)$  be such that for every  $i, j \in [N]$ ,  $2 \leq k \leq N$  and for every  $S \subseteq [N]$  with  $|S| = \binom{N}{k}$ , we have that  $\hat{z}_{k,S}^i = \hat{z}_{k,S}^j = \hat{x}_S$ . Towards a contradiction, suppose  $\hat{x} = (\hat{x}^1, \dots, \hat{x}^N) \notin E(X, \varepsilon)$ , with  $\varepsilon = (\varepsilon^1, \dots, \varepsilon^N)$ . Then there exists  $x = (x^1, \dots, x^N) \in X$  such that

$$[f^1(x^1), \dots, f^i(x^i), \dots, f^N(x^N)] \leq [f^1(\hat{x}^1) - \varepsilon^1, \dots, f^i(\hat{x}^i) - \varepsilon^i, \dots, f^N(\hat{x}^N) - \varepsilon^N].$$

This implies that there exists  $i \in [N]$  such that

$$f^i(x^i) \leq f^i(\hat{x}^i) - \varepsilon^i = f^i(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i) - \varepsilon^i,$$

contradicting the fact that  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i) \in E(X^i, \varepsilon^i)$ .  $\square$

**Corollary 1.** For each  $i \in [N]$ , let  $(\hat{z}_N^i, \dots, \hat{z}_2^i, \hat{x}_{(1)}^i)$  be an efficient solution for  $(\text{SP}_i)$ . Suppose that for every  $i, j \in [N]$ ,  $2 \leq k \leq N$ , and  $S \subseteq [N]$  with  $|S| = \binom{N}{k}$  and  $i, j \in S$ , we have that  $\hat{z}_{k,S}^i = \hat{z}_{k,S}^j = \hat{x}_S$ . Then  $\hat{x} = (\hat{x}_S)_{S \subseteq [N]} = (\hat{x}^1, \dots, \hat{x}^N)$  is an efficient solution for (AiO).

*Proof.* Note that being efficient is equivalent to being  $\varepsilon$ -efficient for  $\varepsilon = 0$ . Thus, let  $\varepsilon^i = 0$  for all  $i \in [N]$  and apply the previous proposition.  $\square$

**Proposition 3.** Let  $\hat{x} = (\hat{x}^1, \dots, \hat{x}^N) \in X$ . If  $\hat{x}^i$  is an efficient solution for  $(\text{SP}_i)$  for every  $i \in [N]$ , then  $\hat{x}$  is an efficient solution for (AiO).

*Proof.* Let  $\hat{x}$  be defined as above and suppose  $\hat{x}^i \in E(X^i)$  for every  $i \in [N]$ . Towards a contradiction, suppose  $\hat{x} \notin E(X)$ . Then there exists  $x \in X$  such that

$$[f^1(x^1), \dots, f^i(x^i), \dots, f^N(x^N)] \leq [f^1(\hat{x}^1), \dots, f^i(\hat{x}^i), \dots, f^N(\hat{x}^N)].$$

Thus, there exists  $i \in [N]$  such that  $f^i(x) \leq f^i(\hat{x}^i)$ , contradicting the fact that  $\hat{x}^i \in E(X^i)$  for all  $i \in [N]$ .  $\square$

*Remark 1.* Notice that in Proposition 1, we assume that we have a weakly efficient solution for a single subproblem  $(\text{SP}_i)$  such that we can find values for the rest of variables which make the concatenation of this weakly efficient solution with these values feasible for (AiO). If this is the case, then it must be that this concatenated vector must also be weakly efficient for (AiO). On the other hand, in Proposition 2 and Corollary 1, we only assume that we have efficient solutions for each respective subproblem. If it happens that the duplicated variables are all equal, this forces feasibility for (AiO), and therefore the concatenated solution must be efficient for (AiO). Observe that the requirement for the duplicated variables to all be equal to each other across subproblems is necessary in order to guarantee that an efficient solution for (AiO) can be constructed from efficient solutions from the subproblems. This restrictive assumption is an additional reason for the coordination stage, as we will have more flexibility in constructing (AiO) efficient solutions out of efficient solutions for subproblems. Finally, in Proposition 3, we assume the feasibility of a solution for (AiO) first. If it happens that the projection of this solution into the decision space of each subproblem lands it in the respective efficient sets, then it must be that the solution is also efficient for (AiO).

## 5 Subproblem Tradeoffs

We apply the theory of bivariate achievement scalarizing functions [8] to construct an auxiliary multiobjective problem which measures the tradeoffs between *subproblems*, as opposed to tradeoffs between objectives, of (AiO). To do so, we project the image of a feasible point for (AiO) into the objective space of each subproblem. We then minimize the “distance” between this projection and the Pareto set of each respective subproblem. Since norms are not order preserving, we turn to BASFs for measuring the distance. For each  $i \in [N]$ , let  $\sigma_i : \mathbb{R}^{p_i} \times \mathbb{R}^{p_i} \rightarrow \mathbb{R}$  be a strictly order preserving and  $\mathbb{R}_{\geq}^{p_i}$ -order representing BASF. The subproblem tradeoff problem is formulated as

$$\begin{aligned} \min_{x, s^1, \dots, s^N} \quad & [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)] \\ \text{s. t.} \quad & x = (x^1, \dots, x^N) \in X \\ & s = (s^1, \dots, s^N) \in \prod_{i=1}^N P(Y^i). \end{aligned} \tag{SPTP}$$

We denote the feasible set of (SPTP) by  $\Xi$  and the efficient set by  $E(\Xi)$ . Similarly, the outcome set of (SPTP) is denoted by  $\Sigma$  and the Pareto set by  $P(\Sigma)$ . Furthermore, we call the  $i^{\text{th}}$  component of the image of a feasible point  $(x, s) \in \Xi$  the  $\sigma_i$ -value of  $(x, s)$  for  $i \in [N]$ . Note that the new variables  $(s^1, \dots, s^N) \in \prod_{i=1}^N P(Y^i)$  act as the reference points for each BASF. In particular, for  $i \in [N]$ ,  $s^i$  is a Pareto point for subproblem  $i$ . Furthermore, observe that there are  $N$  different sets of reference points.

*Remark 2.* Although  $s^1, \dots, s^N$  act as the reference points for each respective BASF, they are in fact *variables* of optimization. They are not defined *a priori* as with traditional applications of (B)ASFs.

It is worth pausing to discuss the interpretation of (SPTP) in a decision-making context. As discussed in [49, 38, 8], the reference points of a BASF represent the aspirations of the DM. Furthermore, since the DM has decomposed (AiO) into subproblems, and as a result is considering (AiO) from the perspective of these subproblems, a suitable feasible solution for (AiO) would also be Pareto efficient for each subproblem. However, due to the inherent conflict between objectives, we may expect subproblems to also conflict with each other, and so an (AiO) feasible solution also being efficient for each subproblem is an *aspiration*. Thus, the reference points of the BASFs in (SPTP) vary over the *entire* Pareto sets of each respective subproblem to show the DM how close an (AiO) feasible solution can be to each respective Pareto set. As we will soon show, it turns out that efficient solutions for (SPTP) are also efficient solutions for (AiO).

While (SPTP) integrates the optimization and decision stages for (AiO), it is a bilevel multiobjective optimization problem in which optimization with respect to  $N$  objective functions is performed over the Pareto sets of the  $N$  subproblems of (AiO). After presenting some theoretical properties of (SPTP), we address the difficulty of bilevel multiobjective optimization by suggest-

ing some pragmatic reformulations. The following propositions present important properties of (SPTP), which we use to define a notion of subproblem tradeoffs.

**Proposition 4.** *The ideal point of (SPTP) is nonnegative.*

*Proof.* Observe that for each  $i \in [N]$ , the reference points for  $\sigma_i$  is a Pareto outcome for subproblem  $i$ . Thus, for each  $i \in [N]$ ,  $\min\{\sigma_i(f^i(x^i), s^i) \mid g^1(x^1) \leq 0, \dots, g^i(x^i) \leq 0, \dots, g^N(x^N) \leq 0\} \geq \min\{\sigma_i(f^i(x^i), s^i) \mid g^i(x^i) \leq 0\} = 0$ , by Proposition 4 in [8]. Therefore, the ideal point of (SPTP) is nonnegative.  $\square$

*Remark 3.* Observe that Proposition 4 ensures that  $\Sigma$  is entirely nonnegative.

**Lemma 2.** *For all  $i \in [N]$ , let  $\sigma_i$  be a strictly order preserving and  $\mathbb{R}_{\geq}^N$ -order representing BASF. Let  $(\hat{x}, \hat{s})$  be feasible for (SPTP). For any  $i \in [N]$ ,  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) = 0$  if and only if  $f^i(\hat{x}^i) = \hat{s}^i$ .*

*Proof.* By Proposition 1 in [8],  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) = 0$  if and only if  $f^i(\hat{x}^i) \in \partial(\hat{s}^i - \mathbb{R}_{\geq}^{p_i})$ . Since  $\hat{s}^i \in P(Y^i)$ , it must be that  $f^i(\hat{x}^i) = \hat{s}^i$ .  $\square$

**Proposition 5.** *The following statements are equivalent.*

1.  $P(\Sigma) = \{0\}$ .
2. If  $(\hat{x}, \hat{s})$  is an efficient solution for (SPTP), then  $\hat{x}^i$  is an efficient solution for  $(SP_i)$  for all  $i \in [N]$ .
3. For any  $\omega \in \mathbb{R}_{>}^N$ , the optimal value of the weighted-sum scalarization of (SPTP) is 0.

*Proof.*

(1)  $\iff$  (2) : First, suppose  $P(\Sigma) = \{0\}$ . Thus for all  $(\hat{x}, \hat{s}) \in E(\Xi)$  and for every  $i \in [N]$ ,  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) = 0$ . Since  $\sigma_i$  is a BASF, it must be that  $f^i(\hat{x}^i) = \hat{s}^i$  and since  $\hat{s}^i \in P(Y^i)$  then  $\hat{x}^i \in E(X^i)$ . Conversely, let  $z \in P(\Sigma)$ . Then there exists  $(\hat{x}, \hat{s}) \in E(\Xi)$  such that  $z = [\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)]$ . By assumption,  $\hat{x}^i \in E(X^i)$  for each  $i \in [N]$ . Thus, the point  $(\hat{x}, f(\hat{x}))$  is feasible for (SPTP). Note that by Propositions 1 and 4 in [8],

$$0 = [\sigma_1(f^1(\hat{x}^1), f^1(\hat{x}^1)), \dots, \sigma_N(f^N(\hat{x}^N), f^N(\hat{x}^N))] \leq [\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)] = z.$$

Since  $(\hat{x}, \hat{s}) \in E(\Xi)$ , equality must hold. So  $z = 0$ .

(1)  $\iff$  (3) : Suppose  $P(\Sigma) = \{0\}$ . Let  $(\hat{x}, \hat{s})$  be an optimal solution for the weighted-sum scalarization of (SPTP) with weight vector  $\omega \in \mathbb{R}_{>}^N$ . By Theorem 1 in [22],  $(\hat{x}, \hat{s})$  is an efficient solution of (SPTP). Thus  $[\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)] = 0$  since  $P(\Sigma) = \{0\}$ . This implies that the optimal value of the weighted-sum scalarization is  $\omega_1 \sigma_1(f^1(\hat{x}^1), \hat{s}^1) + \dots + \omega_N \sigma_N(f^N(\hat{x}^N), \hat{s}^N) = 0$ . Conversely, suppose that the optimal value of the weighted-sum scalarization of (SPTP) with weight

vector  $\omega \in \mathbb{R}_{>}^N$  is 0. Let  $(\hat{x}, \hat{s})$  be an optimal solution for the weighted-sum scalarization. Then we have that  $\omega_1 \sigma_1(f^1(\hat{x}^1), \hat{s}^1) + \dots + \omega_n \sigma_N(f^N(\hat{x}^N), \hat{s}^N) = 0$ . Since for all  $(x, s) \in \Xi$ ,

$$[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)) \geq 0,$$

it must be that  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) = 0$  for every  $i \in [N]$ . Furthermore, since this holds for every  $\omega \in \mathbb{R}_{>}^N$ , it must be that  $P(\Sigma) = \{0\}$ .  $\square$

Recalling that the purpose of decomposition is to aid decision makers in finding suitable efficient solutions for their original problem modeled by (AiO), the next proposition guarantees that efficient solutions for (SPTP) are in fact efficient for (AiO).

**Proposition 6.** *For each  $i \in [N]$ , let  $\sigma_i : \mathbb{R}^{p_i} \times \mathbb{R}^{p_i} \rightarrow \mathbb{R}$  and  $(\hat{x}, \hat{s})$  be feasible for (SPTP). If for every  $i \in [N]$ :*

1.  *$\sigma_i$  is order preserving and  $(\hat{x}, \hat{s})$  is a strictly efficient solution for (SPTP) then  $\hat{x}$  is a strictly efficient solution for (AiO).*
2.  *$\sigma_i$  is strictly order preserving and  $(\hat{x}, \hat{s}^1, \dots, \hat{s}^N)$  is a weakly efficient solution for (SPTP), then  $\hat{x}$  is a weakly efficient solution for (AiO).*
3.  *$\sigma_i$  is strongly order preserving and  $(\hat{x}, \hat{s})$  is a weakly efficient solution for (SPTP) then  $\hat{x}$  is an efficient solution for (AiO).*

*Proof.* We prove part 1 and note that parts 2 and 3 follow analogously. Let  $\sigma_i : \mathbb{R}^{p_i} \times \mathbb{R}^{p_i} \rightarrow \mathbb{R}$  be order preserving for every  $i \in [N]$  and let  $(\hat{x}, \hat{s}) \in E_s(\Xi)$ . Towards a contradiction, suppose  $\hat{x} \notin E_s(X)$ . Then there exists  $x = (x^1, \dots, x^N) \in X$  with  $x \neq \hat{x}$  such that for every  $i \in N$ ,  $f^i(x^i) \leq f^i(\hat{x}^i)$ . Since  $\sigma_i$  is order preserving for every  $i \in [N]$ , it must be that  $\sigma_i(f^i(x^i), \hat{s}^i) \leq \sigma_i(f^i(\hat{x}^i), \hat{s}^i)$ . Note that  $(x, \hat{s}) \neq (\hat{x}, \hat{s})$ . But this contradicts the fact that  $(\hat{x}, \hat{s})$  is a strictly efficient solution for (SPTP).  $\square$

*Remark 4.* Proposition 6 implies that coordination can, in principle, be performed without a (strict) BASF, since only (strictly/strongly) order preserving is needed to ensure efficiency for (AiO). However, in this case Proposition 1 in [8] and Proposition 4 do not hold and (SPTP) loses the unique property that for each  $i \in [N]$ ,  $\sigma_i(f^i(x), s^i) \geq 0$  for all  $x \in X$  and for all  $s^i \in P(Y^i)$ . It is the nonnegativity of  $\Sigma$  guaranteed by the use of BASFs which allows for subproblem tradeoff analysis, which we develop in what follows.

The primary utility of (SPTP) is seen in the objective functions. For every subproblem  $i \in N$ , the value of  $\sigma_i(f^i(x^i), s^i)$  serves as a measurement of the performance of an (AiO) feasible solution,  $(x^1, \dots, x^N)$ , for subproblem  $i$  with respect to the Pareto set,  $P(Y^i)$ , of this subproblem. An efficient solution  $(\hat{x}, \hat{s})$  for (SPTP) provides a feasible solution  $\hat{x}$  to (AiO) and a Pareto point  $\hat{s}^i$  for  $(SP_i)$  that is closest to  $f^i(\hat{x}^i)$  with respect to the BASF  $\sigma_i$ . The best performance is achieved when

$\hat{x}^i$  is efficient for subproblem  $i$ , that is,  $f^i(\hat{x}^i) = \hat{s}^i$ . As indicated in Proposition 5, the case when all subproblems perform at their best can be discovered by solving the weighted-sum scalarization of (SPTP) for any positive weight vector. Additionally, (SPTP) allows the use of different BASFs for each subproblem, which facilitates the application of different preferences to every subproblem or the participation of multiple DMs in the decision process.

Given the properties of (SPTP), we may define subproblem tradeoffs.

**Definition 8.** Let  $i, j \in [N]$  with  $i \neq j$  and  $(\hat{x}, \hat{s}) \in \Xi$  be a(n) (weakly) efficient solution for (SPTP). Then if  $\sigma_j(f^j(\hat{x}^j), f^j(\hat{s}^j)) \neq 0$ ,

$$\mathcal{ST}_{ij}(\hat{x}, \hat{s}) = \frac{\sigma_i(f^i(\hat{x}^i), \hat{s}^i)}{\sigma_j(f^j(\hat{x}^j), \hat{s}^j)}$$

is the **subproblem tradeoff** at  $(\hat{x}, \hat{s})$  with respect to subproblems  $i$  and  $j$ .

*Remark 5.* There are four cases for the value of  $\mathcal{ST}_{ij}(\hat{x}, \hat{s})$ .

Case 1:  $\mathcal{ST}_{ij}(\hat{x}, \hat{s}) = 0$ :  $\hat{x}$  is efficient for subproblem  $i$  but not subproblem  $j$ . (The main insight of the subproblem tradeoff in this case is to make explicit the fact that  $\hat{x}$  is an efficient solution for subproblem  $i$  but not  $j$  for all  $j \neq i$ .)

Case 2:  $0 < \mathcal{ST}_{ij}(\hat{x}, \hat{s}) < 1$ :  $\hat{x}$  performs “better” in subproblem  $i$  than in subproblem  $j$ .

Case 3:  $\mathcal{ST}_{ij}(\hat{x}, \hat{s}) = 1$ : there is no tradeoff between subproblem  $i$  and subproblem  $j$ , i.e.,  $\hat{x}$  performs “equally well” in subproblem  $i$  as in subproblem  $j$ .

Case 4:  $\mathcal{ST}_{ij}(\hat{x}, \hat{s}) > 1$ :  $\hat{x}$  performs “worse” in subproblem  $i$  than in subproblem  $j$ .

If  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) = \sigma_j(f^j(\hat{x}^j), \hat{s}^j) = 0$ , then there is *no* tradeoff between subproblems  $i$  and  $j$ , so  $\mathcal{ST}_{ij}(\hat{x}, \hat{s})$  cannot be defined in this case. Additionally, observe that there are  $\binom{N}{2}$  many pairwise comparisons possible, up to reciprocals. Even in the case of (AiO) being a many-objective optimization problem, there are far fewer pairwise comparisons than objective functions, making this measurement of subproblem tradeoffs combinatorially easier than the standard objective-wise tradeoffs.

The subproblem tradeoffs compare the performance of an (AiO)-feasible solution between two subproblems in their entirety because the BASF associated with each subproblem measures the performance of that solution with respect to that subproblem’s Pareto set. Furthermore, the subproblem tradeoffs may serve as additional information supporting the decision stage of multi-objective optimization. Utilizing these tradeoffs, DMs may approach the decision problem more holistically than when considering only standard tradeoffs and individual objective functions. Thus, even if decomposition is not needed for computational reasons, it can still be beneficial for a DM because decomposition gives her access to measuring the subproblem tradeoffs which are otherwise unavailable.

## 5.1 A Mixed-Binary Formulation of (SPTP)

As recognized in Section 1, bilevel multiobjective optimization problems are challenging to solve. However, given the benefits of (SPTP), we suggest a pragmatic reformulation of (SPTP) which finds an  $\varepsilon$ -efficient solution of (SPTP). This reformulation is motivated by the availability of a variety of methods for efficiently finding finite representations of the Pareto sets  $P(Y^i)$  [19, 28, 30] and the ubiquity of powerful computational tools that are available to DMs. The reformulation introduces auxiliary binary variables which select a reference point from a representation of the Pareto set of each subproblem.

Let  $i \in [N]$  and  $\mathcal{P}^i = \{p^{i,1}, \dots, p^{i,j}, \dots, p^{i,|\mathcal{P}^i|}\} \subseteq P(Y^i)$  be a finite subset of  $P(Y^i)$ . Let  $\gamma^i \in \{0, 1\}^{|\mathcal{P}^i|}$  be such that  $\gamma_j^i = 1$  if the  $j^{\text{th}}$  element of  $\mathcal{P}^i$  is selected as a reference point, and  $\gamma_j^i = 0$  otherwise, for  $1 \leq j \leq |\mathcal{P}^i|$ . Then the reformulation of (SPTP) is the following.

$$\begin{aligned} \min_{\substack{x^1, \dots, x^N \\ s^1, \dots, s^N \\ \gamma^1, \dots, \gamma^N}} & [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)] & (\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i)) \\ \text{s. t. } & x = (x^1, \dots, x^N) \in X & (1) \end{aligned}$$

$$s^i = \sum_{j=1}^{|\mathcal{P}^i|} \gamma_j^i p^{i,j} \quad i \in [N] \quad (2)$$

$$\sum_{j=1}^{|\mathcal{P}^i|} \gamma_j^i = 1 \quad i \in [N] \quad (3)$$

$$\gamma^i \in \{0, 1\}^{|\mathcal{P}^i|} \quad i \in [N] \quad (4)$$

$$(5)$$

We denote the feasible set and outcome set of  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  by  $\Xi^{\mathcal{P}}$  and  $\Sigma^{\mathcal{P}}$ , respectively. In (1), we ensure that  $x$  is feasible for (AiO), while constraints (2) and (3) select the reference point. In particular, (2) forces the reference point  $s^i$  to be equal to a Pareto point from the finite set of Pareto points in  $\mathcal{P}^i$ , while (3) ensures that only one Pareto point is selected. The following propositions show that an efficient solution to  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  is  $\varepsilon$ -efficient for (SPTP) for a specified value of  $\varepsilon \in \mathbb{R}_{\geq}^N$ .

**Proposition 7.** *If  $(\hat{x}, \hat{s}, \hat{\gamma})$  is an efficient solution for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  then  $(\hat{x}, \hat{s})$  is an  $\varepsilon$ -efficient solution for (SPTP), where  $\varepsilon \in \mathbb{R}_{\geq}^N$  and is defined by*

$$\varepsilon_i = \max\{\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)\},$$

for all  $i \in [N]$ .

*Proof.* Let  $(\hat{x}, \hat{s}, \hat{\gamma})$  be an efficient solution for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  and let  $\varepsilon$  be defined as above. Towards a contradiction, suppose  $(\hat{x}, \hat{s})$  is not an  $\varepsilon$ -efficient solution for (SPTP). Then there exists

$(x, s) \in \Xi$  such that

$$[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(s^N), s^N)] \leq [\sigma_1(f^1(\hat{x}^1), \hat{s}^1) - \varepsilon_1, \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)]$$

Note that for each  $i \in N$ ,  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) \leq \varepsilon_i$ . Thus,

$$[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(s^N), s^N)] \leq [\sigma_1(f^1(\hat{x}^1), \hat{s}^1) - \varepsilon_1, \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)] \leq 0$$

But since  $(x, s)$  is feasible for (SPTP), this contradicts the fact that  $0 \leq P(\Sigma)$ . Thus,  $(\hat{x}, \hat{s})$  must be  $\varepsilon$ -efficient.  $\square$

**Proposition 8.** *Every efficient solution of  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  is an  $\varepsilon$ -efficient solution of (SPTP), where  $\varepsilon \in \mathbb{R}_{\geq}^N$  with  $\varepsilon_i = \max\{\sigma_i(f^i(x^i), s^i) \mid (x, s) \in E(\Xi^{\mathcal{P}})\}$ , for  $i \in [N]$ .*

*Proof.* Let  $(\hat{x}, \hat{s}, \hat{\gamma})$  be an efficient solution for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  and define  $\varepsilon \in \mathbb{R}^N$  by

$$\varepsilon_i = \max\{\sigma_i(f^i(x^i), s^i) \mid (x, s) \in E(\Xi^{\mathcal{P}})\}$$

for each  $i \in [N]$ . Towards a contradiction, suppose  $(\hat{x}, \hat{s})$  is not  $\varepsilon$ -efficient for (SPTP). Then there exists  $(x, s) \in \Xi$  such that

$$[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)] \leq [\sigma_1(f^1(\hat{x}^1), \hat{s}^1) - \varepsilon_1, \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N) - \varepsilon_N].$$

By definition of  $\varepsilon$ , for each  $i \in [N]$ ,  $\sigma_i(f^i(\hat{x}^i), \hat{s}^i) \leq \varepsilon_i$ . Thus,

$$[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)] \leq [\sigma_1(f^1(\hat{x}^1), \hat{s}^1) - \varepsilon_1, \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N) - \varepsilon_N] \leq 0,$$

which contradicts that  $0 \leq \Sigma$ . Therefore,  $(\hat{x}, \hat{s})$  is  $\varepsilon$ -efficient.  $\square$

*Remark 6.* Observe that Proposition 7 shows that for each efficient solution  $(\hat{x}, \hat{s}, \hat{\gamma})$  to  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$ , there exists  $\varepsilon \geq 0$  such that  $(\hat{x}, \hat{s})$  is  $\varepsilon$ -efficient for (SPTP). On the other hand, Proposition 8 shows that there is a single  $\varepsilon \geq 0$  such that *every* efficient solution to  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  is also  $\varepsilon$ -efficient for (SPTP).

We proceed to show that as  $|\mathcal{P}^i|$  grows, the  $\varepsilon$  corresponding to the associated  $\varepsilon$ -efficient solutions found by  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$  is decreasing. In the remaining portions of this section, we use the following notation. For every  $i \in [N]$ , let  $\mathcal{P}^i, \mathcal{Q}^i \subseteq P(Y^i)$  be nonempty finite sets such that  $\mathcal{P}^i \subset \mathcal{Q}^i$ . Without loss of generality, assume that  $\mathcal{P}^i = \{p^{i,1}, \dots, p^{i,|\mathcal{P}^i|}\}$  and  $\mathcal{Q}^i = \{p^{i,1}, \dots, p^{i,|\mathcal{P}^i|}, q^{i,|\mathcal{P}^i|+1}, \dots, q^{i,|\mathcal{Q}^i|}\}$ . Let  $\Xi^{\mathcal{P}}$  be the feasible set and  $\Sigma^{\mathcal{P}}$  be the outcome set for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$ . Similarly, let  $\Xi^{\mathcal{Q}}$  be the feasible set and let  $\Sigma^{\mathcal{Q}}$  be the outcome set for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{Q}^i))$ .

**Lemma 3.** *For all  $(x, s, \gamma)$  feasible for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$ , there exists  $\tilde{\gamma} \in \{0, 1\}^{|\mathcal{Q}^i|}$  such that  $(x, s, \tilde{\gamma})$  is feasible for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{Q}^i))$ .*

*Proof.* Let  $(x, s, \gamma) \in \Xi^{\mathcal{P}}$ . Define  $\tilde{\gamma}$  by the following: for each  $i \in [N]$ ,

$$\tilde{\gamma}^i = \begin{cases} \gamma_j^i, & \text{if } 1 \leq j \leq |\mathcal{P}^i| \\ 0, & |\mathcal{P}^i| + 1 \leq j \leq |\mathcal{Q}^i|. \end{cases}$$

Indeed, for each  $i \in [N]$ ,

$$s^i = \sum_{j=1}^{|\mathcal{P}^i|} \gamma_j^i \cdot p^{i,j} + \sum_{j=|\mathcal{P}^i|+1}^{|\mathcal{Q}^i|} 0 \cdot q^{i,j}.$$

Therefore,  $(x, s, \tilde{\gamma}) \in \Xi^{\mathcal{Q}}$ . □

**Lemma 4.** *If  $P(\Sigma^{\mathcal{Q}})$  is externally stable then the following two statements hold.*

1.  $\Sigma^{\mathcal{P}} \subseteq \Sigma^{\mathcal{Q}}$
2.  $P(\Sigma^{\mathcal{P}}) + \mathbb{R}_{\geq}^N \subseteq P(\Sigma^{\mathcal{Q}}) + \mathbb{R}_{\geq}^N$

*Proof.* 1. Let  $y \in \Sigma^{\mathcal{P}}$ . Then there exists  $(x, s, \gamma) \in \Xi^{\mathcal{P}}$  such that

$$y = [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)].$$

By Lemma 3, there exists  $\gamma'$  such that  $(x, s, \gamma') \in \Xi^{\mathcal{Q}}$ . Therefore,

$$y = [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)] \in \Sigma^{\mathcal{Q}}.$$

2. Let  $y \in P(\Sigma^{\mathcal{P}}) + \mathbb{R}_{\geq}^N$ . Since external stability holds, there exists  $y^{\mathcal{P}} \in P(\Sigma^{\mathcal{P}})$  and  $d^{\mathcal{P}} \in \mathbb{R}_{\geq}^N$  such that  $y = y^{\mathcal{P}} + d^{\mathcal{P}}$ . Since  $P(\Sigma^{\mathcal{P}}) \subseteq \Sigma^{\mathcal{P}} \subseteq \Sigma^{\mathcal{Q}}$ , then  $y^{\mathcal{P}} \in \Sigma^{\mathcal{Q}}$ . Therefore, either  $y^{\mathcal{P}} \in P(\Sigma^{\mathcal{Q}})$  or  $y^{\mathcal{P}} \in \Sigma^{\mathcal{Q}} \setminus P(\Sigma^{\mathcal{Q}})$ . If  $y^{\mathcal{P}} \in P(\Sigma^{\mathcal{Q}})$  then  $y = y^{\mathcal{P}} + d^{\mathcal{P}} \in P(\Sigma^{\mathcal{Q}}) + \mathbb{R}_{\geq}^N$ . On the other hand, let  $y^{\mathcal{P}} \in \Sigma^{\mathcal{Q}} \setminus P(\Sigma^{\mathcal{Q}})$ . Since  $P(\Sigma^{\mathcal{Q}})$  is externally stable, there exists  $y^{\mathcal{Q}} \in P(\Sigma^{\mathcal{Q}})$  and  $d^{\mathcal{Q}} \in \mathbb{R}_{\geq}^N$  such that  $y^{\mathcal{P}} = y^{\mathcal{Q}} + d^{\mathcal{Q}}$ . Therefore,  $y = y^{\mathcal{P}} + d^{\mathcal{P}} = y^{\mathcal{Q}} + (d^{\mathcal{Q}} + d^{\mathcal{P}})$ , which means  $y \in P(\Sigma^{\mathcal{Q}}) + \mathbb{R}_{\geq}^N$ . □

*Remark 7.* Under certain conditions,  $P(\Sigma^{\mathcal{Q}})$  is externally stable, such as when the feasible set of (AiO)  $X$  is compact or  $f^1, \dots, f^N$  are continuous in the real variables. Thus even with the discrete variables  $s^1, \dots, s^N$ , the outcome set  $\Sigma^{\mathcal{Q}}$  is the union of the outcomes of  $[\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)]$  for each feasible value of  $s^1, \dots, s^N$ . But each of these outcome sets are themselves compact (since in this instance  $\sigma_1, \dots, \sigma_N$  and  $f^1, \dots, f^N$  are each continuous). Therefore, the union of them all is also compact. Thus, by Theorem 3.2.12 in [43],  $P(\Sigma^{\mathcal{Q}})$  is externally stable.

**Proposition 9.** *If  $P(\Sigma^{\mathcal{Q}})$  is externally stable then for every efficient solution  $(x, s, \gamma)$  for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{P}^i))$ , there exists an efficient solution  $(\hat{x}, \hat{s}, \hat{\gamma})$  for  $(\text{MB-SPTP}(\prod_{i=1}^N \mathcal{Q}^i))$  such that*

$$[\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)] \leq [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)].$$

*Proof.* Let  $(x, s, \gamma) \in E(\Xi^P)$  and let  $p = [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)]$ . By Lemma 4,  $P(\Sigma^P) + \mathbb{R}_{\geq}^N \subseteq P(\Sigma^Q) + \mathbb{R}_{\geq}^N$ , and so it must be that  $p \in P(\Sigma^Q) + \mathbb{R}_{\geq}^N$ . So there exists  $q \in P(\Sigma^Q)$  such that  $q \leq p$ . Since  $q \in P(\Sigma^Q)$ , there exists  $(\hat{x}, \hat{s}, \hat{\gamma}) \in E(\Xi^Q)$  such that

$$q = [\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)].$$

Therefore, it must be that

$$[\sigma_1(f^1(\hat{x}^1), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}^N), \hat{s}^N)] \leq [\sigma_1(f^1(x^1), s^1), \dots, \sigma_N(f^N(x^N), s^N)].$$

□

*Remark 8.* For  $i \in [N]$ , Proposition 9 shows that as  $|\mathcal{P}^i|$  grows,  $\varepsilon$  (with respect to  $\varepsilon$ -efficient solutions of (SPTP)) decreases. In other words, the better the attained representation of  $P(Y^i)$ , the better (MB-SPTP( $\prod_{i=1}^N \mathcal{P}^i$ )) will approximate the efficient set of (SPTP). To find a representation of  $P(Y^i)$ , there are a variety of methods available in the literature, including exact methods and genetic algorithms [11, 2]. Although (MB-SPTP( $\prod_{i=1}^N \mathcal{P}^i$ )) is a multiobjective mixed-binary optimization problem, there are several methods in the literature for solving such problems and we refer the reader to a survey of such methods (specifically for the mixed-binary linear case) in [26].

## 5.2 (SPTP) in the Linear Case

When (AiO) is a linear problem, we may express (SPTP) as a single-level optimization problem. This is possible since the Pareto set of a linear multiobjective problem is the union of maximal Pareto nondominated faces of the outcome set. This observation makes it possible for each reference point  $s^i$ ,  $i \in [N]$ , to be written as a convex combination of the extreme points of a maximal Pareto nondominated face, where the specific face is selected by a binary variable.

We formulate the linear (SPTP) as follows. Since we assume that the (AiO) is linear, for each  $i \in [N]$  we may write  $f^i(x^i) = C^i x^i$ , for some matrix  $C^i$  of appropriate dimension. Without loss of generality, let the feasible set be  $X = \{x = (x^1, \dots, x^N) \mid Ax = b\}$ , for real-valued matrix  $A$  and vector  $b$ , both also of appropriate dimensions. For each  $i \in [N]$ , let  $F_i$  be the number of maximal faces defining the Pareto set of subproblem  $i$  and let  $t_{i,j}$  be the number of extreme points defining the  $j^{th}$  face of subproblem  $i$ , for  $j \in [F_i]$ . Define  $E^{i,j} = \{e^{i,j,1}, \dots, e^{i,j,t_{i,j}}\}$  to be the set of extreme points of the  $j^{th}$  maximal Pareto nondominated face of subproblem  $i$ . Note that

$\bigcup_{j=1}^{F_i} \text{conv}(E^{i,j}) = P(Y^i)$ , where  $\text{conv}(\cdot)$  denotes the convex hull. Define binary variables

$$\gamma^{i,j} = \begin{cases} 1, & \text{if face } j \text{ is selected,} \\ 0, & \text{otherwise} \end{cases}.$$

for  $1 \leq j \leq F_i$ . In particular, let  $\gamma^i = (\gamma^{i,1}, \dots, \gamma^{i,F_i})$ . Finally, define variables  $0 \leq \lambda^{i,j,k} \leq 1$  to be the weight for the  $k^{th}$  extreme point in the convex combination defining the  $j^{th}$  maximal face of the Pareto set of subproblem  $i$ . Let  $\lambda^i$  be the vector of all weights of all extreme points of all maximal Pareto nondominated faces in subproblem  $i$ . Then (SPTP) in the linear case is

$$\begin{aligned} \min_{\substack{x^1, \dots, x^N \\ s^1, \dots, s^N \\ \lambda^1, \dots, \lambda^N \\ \gamma^1, \dots, \gamma^N}} & \left[ \sigma_1(C^1 x^1, s^1), \dots, \sigma_N(C^N x^N, s^N) \right] & \text{(L-SPTP)} \\ \text{s. t.} & Ax = b \end{aligned} \tag{6}$$

$$s^i = \sum_{j=1}^{F_i} \gamma^{i,j} \left( \sum_{k=1}^{t_{i,j}} \lambda^{i,j,k} e^{i,j,k} \right) \quad i \in [N] \tag{7}$$

$$\sum_{k=1}^{t_{i,j}} \lambda^{i,j,k} = 1 \quad i \in [N], j \in [F_i] \tag{8}$$

$$0 \leq \lambda^{i,j,k} \leq 1 \quad i \in [N], j \in [F_i], k \in [t_{i,j}] \tag{9}$$

$$\sum_{j=1}^{F_i} \gamma^{i,j} = 1 \quad i \in [N] \tag{10}$$

$$\gamma^{i,j} \in \{0, 1\} \quad i \in [N], j \in [F_i] \tag{11}$$

where  $e^{i,j,k} \in E^{i,j}$  for all  $i \in [N], j \in [F_i], k \in [t_{i,j}]$ . In (L-SPTP), we define the objective functions, which are the BASFs scalarizing each subproblem. Constraint (6) ensures that  $x$  is feasible for (AiO). The constraint in (7) selects the reference point in subproblem  $i$ , while constraints (8)-(9) ensure that the reference point  $s^i$  is in fact a convex combination of extreme points and constraints (10)-(11) ensure that only one Pareto point is selected for the reference point. Observe that in the case of biobjective subproblems, maximal faces may be found using the parametric simplex method [14]. Thus, in the linear case, it is beneficial to decompose (AiO) into biobjective subproblems.

We acknowledge that (L-SPTP), although not bilevel, includes  $N$  bilinear constraints. However, if (L-SPTP) is solved with a scalarization, a suitable choice of  $\sigma_1, \dots, \sigma_N$  and scalarization ensures that no additional nonlinear terms will be introduced to the resulting single-objective problem. Furthermore, modern computational solvers, such as **Gurobi**, are powerful enough to handle such

constraints. There are also extensive studies on bilinear optimization in the single-objective case [1, 25, 21, 10].

Having completed the presentation of the theory, in the subsequent sections we employ this theory in a methodology to support decision-making.

## 6 Coordination

Coordination enables the DM to select an AiO-feasible solution which satisfies her preferences with respect to its performance in each subproblem. In this section, we consider three methods of coordination. First, we use (SPTP) to autonomously coordinate all subproblems without the DM's participation. We then present hierarchical coordination, an extension of the method in [18] and [48], which uses a preferred outcome as an “anchor” point and uses relaxations, which are proposed by the DM, on its performance to find improved solutions in the other subproblems, all the while remaining  $\varepsilon$ -efficient for the anchor subproblem. Observe that hierarchical coordination does require the active participation of the DM. Finally, we propose a hybrid decision-making procedure which uses autonomous coordination to suggest anchor points and relaxations to the DM during each step of the interactive hierarchical coordination process.

### 6.1 Autonomous Coordination

In addition to measuring the tradeoffs between subsystems, we may use (SPTP) to coordinate the subproblems of (AiO) to obtain its efficient solutions without directly solving (AiO). In Algorithm 1, we present autonomous coordination. First, (AiO) is given and suitable BASFs  $\sigma_1, \dots, \sigma_N$  are provided. In Step 2, (AiO) is decomposed into  $N$  subproblems. (SPTP) is formulated and solved in Step 3. In Step 4, a DM may use any MCDM/A tool to explore the Pareto set  $P(\Sigma)$  to select an outcome which is coordinated between all of the subproblems. Finally, Step 5 outputs the efficient solution  $(\hat{x}, \hat{s})$ , where  $\hat{x}$  is guaranteed to be (weakly/strictly) efficient for (AiO) by Proposition 6, and the components of  $\hat{s}$  are Pareto points for each respective subproblem, which correspond to the DM's aspiration levels.

---

#### Algorithm 1 Autonomous Coordination.

---

- 1: **input:** All-in-One multiobjective optimization problem and BASFs  $\sigma_1, \dots, \sigma_N$ .
  - 2: Decompose (AiO) into subproblems  $(SP_1), \dots, (SP_N)$ .
  - 3: Formulate and solve (SPTP).
  - 4: Use an MCDM tool to select an efficient solution  $(\hat{x}, \hat{s})$  for (SPTP).
  - 5: **output:**  $(\hat{x}, \hat{s})$ .
    - a)  $\hat{x}$  is a(n) (weakly/strictly) efficient solution for (AiO). (Proposition 6)
    - b)  $\hat{s} = (\hat{s}^1, \dots, \hat{s}^N)$ ,  $\hat{s}^i$  is an efficient solution for  $(SP_i)$ ,  $i \in [N]$ .
- 

*Remark 9.* Autonomous coordination only requires DM participation with respect to the *output* of (SPTP). The reference points for the (B)ASFs in the objective functions arise from the subproblems

of (AiO). If it is possible to provide an exact description of the Pareto set for each subproblem (such as the case when the subproblems are linear), then this exact description may be included in the formulation of (SPTP). On the other hand, if such an exact description is not possible, then a discretization of the Pareto set of each subproblem becomes necessary. Yet once again, these discretizations are included in the formulation of (SPTP). Thus, (SPTP) is to be solved in a “black-box”, only providing the efficient solutions of (SPTP) to the DM to consider. In other words, *autonomous coordination does not require DM involvement, but selection of the final decision does.*

## 6.2 Hierarchical Coordination

We extend the hierarchical coordination as proposed in [18] and [48] for the new case presented here of global, quasi-global, and local variables with subproblem feasible sets  $X^i$ ,  $i \in [N]$ . Without loss of generality, we assume that Subproblem 1 is preferred to Subproblem 2, Subproblem 2 is preferred to Subproblem 3, and so on. The hierarchical procedure is as follows. The procedure coordinates subproblems  $(SP_1), \dots, (SP_k)$ ,  $1 \leq k \leq N$ , using anchor points and relaxations selected by the DM in each of the  $k - 1$  subproblems. In general, the  $k^{th}$  coordination problem, for  $k \in \{2, \dots, N\}$ , is given by the following.

$$\min_{x^1, \dots, x^k} f^k(x^k) \tag{HCOP_{1\dots k}}$$

$$\text{s. t. } g^i(x^i) \leq 0, \quad i \in [k] \tag{12}$$

$$f^j(x^j) \leq f^j(x^{j*}) + \varepsilon^{j*}, \quad j \in [k - 1] \tag{13}$$

Note that  $x^{j*}$  is a component of an efficient solution for  $(HCOP_{1\dots j})$  for each  $j \in \{2, \dots, k-1\}$ , while  $x^{1*}$  is an efficient solution for  $(SP_1)$ . Furthermore, the constraints in (13) ensure that  $\varepsilon^{j*}$ -efficiency for each subproblem  $j$  is maintained, for  $j \in \{1, \dots, k-1\}$ . The following proposition shows how weakly efficient solutions for  $(HCOP_{1\dots k})$  can be used to construct weakly efficient solutions for (AiO).

**Proposition 10.** *Let  $i \in \{2, \dots, N\}$  and let  $(\hat{x}^1, \dots, \hat{x}^k)$  be a weakly efficient solution for  $(HCOP_{1\dots k})$  such that there exists  $(\hat{x}^{k+1}, \dots, \hat{x}^N) \in \mathbb{R}^{n_{k+1}} \times \dots \times \mathbb{R}^{n_N}$  where  $\hat{x} = (\hat{x}^1, \dots, \hat{x}^k, \hat{x}^{k+1}, \dots, \hat{x}^N)$  is feasible for (AiO). Then  $\hat{x}$  is a weakly efficient solution for (AiO).*

*Proof.* Towards a contradiction, suppose  $(\hat{x}^1, \dots, \hat{x}^k, \hat{x}^{k+1}, \dots, \hat{x}^N) \notin E_w(X)$ . Then there exists  $x = (x^1, \dots, x^N) \in X$  such that

$$[f^1(x^1), \dots, f^k(x^k), \dots, f^N(x^N)] < [f^1(\hat{x}^1), \dots, f^k(\hat{x}^k), \dots, f^N(\hat{x}^N)].$$

Observe that  $(x^1, \dots, x^{k-1}, x^k)$  is feasible for  $(HCOP_{1\dots k})$  since for each  $j \in \{1, \dots, k-1\}$ ,

$$f^j(x^j) < f^j(\hat{x}^j) \leq f^j(x^{j*}) + \varepsilon^{j*},$$

|                                         | Autonomous | Hierarchical |
|-----------------------------------------|------------|--------------|
| Representation of Pareto sets necessary | Yes        | No           |
| Anchor point necessary                  | No         | Yes          |
| Ranking of subproblems necessary        | No         | Yes          |
| Interactive procedure                   | No         | Yes          |

Table 1: A comparison of hierarchical and autonomous coordination.

and  $g^i(x^i) \leq 0$  for  $i \in [k]$ . But this contradicts the weak efficiency of  $(\hat{x}^1, \dots, \hat{x}^k)$  for  $(\text{HCOP}_{1\dots k})$ . Thus, it must be that  $(\hat{x}^1, \dots, \hat{x}^i, \dots, \hat{x}^N)$  is a weakly efficient solution for  $(\text{AiO})$ .  $\square$

There are advantages and disadvantages to both methods, and Table 1 presents a comparison of autonomous and hierarchical coordination contrasting computational and *a priori* requirements for both procedures. Although autonomous coordination has an overall lower computational burden (only one optimization problem need be solved) than hierarchical coordination, there is no opportunity for the DM to participate in directing the coordination of the subproblems. On the other hand, hierarchical coordination allows the DM to directly interact with the coordination process, but there is an added computational and cognitive burden due to the selection of anchor points and defining of relaxations. However, the drawbacks of autonomous and hierarchical coordination are alleviated with the hybrid methodology, which we turn our attention to next.

### 6.3 Hybrid Coordination

Autonomous and hierarchical coordination can be combined into an interactive decision-making procedure by using autonomous coordination to suggest anchor points and relaxations to the DM for hierarchical coordination. One key distinction in this hybrid coordination procedure is the formulation of an autonomous coordination problem on a subset of subproblems. This formulation is given by the following.

$$\begin{aligned}
& \min_{x, s^k, \dots, s^N} \begin{bmatrix} \sigma_k(f^k(x), s^k) \\ \vdots \\ \sigma_N(f^N(x^N), s^N) \end{bmatrix} & (\text{SPTP}_{k\dots N}) \\
& \text{s. t. } x = (x^1, \dots, x^N) \in X \\
& f^i(x^i) \leq \hat{s}^i + \varepsilon^i & i \in \{1, \dots, k-1\} \\
& s^k \in P(Y(\text{HCOP}_{1\dots k})) \\
& s^\ell \in P(Y^\ell) & \ell \in \{k+1, \dots, N\},
\end{aligned}$$

where  $P(Y(\text{HCOP}_{1\dots k}))$  denotes the Pareto set of  $(\text{HCOP}_{1\dots k})$  for  $k = 2, \dots, N$  and  $P(Y^\ell)$  is the Pareto set of subproblem  $\ell \in \{k+1, \dots, N\}$ .

A proposed decision-making procedure is listed in Algorithm 2.

---

**Algorithm 2** Hybrid Coordination.

---

- 1: **input:** All-in-One multiobjective optimization problem and BASFs  $\sigma_1, \dots, \sigma_N$ .
  - 2: Decompose (AiO) into subproblems  $(SP_1), \dots, (SP_N)$ .
  - 3: Solve (SPTP). (Or find representation of  $P(\Sigma)$ .)
  - 4: Use an MCDM tool to select a point of interest  $\hat{\sigma} = (\sigma_1(f^1(\hat{x}), \hat{s}^1), \dots, \sigma_N(f^N(\hat{x}), \hat{s}^N))$ .
    - 4a: Rank subproblems according to increasing value of the components of  $\hat{\sigma}$ .
 

*Note: Without loss of generality,  $(SP_1) \succ \dots \succ (SP_N)$ .*
  - 5: Use an MCDM tool to select a(n) (weakly) efficient solution  $(\hat{x}, \hat{s})$  for (SPTP).
    - 5a: Define  $\hat{s}^1$  as the anchor point
    - 5b: Define  $\varepsilon = (|f^{11}(\hat{x}) - \hat{s}^{11}|, \dots, |f^{1p_1}(\hat{x}) - \hat{s}^{1p_1}|)$  as the relaxation for (HCOP<sub>12</sub>).
  - 6: Use an MCDM tool to explore the Pareto set of (HCOP<sub>12</sub>). .
  - 7: **for**  $k = 2, \dots, N - 1$  **do**
  - 8:   Solve (SPTP<sub>1...k</sub>).
  - 9:   Use an MCDM tool to select a(n) (weakly) efficient solution  $(\hat{x}, \hat{s}^k, \dots, \hat{s}^N)$ .
    - 9a: Define  $\hat{s}^k$  as the anchor point
    - 9b: Define  $\varepsilon = (|f^{k1}(\hat{x}) - \hat{s}^{k1}|, \dots, |f^{kp_k}(\hat{x}) - \hat{s}^{kp_k}|)$  as the relaxation.
  - 10:   Use an MCDM tool to explore the Pareto set of (HCOP<sub>1...k+1</sub>).
  - 11: **end for**
  - 12: **output:**  $(\hat{x}, \hat{s})$ 
    - a)  $\hat{x}$  is a preferred weakly efficient solution of (HCOP<sub>1...N</sub>) (Proposition 10)
    - b)  $\hat{s}$ , a vector of anchor point in the Pareto set of each subproblem.
-

In step 1, the DM inputs (AiO) and a collection of BASFs. Step 2 decomposes the problem, while Step 3 finds at least a representation of  $P(\Sigma)$ , which will be used to formulate the subproblem rankings and selection of the first anchor point and relaxation in Step 4 and Step 5. Notably, Steps 5-6 select anchor points, relaxations, and find the (weak) Pareto set of the first hierarchical coordination problem until the DM is satisfied with the performance in subproblems 1 and 2. Next is the main loop, Steps 7-11. During this loop, the DM progressively solves the autonomous coordination problem with respect to the remaining objective functions (Step 8). By using an MCDM tool, an efficient solution to  $(SPTP_{1...k})$  is selected to define anchor points, relaxations, and the DM solves  $(HCOP_{1...k+1})$  until satisfaction (Steps 9-10). At the end, the output is a preferred (weakly) efficient solution for  $(HCOP_{1...N})$ , which is guaranteed to be (weakly) efficient for (AiO) by Proposition 10.

## 7 Example Application

The generic nature of the D&C methodology presented here provides a DM with flexibility in application since decomposition and coordination is agnostic concerning the mathematical properties of the underlying MOP. All that is required is the existence of (weakly) efficient solutions. Thus, given a multiobjective problem which is decomposable as described in Section 4, the DM may readily apply the D&C methodology presented here and she is only limited by the capability of solvers to handle the optimization problem instance.

To see this D&C methodology at work, we apply our theory of decomposition and coordination to an example application of disaster relief by extending the Continuous Multiobjective Multidimensional Knapsack Problem [31, 20, 6].

Depending on the locations of the variables in CMOMDKP, the DM may be able to re-write the problem in the decomposable formulation presented in Section 4. If such a transformation is possible, then the D&C methodology developed here may be applied to CMOMDKP. In the next section, we consider an application of CMOMDKP to an example disaster relief problem. This example has the underlying mathematical structure for the proposed decomposition, and we use the autonomous and hybrid coordination procedures to work through a possible decision-making scenario.

### 7.1 Example Application: Disaster Relief

In an emergency crisis, delivering humanitarian aid to an affected area is of critical importance. We show that our decision-making procedure is a helpful tool for making such consequential decisions.

We consider an example where a disaster relief agency must provide a rapid response to a natural disaster by sending an immediate delivery of goods to the affected area. Once the area is secured, more aid will follow. The agency has three modes of transportation: sea ( $i = 1$ ), land ( $i = 2$ ), and air ( $i = 3$ ). They also have various goods that can be delivered in different combinations on each mode of transportation. Figure 1 shows how the goods may be shipped on each transportation




Figure 1: Modes of transportation (squares) and goods to be delivered (circles) in the humanitarian aid example.

type. Each mode of transportation has its own value of, and incurs its own cost on, the goods delivered.

Our D&C methodology is pertinent to this problem since the DM is uninterested in how the goods are to be packed on each mode of transport; rather, she is only interested that the goods be *delivered*, albeit in such a way that the value of the goods for the victims is maximized and the cost of delivery is minimized. Thus, the DM does not want to compare tradeoffs between individual cost and value functions, but rather wants to compare tradeoffs between *pairs* of cost and value functions. Since each mode of transportation has its own pair of cost and value functions, this amounts to the DM performing an analysis between transportation systems. This implies the need for a higher-level view for the DM to analyze, which is precisely what subproblem tradeoffs provide. Each subproblem corresponds to a different mode of transportation, and the DM will select the mode of transportation, or subproblem, that she finds to be the most beneficial for the situation at hand.

Many humanitarian problems have been modeled by classic operations research models, including variations of the knapsack problem [13, 44, 46]. Here, we model this problem with an instance of CMOMDKP. Each dimension of the knapsack models a specific mode of transportation, while each objective measures either the cost or value of the goods delivered with respect to the mode of transportation. The constraints of the knapsack problem ensure that no one mode of transportation is over-packed, but we note that two modes of transportation have some complicating constraints, which require that at least some amount of goods be packed.

Observe that this problem has the structure necessary for decomposition and coordination to be applied. We define the AiO as the knapsack problem presented in A. The values for  $F, W, A, b_{\text{cap}}, b_{\text{req}}$ , and  $u$  and the BASFs used for autonomous and hybrid coordination are in B, Table 6. We adopt the notation in Section 4 to make the decomposable structure apparent and the assignment of goods to variables is shown in Table 2. Table 3 shows the decomposition of AiO into subproblems. Note that in the decomposition, the functions denoted by  $c^i$ , for  $i = 1, 2, 3$ , are

| Transportation     | Subproblem    |
|--------------------|---------------|
| Sea                | 1             |
| Land               | 2             |
| Air                | 3             |
| Goods              | Variable Name |
| Food               | $x_{123}$     |
| Fuel               | $x_{12}$      |
| Medicine           | $x_{23}$      |
| Floating docks     | $x_1$         |
| Building materials | $x_2$         |
| Plasma             | $x_3$         |

Table 2: Subproblems and variables in humanitarian aid example.

|              | Objective functions                                                                                                                                    | Constraints                                                                                                                               |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Subproblem 1 | $\min \quad f^1(x^1) = \begin{bmatrix} c^1(x^1) = 2x_{123} + 3x_{12} + 15x_1 \\ -v^1(x^1) = -1x_{123} - 5x_{12} - 7x_1 \end{bmatrix}$                  | $1/2x_{123} + 2x_{12} + 3x_1 \leq 7$<br>$0 \leq x_{123}, x_{12}, x_1 \leq 5$                                                              |
| Subproblem 2 | $\min \quad f^2(x^2) = \begin{bmatrix} c^2(x^2) = x_{123} + 4x_{12} + 8x_{23} + 3x_2 \\ -v^2(x^2) = -x_{123} - 3x_{12} - 5x_{23} - 2x_2 \end{bmatrix}$ | $1/2x_{123} + 2x_{12} + x_{23} + 2x_2 \leq 10$<br>$x_{12} + x_2 \geq 2$<br>$0 \leq x_{123}, x_{12}, x_{23} \leq 5$<br>$0 \leq x_2 \leq 1$ |
| Subproblem 3 | $\min \quad f^3(x^3) = \begin{bmatrix} c^3(x^3) = x_{123} + 6x_{23} + 12x_3 \\ -v^3(x^3) = -x_{123} - 4x_{23} - 6x_3 \end{bmatrix}$                    | $1/2x_{123} + x_{23} + 2x_3 \leq 5$<br>$x_{123} + x_3 \geq 2$<br>$0 \leq x_{123}, x_{23} \leq 5$<br>$0 \leq x_3 \leq 1$                   |

Table 3: Decomposition for disaster relief example.

cost functions, which model the cost to pack items in knapsack  $i$ , while each  $v^i$  models the value of items packed in knapsack  $i$ .

In what follows, we implement CMOMDKP and perform all numerical optimization using JuMP v1.22.2 in Julia [35] and Gurobi 11.0.2 as our optimization solver.

## 7.2 Analysis with Autonomous Coordination

To perform autonomous coordination, the DM solves (L-SPTP) as described in Section 5.2. In Figure 2, the blue circles are the Pareto extreme points and the blue lines connecting them are the maximal Pareto nondominated faces in the outcome space of each subproblem. Using an MCDM tool, the DM has selected 3 points of interest. These three points are denoted in the legend of Figure 2. Table 5 lists the preimages and outcome values, while Table 4 lists the subproblem tradeoff values and  $\sigma_i$ -values for each of these points.

Figure 2 provides helpful information for the DM since it shows the image of Point 1,  $(\hat{x}, \hat{s})$ , Point 2,  $(\tilde{x}, \tilde{s})$ , and Point 3,  $(\check{x}, \check{s})$  in each subproblem. For example, consider Point 1, which is represented by a yellow triangle. For each Subproblem  $i$ ,  $i \in [3]$ , Point 1 is represented graphically by two points:  $\hat{s}^i$  and  $f^i(\hat{x}^i)$ . The former is plotted on the Pareto set of the subproblem, while the latter is connected by a black line (for visual purposes only). However, in Subproblem 2,  $f^2(\hat{x}^2)$

|                           | Point 1 | Point 2 | Point 3 |
|---------------------------|---------|---------|---------|
| $\mathcal{ST}_{12}$       | -       | -       | 1.6474  |
| $\mathcal{ST}_{13}$       | -       | 0.5299  | 0.6250  |
| $\mathcal{ST}_{23}$       | -       | 0       | 0.3794  |
| $\sigma_1(f^1(x^1), s^1)$ | 1.75    | 0.975   | 0.875   |
| $\sigma_2(f^2(x^2), s^2)$ | 0       | 0       | 0.53115 |
| $\sigma_3(f^3(x^3), s^3)$ | 0       | 1.84    | 1.4     |

Table 4: Subproblem Tradeoffs and  $\sigma_i$ -values for Points 1, 2, and 3.

|                                             | Point 1: $(\hat{x}, \hat{s})$ | Point 2: $(\tilde{x}, \tilde{s})$ | Point 3: $(\check{x}, \check{s})$ |
|---------------------------------------------|-------------------------------|-----------------------------------|-----------------------------------|
| <b>Food: <math>x_{123}</math></b>           | 2                             | 1.11                              | 1                                 |
| <b>Fuel: <math>x_{12}</math></b>            | 2                             | 2                                 | 3.13                              |
| <b>Medicine: <math>x_{23}</math></b>        | 0                             | 0                                 | 2.4                               |
| <b>Dock Materials: <math>x_1</math></b>     | 0                             | 0                                 | 0                                 |
| <b>Building Materials: <math>x_2</math></b> | 0                             | 0                                 | 0.425                             |
| <b>Plasma: <math>x_3</math></b>             | 0                             | 0.88571                           | 1                                 |
| $s^1$                                       | (8.25, -13.75)                | (7.25, -12.09)                    | (10.5, -17.5)                     |
| $s^2$                                       | (10, -8)                      | (9.11, -7.11)                     | (33.44, -23.76)                   |
| $s^3$                                       | (2, -2)                       | (9.90, -8.27)                     | (26, -18)                         |
| $(f^{11}(x^1), f^{12}(x^1))$                | (10, -12)                     | (8.23, -11.11)                    | (11.38, -16.63)                   |
| $(f^{21}(x^2), f^{22}(x^2))$                | (10, -8)                      | (9.11, -7.11)                     | (33.98, -23.23)                   |
| $(f^{31}(x^3), f^{32}(x^3))$                | (2, -2)                       | (11.74, -6.43)                    | (27.4, -16.6)                     |

Table 5: Values of Points 1, 2, and 3.




Figure 2: Autonomous Coordination: Results of (SPTP).

is on the Pareto set of Subproblem 2 since  $f^2(\hat{x}^2) = \hat{s}^2$ . Similar observations may be made of the other points in each subproblem. The values of Points 1, 2, and 3 are listed in Table 5. For  $i \in [3]$ , by observing the location of  $(f^i(\hat{x}^i), \hat{s}^i)$ ,  $(f^i(\tilde{x}^i), \tilde{s}^i)$ ,  $(f^i(\check{x}^i), \check{s}^i)$ , the DM has the ability to visualize the “distance” between  $f^i(\hat{x}^i)$ ,  $f^i(\tilde{x}^i)$ ,  $f^i(\check{x}^i)$  and the Pareto set of Subproblem  $i$ .

Observe that for Point 1,  $\sigma_2(f^2(\hat{x}^2), \hat{s}^2) = \sigma_3(f^3(\hat{x}^3), \hat{s}^3) = 0$ , which means that  $\hat{x}^2$  and  $\hat{x}^3$  are efficient solutions for Subproblems 2 and 3, respectively. On the other hand,  $\sigma_1(f^1(\hat{x}^1), \hat{s}^1) = 1.75$ . These subsystem tradeoffs imply that sending 2 units of food and 2 units of fuel over land is a better choice than sending the same aid package over sea. Similarly, the aid package of 2 units of food sent over air is also a better choice than sending aid over sea.

In the case of Point 2, denoted by a purple square, observe that  $\sigma_2(f^2(\tilde{x}^2), \tilde{s}^2) = 0$ . This means that sending 1.11 units of food and 2 units of fuel over land is an efficient solution with respect to Subproblem 2. However, since  $\sigma_1(f^1(\tilde{x}^1), \tilde{s}^1) = 0.975 < 1.84 = \sigma_3(f^3(\tilde{x}^3), \tilde{s}^3)$ , sending 1.11 units of food and 2 units of fuel over sea is a better option than sending 1.11 units of food and 0.88571 units of plasma over air. In fact, using the subproblem tradeoff value  $\mathcal{ST}_{13} \approx 0.53$ , this aid package sent over sea is 53% better than sending it over air. Although the same package (1.11 units of food and 2 units of fuel) may be sent either by sea or air, since  $\sigma_2(f^2(\tilde{x}^2), \tilde{s}^2) = 0$ , the DM ought to choose the land option for delivery.

Finally, for Point 3, represented by a green star, note that  $\sigma_2(f^2(\check{x}^2), \check{s}^2) = 0.53115 < 0.875 = \sigma_1(f^1(\check{x}^1), \check{s}^1)$ , which shows that sending 1 unit of food, 3.13 units of fuel, 2.4 units of medicine, and 0.425 units of building materials over land is a better decision than sending 1 unit of food and 3.13 units of fuel by sea. A similar observation may be made when comparing land to air, since  $\sigma_2(f^2(\check{x}^2), \check{s}^2) = 0.53115 < 1.4 = \sigma_3(f^3(\check{x}^3), \check{s}^3)$ . However, observe that  $\sigma_1(f^1(\check{x}^1), \check{s}^1) = 0.875 < 1.4 = \sigma_3(f^3(\check{x}^3), \check{s}^3)$ , which shows that delivery by sea is better than air. It is better to send the aid package of 1 unit of food, 3.13 units of fuel by sea than the corresponding aid package by air. Since air is not a good option in any case, the DM needs to decide whether to deliver aid by land or sea. The subproblem tradeoff value  $\mathcal{ST}_{21} = \frac{1}{\mathcal{ST}_{12}} \approx 0.61$  shows that delivering aid by land is 61% better than delivering aid by sea.

### 7.3 Analysis with Hybrid Coordination

The DM now coordinates the subproblems using hybrid coordination, which is listed in Algorithm 2.

**Step 1: Ranking subproblems.** First, the DM determines a preference ranking of the subproblems.

This may be done using the points of interest, Points 1, 2, and 3, and the subproblem tradeoff values. Notice that Point 1 is efficient for Subproblems 2 and 3 since  $\sigma_2(f^2(\hat{x}^2), \hat{s}^2) = \sigma_3(f^3(\hat{x}^3), \hat{s}^3) = 0$ . Thus, Point 1 does not provide much direction in ranking the subproblems since there is no determination between whether to prefer Subproblem 2 or Subproblem 3. On the other hand, consider Point 2. Observe that  $\sigma_2(f^2(\tilde{x}^2), \tilde{s}^2) = 0 < \sigma_1(f^1(\tilde{x}^1), \tilde{s}^1) = 0.975 < \sigma_3(f^3(\tilde{x}^3), \tilde{s}^3) = 1.84$ . With a slight relaxation on Point 2 in Subproblem 2, there is an opportunity to improve performance in Subproblem 1 and then Subproblem 3. This suggests the ranking  $SP_2 \succ SP_1 \succ SP_3$ . Similarly, Point 3 has that  $\sigma_2(f^2(\check{x}^2), \check{s}^2) = 0.53115 < \sigma_1(f^1(\check{x}^1), \check{s}^1) = 0.875 < \sigma_3(f^3(\check{x}^3), \check{s}^3) = 1.4$ , also implying the ranking of  $SP_2 \succ SP_1 \succ SP_3$ . However, since  $\sigma_2(f^2(\tilde{x}^2), \tilde{s}^2) = 0$ , Point 2 is efficient for Subproblem 2, making Point 2 a suitable anchor.




Figure 3: Hybrid Coordination: Results of (HCOP<sub>21</sub>).

**Step 2: Select anchor point and relaxation for (HCOP<sub>21</sub>).** As mentioned in the previous step, Point 2 is selected as the anchor point for the first coordination problem. The DM must now select a suitable relaxation. We may observe that across the 3 points, the largest  $\sigma_2$ -value is found with Point 3, where  $\sigma_2(f^2(\check{x}^2), \check{s}^2) = 0.53115$ . This largest  $\sigma_2$ -value suggests the relaxation we may place on the anchor point. We use  $\check{s}^2$  and  $f^2(\check{x}^2)$  to define the relaxation. Let  $\varepsilon_{21} = f^2(\check{x}^2) - \check{s}^2 = (0.53, 0.53)$ . Observe that since Point 2 is efficient for Subproblem 2, it is also  $\varepsilon_{21}$ -efficient.

**Step 3: Find representation of (HCOP<sub>21</sub>).** The DM formulates (HCOP<sub>21</sub>) and solves it for its Pareto set. Figure 3 depicts the Pareto set of (HCOP<sub>21</sub>) projected into the outcome space of Subproblems 1 and 2. An MCDM tool may be used to explore the Pareto set of (HCOP<sub>21</sub>) to aid the DM in the alternatives before her.

**Step 4: Select anchor point and relaxation for (HCOP<sub>231</sub>).** To find a new anchor point and relaxation in the outcome space of Subproblem 1, the DM formulates and solves (SPTP<sub>13</sub>). Figure 4 shows a representation of the efficient set of (SPTP<sub>13</sub>) in the outcome space of each subproblem. Once again using a suitable MCDM tool, the DM selects the point  $\check{s}^1 = (5.57143, -9.28572)$  as the anchor point in the outcome space of Subproblem 1 and the corresponding relaxation of  $f^1(\check{x}^1) - \check{s}^1 = (2, 2)$ .

**Step 5: Find representation of (HCOP<sub>231</sub>).** The DM formulates and solves the problem (HCOP<sub>213</sub>). Figure 5 shows the Pareto set of (HCOP<sub>213</sub>) projected in the outcome spaces of Subproblems 1, 2, and 3, respectively. Observe that the DM has the opportunity to select an (AiO) feasible design which is within her allowed relaxations for Subproblems 2 and 1, and is also efficient for Subproblem 3, since part of the Pareto set of (HCOP<sub>213</sub>) intersects with the Pareto set




Figure 4: Hybrid Coordination: Results of (HCOP<sub>21</sub>) and (SPTP<sub>13</sub>).

of Subproblem 3. For example, the middle point of the set of (HCOP<sub>213</sub>) corresponds to an aid package of 2.29 units of food, 1 unit of fuel, 0.05 units of medicine, 0 units of dock materials, 1 unit of building materials, and 0 units of plasma. The DM may choose to deliver this aid package by land, since Subproblem 2 was used to begin the hybrid coordination. What is unique about hybrid coordination, however, is that whatever aid package is finally selected by the DM, its performance is well within her preferences across all three modes of transportation. Such information may be invaluable since, for example, if the land delivery fails, the DM may attempt a re-delivery by sea or air using the same aid package with no need to go through the decision-making process again.

**Step 6: Repeat until satisfaction.** The DM may go back and forth between any of these steps until she is satisfied with the performances of her selected (AiO) decision within each subproblem. Once she is satisfied, she may select an output and the corresponding aid package is returned. The DM now has actionable information and may begin the process of delivering aid.

Hybrid coordination may be readily put into a “black-box”, so that the DM need never personally formulate (HCOP) or (SPTP) at any point. The DM only needs to be provided good representations of the Pareto sets of each subproblem, outputs on potential anchor points and relaxations, and the ability to move back and forth between every step of the hybrid decision-making procedure.




Figure 5: Hybrid Coordination: Results of (HCOP<sub>21</sub>), (SPTP<sub>31</sub>), and (HCOP<sub>213</sub>).

## 8 Conclusion

We have proposed a decomposition and coordination methodology for decision-making with large/-complex MOPs. Decomposition serves to transform the large/complex MOP into a collection of smaller-dimensional sub-MOPs, while coordination ensures that through the decision-making process, the DM considers solutions that are balanced between subproblems and are at least weakly efficient for the original large/complex MOP. This methodology enables us to define the new concept of subproblem tradeoffs. Finally, the three coordination procedures presented here enable the application MCDM tools to large/complex MOPs, even when the number of objectives far exceed the cognitive limits of a DM.

For future work, we see two main directions. The first direction is mainly qualitative in nature as it focuses on the effects of our D&C methodology on the actual decision-making process. For instance, real-world DM participation in using this D&C method in tandem with an MCDM tool will provide opportunities to sharpen this D&C approach, as well as provide empirical evidence about how MCDM tools interact with decomposed and coordinated large/complex MOPs. There is also a need for investigations into the application of BASFs to understand how the choice of BASF affects autonomous coordination, hybrid coordination, and the final decision selected by a DM. Furthermore, studies examining decisions made by applying MCDM tools directly on the original AiO formulation on the one hand, and decisions made by applying these same MCDM tools to the reformulations arising from our coordination procedures on the other, would provide further insight to how decisions are affected by this D&C methodology.

The second direction is mathematical in nature. Since (SPTP) requires multiobjective bilevel optimization in general, and multiobjective bilinear optimization in the linear case, continued work

is needed to improve algorithms for these classes of optimization problems.

We believe that our contribution here, along with these future investigations, will continue to assist DMs in making well-informed decisions.

## Acknowledgements

This work was supported by Clemson University’s Virtual Prototyping of Autonomy Enabled Ground Systems (VIPR-GS), under Cooperative Agreement W56HZV-21-2-0001 with the US Army DEVCOM Ground Vehicle Systems Center (GVSC). DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited. OPSEC10001

## References

- [1] Warren P. Adams and Hanif D. Sherali. “Mixed-integer bilinear programming problems”. In: *Mathematical Programming* 59 (1993), pp. 279–305.
- [2] Pouya Aghaeipour, Jussi Hakanen, and Kaisa Miettinen. “A surrogate-assisted a priori multiobjective evolutionary algorithm for constrained multiobjective optimization problems”. In: *Journal of Global Optimization* 90 (2024), pp. 459–485.
- [3] Maria João Alves, Carlos Henggeler Antunes, and João Paulo Costa. “New concepts and an algorithm for multiobjective bilevel programming: optimistic, pessimistic and moderate solutions”. In: *Operational Research* 21 (2021).
- [4] Raphaël Benayoun et al. “Linear programming with multiple objective functions: Step method (STEM)”. In: *Mathematical Programming* 1.1 (1971), pp. 366–375.
- [5] T. Buchanan. “A naive approach for solving MCDM problems: The GUESS method”. In: *Journal of the Operational Research Society* 48.2 (1997), pp. 202–206.
- [6] Valentina Cacchiani et al. “Knapsack problems—An overview of recent advances. Part II: Multiple, multidimensional, and quadratic knapsack problems”. In: *Computers and Operations Research* 143 (2022).
- [7] Philip de Castro et al. “Decomposition and Coordination to Support Tradespace Analysis for Ground Vehicle Systems”. In: *SAE Technical Paper 2022-01-0370* (2022).
- [8] Philip J. de Castro. “On bivariate achievement scalarizing functions”. In: *Operations Research Letters* 68 (2026), pp. 1–5. URL: <https://doi.org/10.1016/j.orl.2026.107469>.
- [9] Vira Chankong and Yacov Y. Haimes. *Multiobjective Decision Making: Theory and Methodology*. North Holland series in systems science and engineering. New York: North Holland, 1985.
- [10] Xin Cheng and Xiang Li. “Discretization and global optimization for mixed integer bilinear programming”. In: *Journal of Global Optimization* 84 (2022), pp. 843–867.

- [11] Tinkle Chugh et al. “A survey on handling computationally expensive multiobjective optimization problems with evolutionary algorithms”. In: *Soft Computing* 23 (2019), pp. 3137–3166.
- [12] Tobias Dietz et al. “Introducing multiobjective complex systems”. In: *European Journal of Operational Research* 280.2 (2020), pp. 581–596. ISSN: 0377-2217.
- [13] Nedialko B. Dimitrov et al. “Emergency relocation of items using single trips: Special cases of the Multiple Knapsack Assignment Problem”. In: *European Journal of Operational Research* 258 (2017), pp. 938–942.
- [14] Matthias Ehrgott. *Multicriteria Optimization*. 2nd. Springer, 2010.
- [15] Gabriele Eichfelder. “Methods for Multiobjective Bilevel Optimization”. In: *Bilevel Optimization: Advances and Next Challenges*. Springer International Publishing, 2020.
- [16] Gabriele Eichfelder. “Multiobjective bilevel optimization”. In: *Mathematical Programming* 123 (2010), pp. 419–449.
- [17] Alexander Engau. “Tradeoff-based decomposition and decision-making in multiobjective programming”. In: *European Journal of Operational Research* 199 (2009), pp. 883–891.
- [18] Alexander Engau and Margaret M. Wiecek. “Interactive coordination of objective decompositions in multiobjective programming”. In: *Management Science* 54.7 (2008), pp. 1350–1363.
- [19] Stacey L. Faulkenberg and Margaret M. Wiecek. “On the quality of discrete representations in multiple objective programming”. In: *Optimization and Engineering* 11 (2010), pp. 423–440.
- [20] José Rui Figueira, Gabriel Tavares, and Margaret M. Wiecek. “Labeling algorithms for multiple objective integer knapsack problems”. In: *Computers & Operations Research* 37 (2010), pp. 700–711.
- [21] Matteo Fischetti and Michele Monaci. “A branch-and-cut algorithm for Mixed-Integer Bilinear Programming”. In: *European Journal of Operational Research* 282 (2020), pp. 506–514.
- [22] Arthur M Geoffrion. “Proper efficiency and the theory of vector maximization”. In: *Journal of Mathematical Analysis and Applications* 22.3 (1968), pp. 618–630. ISSN: 0022-247X.
- [23] Salvatore Greco, Matthias Ehrgott, and Jose Figueira. *Multiple Criteria Decision Analysis: State of the Art Surveys*. Springer, 2016.
- [24] Abhishek Gupta, Yew-Soon Ong, and Liang Feng. “Multifactorial Evolution: Toward Evolutionary Multitasking”. In: *IEEE Transactions on Evolutionary Computation* 20.3 (2016), pp. 343–357. DOI: 10.1109/TEVC.2015.2458037.
- [25] Akshay Gupte et al. “Solving Mixed Integer Bilinear Problems Using MILP Formulations”. In: *SIAM Journal on Optimization* 23.2 (2013), pp. 721–744.

- [26] Pascal Halffmann et al. “Exact algorithms for multiobjective linear optimization problems with integer variables: A state of the art survey”. In: *Journal of Multi-Criteria Decision Analysis* 29.5–6 (2022), pp. 341–363.
- [27] Stephen M. Henry, Lucas A. Waddell, and Michael R. DiNunzio. *The whole system trades analysis tool for autonomous ground systems*. Tech. rep. 2024-01-3574. SAE Technical Paper, 2016.
- [28] Arne Herzel, Stefan Ruzika, and Clemens Thielen. “Approximation methods for multiobjective optimization problems: A survey”. In: *INFORMS Journal on Computing* 33.4 (2021), pp. 1284–1299.
- [29] Jonas Ide et al. “The relationship between multi-objective robustness concepts and set-valued optimization”. In: *Fixed Point Theory and Applications* 83 (2014).
- [30] Kathrin Klamroth, Michael Stiglmayr, and Claudia Totzeck. “Consensus-based optimization for multi-objective problems: a multi-swarm approach”. In: *Journal of Global Optimization* 89 (2024), pp. 745–776.
- [31] Kathrin Klamroth and Margaret M. Wiecek. “Dynamic Programming Approaches to the Multiple Criteria Knapsack Problem”. In: *Naval Research Logistics* 47 (2000).
- [32] Thomas Kleinert et al. “A Survey on Mixed-Integer Programming Techniques in Bilevel Optimization”. In: *EURO Journal on Computational Optimization* 9 (2021).
- [33] Pekka Korhonen and Jyrki Wallenius. “A multiple objective linear programming decision support system”. In: *Decision Support Systems* 6.3 (1990), pp. 243–251.
- [34] Jian-Yu Li et al. “Multiple Tasks for Multiple Objectives: A New Multiobjective Optimization Method via Multitask Optimization”. In: *IEEE Transactions on Evolutionary Computation* 29.1 (2025), pp. 172–186. DOI: 10.1109/TEVC.2023.3294307.
- [35] Miles Lubin et al. “JuMP 1.0: Recent improvements to a modeling language for mathematical optimization”. In: *Mathematical Programming Computation* 15 (2023), pp. 581–589.
- [36] MACODA Workshop. *MACODA: Many Criteria Optimization and Decision Analysis*. <https://www.lorentzcenter.nl/macoda-many-criteria-optimization-and-decision-analysis.html>, 2021-05-15. 2019.
- [37] C.L. Martins and M.V. Pato. “Decomposition heuristics for multiobjective problems. The Food bank network redesign case”. In: *International Journal of Production Economics* 268 (2024), p. 109121.
- [38] Kaisa Miettinen. *Nonlinear Multiobjective Optimization*. Springer, 1998.
- [39] Kaisa Miettinen and Marko M. Mäkelä. “NIMBUS—Interactive Method for Nondifferentiable Multiobjective Optimization Problems”. In: *Multi-Objective Programming and Goal Programming*. Springer Berlin Heidelberg, 1996, pp. 50–57.

- [40] George A. Miller. “The Magical Number Seven, Plus or Minus Two: Some Limits on Our Capacity for Processing Information”. In: *The Psychological Review* 63.2 (1956), pp. 81–97.
- [41] Hirotaka Nakayama and Yoshikazu Sawaragi. “Satisficing trade-off method for multiobjective programming”. In: *Interactive Decision Analysis*. Springer, 1984, pp. 113–122.
- [42] Bernard Roy. *Multicriteria Methodology for Decision Aiding*. Trans. by Mark R. McCord. Kluwer Academic Publishers, 1996.
- [43] Yoshikazu Sawaragi, Hirotaka Nakayama, and Tetsuzo Tanino. *Theory of Multiobjective Optimization*. Academic Press, Inc., 1985.
- [44] Jay Simon, Aruna Apte, and Eva Regnier. “An application of the multiple knapsack problem: The self-sufficient marine”. In: *European Journal of Operational Research* 256 (2017), pp. 868–876.
- [45] Ankur Sinha, Pekka Malo, and Kalyanmoy Deb. “A Review on Bilevel Optimization: From Classical to Evolutionary Approaches and Applications”. In: *IEEE Transactions on Evolutionary Computation* 22.2 (2018), pp. 276–295.
- [46] Martina Sperling and Guido Schyren. “Decision support for disaster relief: Coordination spontaneous volunteers”. In: *European Journal of Operational Research* 299 (2022), pp. 690–705.
- [47] Margaret Wiecek, M. Ehrgott, and A. Engau. “Continuous Multiobjective Programming”. In: *Multiple Criteria Decision Analysis: State of the Art Surveys*. Ed. by S. Greco, M. Ehrgott, and Figueira J.R. Springer, 2016, pp. 738–815.
- [48] Margaret M. Wiecek and Philip J. de Castro. “Decomposition and Coordination for Many-Objective Optimization”. In: *Intelligent Decision Support Systems : Combining Operations Research and Artificial Intelligence - Essays in Honor of Roman Słowiński*. Ed. by Salvatore Greco et al. Cham: Springer International Publishing, 2022, pp. 307–329. ISBN: 978-3-030-96318-7.
- [49] Andrzej P. Wierzbicki. “On the completeness and constructiveness of parametric characterizations to vector optimization problems”. In: *OR Spektrum* 8 (1986), pp. 73–87.
- [50] Bin Xin et al. “Interactive Multiobjective Optimization: A Review of the State-of-the-Art”. In: *IEEE Access* 6 (2018).
- [51] Han Xu et al. “Integrated optimization design of electric power steering and suspension systems based on hierarchical coordination optimization method”. In: *Structural and Multidisciplinary Optimization* 65.59 (2022).

## A Structure of Continuous Multiobjective Multidimensional Knapsack Problem with Complicating Constraints

The Continuous Multiobjective Multidimensional Knapsack Problem (CMOMDKP) modifies the classical knapsack problem in three key ways. First, it makes all variables continuous rather than discrete. Next, the scalar knapsack capacity constraint is extended to a vector constraint, which models the capacities of each dimension of the knapsack. It also adds more objective functions which model, for example, maximizing the value of items packed and minimizing costs to pack the chosen items. In this work, we consider another extension to CMOMDKP: the addition of complicating, but useful, constraints, which can, for example, model requirements on the minimum amount of items that are packed in a dimension of the knapsack. The generic form of CMOMDKP with complicating constraints may be written in the following form.

$$\min \quad Fx \quad (14a)$$

$$\text{s. t.} \quad Wx \leq b_{\text{cap}} \quad (14b)$$

$$Ax \geq b_{\text{req}} \quad (14c)$$

$$0 \leq x \leq u \quad (14d)$$

In Equation (14a), the matrix  $F$  describes the objective functions while in Equation (14b), the matrix  $W$  and vector  $b_{\text{cap}}$  yield the standard CMOMDKP weight and capacity constraints for each dimension of the knapsack. However, Equation (14c) introduces the matrix  $A$  and the vector  $b_{\text{req}}$  to describe the complicating constraints. Finally, Equation (14d) describes inventory bounds on the items at hand.

## B Data from Humanitarian Aid Example

$$F = \begin{bmatrix} 2 & 3 & 0 & 15 & 0 & 0 \\ -1 & -5 & 0 & -7 & 0 & 0 \\ 1 & 4 & 8 & 0 & 3 & 0 \\ -1 & -3 & -5 & 0 & -2 & 0 \\ 1 & 0 & 6 & 0 & 0 & 12 \\ -1 & 0 & -4 & 0 & 0 & -6 \end{bmatrix} \quad W = \begin{bmatrix} 1/2 & 2 & 0 & 3 & 0 & 0 \\ 1/2 & 2 & 1 & 0 & 2 & 0 \\ 1/2 & 0 & 1 & 0 & 0 & 2 \end{bmatrix} \quad A = \begin{bmatrix} 0 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$b_{\text{cap}}^T = [7 \quad 10 \quad 5] \quad b_{\text{req}}^T = [2 \quad 2] \quad u^T = [5 \quad 5 \quad 5 \quad 5 \quad 1 \quad 1]$$

$$\sigma_i(y, r) = \max_{j=1, \dots, p_i} \{y_j - r_j\}, \quad i \in [3]$$

Table 6: Data for the humanitarian aid example. All data has been synthetically generated for this example.